

A revised checklist of the spiders of Great Britain and Ireland

Alastair Lavery

Burach,
Carnbo,
Kinross, KY13 0NX
email: ahlavery@outlook.com

Abstract

A revised checklist of spider species found in Great Britain and Ireland is presented together with their national distributions, national and international conservation statuses and synonymies. The list allows users to access the sources most often used in studying spiders on the archipelago.

Keywords: Araneae • Europe

Introduction

A checklist can have multiple purposes. Its primary purpose is to provide an up-to-date list of the species found in the geographical area and, as in this case, to major divisions within that area. It is also a guide to the names to be used, giving some stability at national level to ever-changing international nomenclature. This list includes United Kingdom and International Union for Conservation of Nature (IUCN) conservation statuses from Harvey *et al.* (2017). Finally, the checklist can provide users with guidance on how to trace current nomenclature to the most frequently used national identification resources, which are often several steps removed from current usage.

This checklist, like its predecessors, covers the archipelago made up of the islands of Great Britain, Ireland, and adjacent smaller islands. This geographical area covers two countries: the Republic of Ireland (RI) and the United Kingdom of Great Britain and Northern Ireland (UK). The four nations of the UK—Wales, Scotland, Northern Ireland, and England—are included, with one of the UK's Crown Dependencies, the Isle of Man. All 212 species recorded from the Isle of Man are found in England, Wales, and all but 2 in Scotland (Spider Recording Scheme 2019). As biogeographically distinct, the other two Crown Dependencies, the Bailiwicks of Jersey and Guernsey (the Channel Islands) are not included. A list of spider species found only on the Channel Islands but not in the rest of Great Britain and Ireland is included in Merrett, Russell-Smith & Harvey (2014).

The island of Ireland, a geographical and biogeographical unit, is differentiated from the political units on the island by using the names Republic of Ireland and Northern Ireland in situations where confusion is possible.

This checklist updates Merrett, Russell-Smith & Harvey (2014). It is the latest in a long series going back to Blackwall (1861), forming an important record of the developing understanding of the spiders of Great Britain and Ireland.

Methods

Selection criteria and lists

The checklist has two main sections; List A contains all species proved or suspected to be established and List B species recorded only in specific circumstances.

The criterion for inclusion in list A is evidence that self-sustaining populations of the species are established within Great Britain and Ireland. This is taken to include records from the same site over a number of years or from a number of sites. Species not recorded after 1919, one hundred years before the publication of this list, are not included, though this has not been applied strictly for Irish species because of substantially lower recording levels.

The list does not differentiate between species naturally occurring and those that have established with human assistance; in practice this can be very difficult to determine.

List A: species established in natural or semi-natural habitats

The main species list, List A1, includes all species found in natural or semi-natural habitats. List A2 contains a small number of species that are established but have not yet been fully described taxonomically. Species with insufficient records to determine their status are given in List A3. This covers species where records are confined to only one site or to very few individuals, with no evidence of reproduction.

The distinction, made in previous checklists, between species confined to artificial habitats such as greenhouses and species largely confined to other buildings has become increasingly difficult to determine and so species formerly listed as greenhouse species are now included in List A1. Species found almost exclusively in anthropic habitats are identified in the list as:

Ag: exclusively or almost exclusively in greenhouse-like structures.

Ah: exclusively or almost exclusively in houses.

Ab: exclusively or almost exclusively in buildings other than homes, such as warehouses and industrial structures.

List B: species recorded from artificial habitats and as imports

List B1 covers species recorded as established populations only in large-scale, artificial climate-controlled areas such as tropical biomes and tropical sections of botanic gardens. The extreme climate modification of these habitats is considered enough to exclude these species from List A.

List B2 contains species regularly imported into Great Britain and Ireland, for example with foodstuffs, but with no evidence that they are established.

Removal of species

While it seems easy to add species to a checklist, it can be more difficult to remove them, especially given the number of lists that can be found in publications and on the internet. These include species which have at some time been recorded in the literature as Great British or Irish but should no longer be considered so. This can be because the species has not been recorded in Great Britain and Ireland for at least 100 years, or as a result of ambiguity about its taxonomic status and distribution, or because it was recorded from Great Britain and Ireland in error. Nearly 50 such species were found in checklists for Great Britain and Ireland, both online and printed, but are not included here. A further publication is planned to explore these records.

Nomenclature

Eighty years ago, Bristowe (1939: 3) wrote “The nomenclature has undergone many changes, and it is feared that we have by no means reached finality yet”. Changes in species, genus, and family names are a constant and essential feature of a developing science but have been for years a source of confusion and annoyance at a practical, day-to-day level.

Previous checklists have largely followed international usage but have departed from this, sometimes wisely, on several occasions. This list follows the nomenclature in the current edition of the World Spider Catalog, in this case version 20.0 (World Spider Catalog 2019), last checked on 1st July 2019.

Identification

The use here of currently recognised species names should allow for easy access to world and European literature and to web-based resources. It does, however, present difficulties in using the most commonly consulted identification publications. The inclusion of superseded names from Merrett, Russell-Smith & Harvey (2014) and Roberts (1985, 1987, 1993) should allow users to trace names back through to all these sources. There are currently four main texts used for spider identification in Great Britain and Ireland:

- Bee, Oxford & Smith (2017), covering all families except Linyphiidae, used Merrett, Russell-Smith & Harvey (2014). The second edition (due 2020) will use the names in this list.
- Roberts (1995), again not fully covering Linyphiidae, is close to Roberts (1985, 1987, 1993).
- Roberts (1985, 1987, 1993) remains the major text for species identification in Great Britain and Ireland. All name changes are in the list.
- Locket & Millidge (1951, 1953) and Locket, Millidge & Merrett (1974) are the oldest useful identification guides to spiders in this region. Roberts (1987) listed changes in nomenclature.

Sources and references

Country records are taken from the Spider Recording Scheme (SRS) (2019) for Scotland, England and Wales. The SRS does not cover the island of Ireland; the species listed here for these areas are based on van Helsdingen (1996) and McFerran (1997) with species subsequently included.

The full list of references needed to chart the changing nomenclature and distribution of spiders in Great Britain and Ireland is prohibitively long for a print publication. The references in this paper are only to publications directly used; for nomenclature changes only the paper establishing the current name is listed. To untangle the full references for any species on the list, the online World Spider Catalog in its most recent edition should be used <https://wsc.nmbe.ch>.

No references are included for Scottish, English, or Welsh country distributions as the records are available on the Spider Recording Scheme (2019). References are given for species recorded here for the first time. Published sources for Irish records later than van Helsdingen (1996) are included.

The Checklist

See Lists A (1–3) and B (1–2) in Tables 1 and 2.

Discussion

A checklist, by its very nature, is always a work in progress and the rapid advance of knowledge at both local and global levels means that lists will be out of date as soon as they are published. However the periodic publication of the list should give some stability to the nomenclature used for spider species within Great Britain and Ireland.

The inclusion for the first time of country listings within this checklist should be viewed as experimental and subject to greater change than the overall list. The lists for England, Wales and Scotland reflect with considerable confidence the known distributions. The list for the island of Ireland is likely to be more provisional. In all cases further records and corrections are very welcome.

Table 3 summarizes the current status of spiders within Great Britain and Ireland.

Acknowledgements

I would like to thank first of all Peter Harvey, compiler of the Spider Recording Scheme, on which so much of the checklist is based, both for the SRS and for comments on draft lists. Myles Nolan has contributed much to the lists for Ireland and the inclusion of country lists would have been impossible without his help. He and Adam Mantell contributed unpublished records for Ireland. Richard Gallon corrected and commented on the list for Wales. Richard Wilson commented on draft lists, based on his papers on species status (Wilson 2011, 2012). Tony Russell-Smith, Geoff

Oxford and Myles Nolan commented on draft lists and text. Finally, thanks to all the arachnologists who have contributed records to the British Arachnological Society through its journal, newsletter and recording scheme.

References

- BEE, L., OXFORD, G. & SMITH, H. 2017: *Britain's spiders; a field guide*. Oxfordshire: Princeton.
- BLACKWALL, J. 1861: *A history of the spiders of Great Britain and Ireland*. London: Ray Society.
- BLICK, T. & MARUSIK, Y. M. 2018: Three junior synonyms of jumping spider genera (Araneae: Salticidae). *Arthropoda Selecta* **27**: 237–238.
- BOLZERN, A., BURCKHARDT, D. & HÄNGGI, A. 2013: Phylogeny and taxonomy of European funnel-web spiders of the *Tegenaria-Maltonica* complex (Araneae: Agelenidae) based upon morphological and molecular data. *Zoological Journal of the Linnean Society* **168**: 723–848.
- BOSMANS, R., CARDOSO, P. & CRESPO, L. C. 2010: A review of the linyphiid spiders of Portugal, with the description of six new species (Araneae: Linyphiidae). *Zootaxa* **2473**: 1–67.
- BOSMANS, R. & VAN KEER, J. 2012: On the spider species described by L. Koch in 1882 from the Balearic Islands (Araneae). *Arachnologische Mitteilungen* **43**: 5–16.
- BREEN, J. 2014: *Species dossier, range and distribution data for the Hairy Wood Ant, Formica lugubris, in Ireland*. Irish Wildlife Manuals No. 68. Ireland: National Parks and Wildlife Service, Department of the Arts, Heritage and the Gaeltacht.
- BREITLING, R. 2019: A barcode-based phylogenetic scaffold for *Xysticus* and its relatives (Araneae: Thomisidae: Coriarachnini). *Ecologica Montenegrina* **20**: 198–206.
- BREITLING, R., LEMKE, M., BAUER, T., HOHNER, M., GRABOLLE, A. & BLICK, T. 2015: Phantom spiders: notes on dubious spider species from Europe. *Arachnologische Mitteilungen* **50**: 65–80.
- BRISTOWE, W. S. 1939: *The comity of spiders. Volume I*. London: Ray Society.
- CAWLEY, M. 2001: Distribution records for uncommon spiders (Araneae) including five species new to Ireland. *Bulletin of the Irish Biogeographical Society* **25**: 135–43.
- CAWLEY, M. 2004: Some further records for uncommon spiders in Ireland (Araneae), including four species new to Ireland. *Bulletin of the Irish Biogeographical Society* **28**: 207–228.
- CAWLEY, M. 2008: More records for uncommon spiders (Araneae) including four species new to Ireland. *Bulletin of the Irish Biogeographical Society* **32**: 69–83.
- CAWLEY, M. 2013: *Tetragnatha striata* L. Koch (Araneae: Tetragnathidae) confirmed as an Irish species. *Bulletin of the Irish Biogeographical Society* **37**: 104–105.
- DUPÉRRÉ, N. 2013: Taxonomic revision of the spider genera *Agyneta* and *Tennesseellum* (Araneae, Linyphiidae) of North America north of Mexico with a study of the embolic division within Micronetinae *sensu* Saaristo & Tanasevitch 1996. *Zootaxa* **3674**: 1–189.
- ESKOV, K. Y. 1994: *Catalogue of the linyphiid spiders of northern Asia (Arachnida, Araneae, Linyphiidae)*. Sofia: Pensoft.
- FAHY, O. & GORMALLY, M. 2003: Two additions to the Irish spider fauna (Araneae, Lynphiidae): *Walckenaeria dysderoides* (Wider, 1834) and *Agyneta ramosa* Jackson, 1912. *Irish Naturalists' Journal* **27**: 318–319.
- FITZGERALD, B. M. & SIRVID, P. J. 2004: Notes on the genus *Phycosoma* Cambridge, 1879, senior synonym of *Trigonobothrys* Simon, 1889 (Theridiidae: Araneae). *Tuhinga* **15**: 7–12.
- GREGORIĆ, M., AGNARSSON, I., BLACKLEDGE, T. A. & KUNTNER, M. 2015: Phylogenetic position and composition of Zygelliinae and Caerostris, with new insight into orb-web evolution and gigantism. *Zoological Journal of the Linnean Society* **175**: 225–243.
- HARVEY, P., DAVIDSON, M., DAWSON, I., FOWLES, A., HITCHCOCK, G., LEE, P., MERRETT, P., RUSSELL-SMITH, A., SMITH, H. 2017: *A review of the scarce and threatened spiders (Araneae) of Great Britain*. Species Status No. 22. Bangor: Natural Resources Wales.
- HELDINGEN, P. J. van 1996: The county distribution of Irish spiders, incorporating a revised catalogue of the species. *Irish Naturalists' Journal* **25** Special Zoological Supplement: 1–92.
- HELDINGEN, P. J. van 1996: The spider fauna of some Irish floodplains. *Irish Naturalists' Journal* **25**: 285–93.
- HELDINGEN, P. J. van 1997: The spiders (Araneida) of Pollardstown Fen, Co Kildare, Ireland. *Irish Naturalists' Journal* **25**: 396–404.
- HELDINGEN, P. J. van 1998: The spider fauna of Scragh Bog in Co Westmeath, Ireland (Arachnida; Araneae). *Zoologische Verhandelingen* **323**: 407–415.
- JOHNSTON, R. J. & CAMERON, A. 2002: *Sintula conigera* (Blackwall, 1856) (Araneae, Linyphiidae) new to Ireland and other new County records of spiders in Northern Ireland. *Irish Naturalists' Journal* **27**: 77–80.
- JOHNSTON, R. J. & CAMERON, A. 2002: County records of spiders in Northern Ireland. *Irish Naturalists' Journal* **27**: 66–69.
- KASTRYGINA, Z. A. & KOVBLYUK, M. M. 2016: The spider genus *Rhysodromus* Schick, 1965 in the Crimea (Aranei: Philodromidae). *Arthropoda Selecta* **25**: 283–292.
- LEDOUX, J.-C. 2014: Les Hahniidae de la faune française (Araneae). *Revue Arachnologique* **1**: 29–40.
- LISSNER, J. 2016: A new synonym of *Lathys heterophthalma* Kulczyński, 1891 (Araneae: Dictynidae). *Arthropoda Selecta* **25**: 395–398.
- LOCKET, G. H. & MILLIDGE, A. F. 1951: *British spiders. Volume I*. London: Ray Society.
- LOCKET, G. H. & MILLIDGE, A. F. 1953: *British spiders. Volume II*. London: Ray Society.
- LOCKET, G. H., MILLIDGE, A. F. & MERRETT, P. 1974: *British spiders. Volume III*. London: Ray Society.
- MCFERRAN, D. 1997: *Species inventory for Northern Ireland: spiders (Arachnida)*. Environment and Heritage Service Research and Development Series. No. 97/10. Belfast: Environment and Heritage Service.
- MARTIN, R. D. 2009: *Entelecara acuminata* (Wider, 1834) at Brownstown Wood, Co. Kilkenny (Araneae: Linyphiidae), a new record to Ireland. *Irish Naturalists' Journal* **30**: 65–66.
- MARUSIK, Y. M., ESYUNIN, S. L. & TUNEVA, T. K. 2015: A survey of Palaearctic Dictynidae (Araneae). I. Taxonomic notes on *Dictynomorpha* Spassky, 1939, *Brigittea* Lehtinen, 1967 and *Lathys* Simon, 1884. *Zootaxa* **3925**: 129–144.
- MARUSIK, Y. M., LEHTINEN, P. T. & KOVBLYUK, M. M. 2005: *Cozyptila*, a new genus of crab spiders (Aranei: Thomisidae: Thomisinae: Coriarachnini) from the western Palaearctic. *Arthropoda Selecta* **13**: 151–163.
- MARUSIK, Y. M. & OMELKO, M. M. 2018: A survey of the *Porrhoctonus* Lohmander, 1944 from Central Asia (Araneae, Clubionidae). *ZooKeys* **802**: 19–38.
- MARUSIK, Y. M. & TANASEVITCH, A. V. 1998: Notes on the spider genus *Styloctetor* Simon, 1884 and some related genera, with description of two new species from Siberia (Aranei: Linyphiidae). *Arthropoda Selecta* **7**: 153–159.
- MERRETT, P., RUSSELL-SMITH, A. & HARVEY, P. 2014: A revised check list of British spiders. *Arachnology* **16**: 134–144.
- NOLAN, M. 2000a: A provisional list of spiders (Araneae) from Lesley Gibson's survey (1979–1982) of Carnsore Point, Co. Wexford, including one species new to Ireland *Maro minutus* (O. P.-Cambridge, 1906) (Linyphiidae). *Bulletin of the Irish Biogeographical Society* **24**: 159–67.
- NOLAN, M. 2000b: Three spiders (Araneae) new to Ireland: *Bolyphantes alticeps*, *Oonops domesticus* and *Steatoda nobilis*. *Irish Naturalists' Journal* **26**: 200–202.
- NOLAN, M. 2002a: Spiders (Araneae) of montane blanket bog in Co. Wicklow, Ireland. *Bulletin of the Irish Biogeographical Society* **26**: 39–59.
- NOLAN, M. 2002b: Uncommonly recorded spiders (Araneae) from Ireland, including one species new to the country. *Bulletin of the Irish Biogeographical Society* **26**: 154–160.
- NOLAN, M. 2004: Early records of Irish spiders: two species deleted, two clarifications and type material of *Erigone welchi* Jackson, 1900 (Araneae). *Bulletin of the Irish Biogeographical Society* **28**: 233–243.
- NOLAN, M. 2007: Two spiders (Araneae) new to Ireland from raised bog: *Hypsosinga albovittata* (Westring) (Araneidae) and *Minicia marginella* (Wider) (Linyphiidae). *Bulletin of the Irish Biogeographical Society* **31**: 101–106.

- NOLAN, M. 2008: First records of three spider species in Ireland (Araneae): *Glyphesis cottonae* (La Touche), *Mioxena blanda* (Simon) (Linyphiidae) and *Segestria florentina* (Rossi) (Segestriidae). *Bulletin of the Irish Biogeographical Society* **32**: 132–141.
- NOLAN, M. 2009: *Walckenaeria alticeps* (Denis, 1952) (Araneae: Linyphiidae) – new to Ireland from two raised bogs in Co. Offaly. *Bulletin of the Irish Biogeographical Society* **33**: 174–183.
- NOLAN, M. 2011: First Irish record of *Talavera aequipes* (O. P.-Cambridge, 1871) (Arachnida, Araneae, Salticidae), from a raised bog in Co. Offaly. *Bulletin of the Irish Biogeographical Society* **35**: 3–9.
- NOLAN, M. 2012: First Irish record of *Episinus maculipes* Cavanna, 1876 (Araneae, Theridiidae). *Bulletin of the Irish Biogeographical Society* **36**: 26–32.
- NOLAN, M. 2013: First Irish records of *Theridion hemerobius* Simon, 1914 (Araneae: Theridiidae). *Bulletin of the Irish Biogeographical Society* **38**: 45–55.
- NOLAN, M. 2014: First Irish records of *Crustulina guttata* (Wider) with notes on Irish occurrences of *Crustulina sticta* (O. P.-Cambridge) (Araneae: Theridiidae). *Bulletin of the Irish Biogeographical Society* **38**: 285–290.
- NOLAN, M. & CAWLEY, M. 2009: *Clubiona frutetorum* L. Koch, 1867 (Araneae, Clubionidae) in Ireland. *Bulletin of the British Arachnological Society* **14**: 374–376.
- NOLAN, M. & McCORMACK, S. 2004: First Irish record of *Meioneta mossica* Schikora, 1993 (Araneae, Linyphiidae). *Bulletin of the Irish Biogeographical Society* **28**: 204–206.
- NOLAN, M. & REGAN, E. C. 2008: *Drassodes pubescens* (Thorell) (Araneae, Gnaphosidae): a spider new to Ireland from calcareous grassland. *Bulletin of the Irish Biogeographical Society* **32**: 128–131.
- OMELKO, M. M., MARUSIK, Y. M. & KOPONEN, S. 2011: A survey of the east Palearctic Lycosidae (Aranei). 8. The genera *Pirata* Sundevall, 1833 and *Piratula* Roewer, 1960 in the Russian Far East. *Arthropoda Selecta* **20**: 195–232.
- ONO, H. 2009: *The spiders of Japan with keys to the families and genera and illustrations of the species*. Kanagawa: Tokai University Press.
- OXBROUGH, A. 2007: Distribution records of some uncommonly recorded spiders in Ireland including a new Irish record: *Meioneta mollis* (O. P.-Cambridge, 1871) (Araneae: Linyphiidae). *Irish Naturalists' Journal* **28**: 406–409.
- OXFORD, G. S. & BOLZERN, A. 2018: Molecules v. morphology—is *Eratigena atrica* (Araneae: Agelenidae) one species or three? *Arachnology* **17**: 337–357.
- PRÓSZYŃSKI, J. 2017: Revision of the genus *Sitticus* Simon, 1901 s. l. (Araneae: Salticidae). *Ecologica Montenegrina* **10**: 35–50.
- PRÓSZYŃSKI, J., LISSNER, J. & SCHÄFER, M. 2018: Taxonomic survey of the genera *Euophrys*, *Pseudeuophrys* and *Talavera*, with description of *Euochin* gen. n. (Araneae: Salticidae) and with proposals of a new research protocol. *Ecologica Montenegrina* **18**: 26–74.
- RAMÍREZ, M. J. 2014: The morphology and phylogeny of dionychan spiders (Araneae: Araneomorphae). *Bulletin of the American Museum of Natural History* **390**: 1–374.
- ROBERTS, M. J. 1985: *The spiders of Great Britain and Ireland. Volume 1: Atypidae to Theridiosomatidae*. Colchester: Harley Books.
- ROBERTS, M. J. 1987: *The spiders of Great Britain and Ireland. Volume 2: Linyphiidae and check list*. Colchester: Harley Books.
- ROBERTS, M. J. 1993: *Appendix to The spiders of Great Britain and Ireland*. Colchester: Harley Books.
- ROBERTS, M. J. 1995: *Collins field guide: Spiders of Britain & Northern Europe*. London: HarperCollins.
- SAARISTO, M. I. 1973: Taxonomical analysis of the type-species of *Agyreta*, *Anomalaria*, *Meioneta*, *Aprolagus*, and *Syedrula* (Araneae, Linyphiidae). *Annales Zoologici Fennici* **10**: 451–466.
- SAARISTO, M. I. 2006: Theridiid or cobweb spiders of the granitic Seychelles islands (Araneae, Theridiidae). *Phelsuma* **14**: 49–89.
- SAARISTO, M. I. & ESKOV, K. Y. 1996: Taxonomy and zoogeography of the hypoarctic erigonine spider genus *Semljicola* (Araneida, Linyphiidae). *Acta Zoologica Fennica* **201**: 47–69.
- SAARISTO, M. I. & MARUSIK, Y. M. 2004: Revision of the Holarctic spider genus *Oreoneta* Kulczyński, 1894 (Arachnida: Aranei: Linyphiidae). *Arthropoda Selecta* **12**: 207–249.
- SMITH, C. 1999: *Oonops domesticus* (de Dalmas) new to Ireland, but unconfirmed as a native spider (Araneae, Oonopidae). *Irish Naturalists' Journal* **26**: 127–128.
- SNAZELL, R., JONSSON, L. J. & STEWART, J. A. 1999: *Neon robustus* Lohmander (Araneae: Salticidae), a fennoscandian spider found in Scotland and Ireland. *Bulletin of the British Arachnological Society* **11**: 251–254.
- SPIDER RECORDING SCHEME 2019: *Spider recording scheme*. York: British Arachnological Society, online at <http://srs.britishspiders.org.uk>.
- TANASEVITCH, A. V. 1990: The spider family Linyphiidae in the fauna of the Caucasus (Arachnida, Aranei). In B. R. Striganova (ed.), *Fauna nazemnykh bespozvonochnykh Kavkaza*. Moscow: Akademia Nauk: 5–114.
- WHEELER, W. C., CODDINGTON, J. A., CROWLEY, L. M., DIMITROV, D., GOLOBOFF, P. A., GRISWOLD, C. E., HORMIGA, G., PRENDINI, L., RAMÍREZ, M. J., SIERWALD, P., ALMEIDA-SILVA, L. M., ÁLVAREZ-PADILLA, F., ARNEDO, M. A., BENAVIDES, L. R., BENJAMIN, S. P., BOND, J. E., GRISMADO, C. J., HASAN, E., HEDIN, M., IZQUIERDO, M. A., LABARQUE, F. M., LEDFORD, J., LOPARDO, L., MADDISON, W. P., MILLER, J. A., PIACENTINI, L. N., PLATNICK, N. I., POLOTOW, D., SILVA-DÁVILA, D., SCHARFF, N., SZÚTS, T., UBICK, D., VINK, C., WOOD, H. M. & ZHANG, J. X. 2017: The spider tree of life: phylogeny of Araneae based on target-gene analyses from an extensive taxon sampling. *Cladistics* **33**: 576–616.
- WILSON, R. 2011: Some tropical spiders recorded in Leeds, West Yorkshire and a review of non-native taxa recorded in the UK. *Newsletter of the British Arachnological Society* **120**: 1–5.
- WILSON, R. 2012: An American jumper in Leeds, West Yorkshire and an update on non-native taxa recorded in the UK. *Newsletter of the British Arachnological Society* **123**: 10–15.
- WORLD SPIDER CATALOG 2019: *World spider catalog, version 20.0*. Natural History Museum Bern, online at <http://wsc.nmbe.ch>
- WUNDERLICH, J. 1973: Zur Spinnenfauna Deutschlands, XV. Weitere seltene und bisher unbekannte Arten sowie Anmerkungen zur Taxonomie und Synonymie (Arachnida: Araneae). *Senckenbergiana Biologica* **54**: 405–428.
- WUNDERLICH, J. 1988: *Die fossilen Spinnen im Dominikanischen Bernstein*. Straubenhardt, Germany: J. Wunderlich.
- WUNDERLICH, J. 1992: Die Spinnen-Fauna der Makaronesischen Inseln: Taxonomie, Ökologie, Biogeographie und Evolution. *Beiträge zur Araneologie* **1**: 1–619.
- WUNDERLICH, J. 1999: *Liocranoeca* – eine bisher unbekannte Gattung der Feldspinnen aus Europa und Nordamerika (Arachnida: Araneae: Liocranidae). *Entomologische Zeitschrift* **109**: 67–70.
- WUNDERLICH, J. 2008a: On extant and fossil (Eocene) European comb-footed spiders (Araneae: Theridiidae), with notes on their subfamilies, and with descriptions of new taxa. *Beiträge zur Araneologie* **5**: 140–469, 792–794, 796–800, 803, 819–859.
- WUNDERLICH, J. 2008b: A revision of the genus *Achaearanea* (Araneae: Theridiidae). *Acta Arachnologica* **57**: 37–40.
- YOSHIDA, H. 2002: A revision of the Japanese genera and species of the subfamily Hadrotarsinae (Araneae: Theridiidae). *Acta Arachnologica* **51**: 7–18.

Table 1: Species found in Great Britain and Ireland.

List A1: species established in natural or semi-natural habitats.**List A2:** species awaiting taxonomic definition**List A3:** species with insufficient data to determine status.

Abbreviations: Countries: E = England; S = Scotland; W = Wales; NI = Northern Ireland; RI = Republic of Ireland. Anthropic Status (AS): Ag = exclusively or almost exclusively in greenhouse-like structures; Ah = exclusively or almost exclusively in houses; Ab = exclusively or almost exclusively in buildings other than homes, such as warehouses and industrial structures. Conservation status: GB = Great Britain designations: NS = Nationally Scarce; NR = Nationally Rare. IU = IUCN international designations: CE = Critically Endangered; E = Endangered; V = Vulnerable; NT = Near Threatened; DD = Data Deficient.

List A1. Species established in natural or semi-natural habitats

Species	2014	Roberts	E	S	W	NI	RI	AS	GB	IU
Family ATYPIDAE										
<i>Atypus affinis</i> Eichwald, 1830			E	S	W		RI		NS	
Family SCYTODIDAE										
<i>Scytodes thoracica</i> (Latreille, 1802)			E		W		RI	Ah		
Family PHOLCIDAE										
<i>Pholcus phalangioides</i> (Fuesslin, 1775)			E	S	W	NI	RI	Ah		
<i>Psilochorus simoni</i> (Berland, 1911)			E	S	W	NI	RI	Ah		
Family SEGESTRIIDAE										
<i>Segestria senoculata</i> (Linnaeus, 1758)			E	S	W	NI	RI			
<i>Segestria bavarica</i> C. L. Koch, 1843			E		W				NR	
<i>Segestria florentina</i> (Rossi, 1790)			E	S	W					
Family DYSDERIDAE										
<i>Dysdera erythrina</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Dysdera crocata</i> C. L. Koch, 1838			E	S	W	NI	RI			
<i>Harpactea hombergi</i> (Scopoli, 1763)			E	S	W	NI	RI			
<i>Harpactea rubicunda</i> (C. L. Koch, 1838)		Appendix 2	E						NR	V
Family OONOPIDAE										
<i>Oonops pulcher</i> Templeton, 1835			E	S	W	NI	RI			
<i>Oonops domesticus</i> Dalmas, 1916			E	S	W	NI	RI	Ah		
Family MIMETIDAE										
<i>Ero cambridgei</i> Kulczyński, 1911			E	S	W	NI	RI			
<i>Ero furcata</i> (Villers, 1789)			E	S	W	NI	RI			
<i>Ero aphana</i> (Walckenaer, 1802)			E	S					NS	
<i>Ero tuberculata</i> (De Geer, 1778)			E	S					NS	
Family ERESIDAE										
<i>Eresus sandaliatus</i> (Martini & Goeze, 1778)		<i>Eresus niger</i>	E						NR	V
Family ULOBORIDAE										
<i>Uloborus walckenaerius</i> Latreille, 1806			E						NR	NT
<i>Uloborus plumipes</i> Lucas, 1846		not present	E	S	W		RI	Ag		
<i>Hyptiotes paradoxus</i> (C. L. Koch, 1834)			E		W		RI		NS	
Family NESTICIDAE										
<i>Nesticus cellulanus</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Kryphonesticus eremita</i> (Simon, 1880)	not present	not present			W					
Family THERIDIIDAE										
<i>Episinus angulatus</i> (Blackwall, 1836)			E	S	W	NI	RI			
<i>Episinus truncatus</i> Latreille, 1809			E		W		RI		NS	
<i>Episinus maculipes</i> Cavanna, 1876			E			NI	RI		NS	
<i>Euryopis flavomaculata</i> (C. L. Koch, 1836)			E	S	W	NI	RI		NS	
<i>Lasaeola prona</i> (Menge, 1868)	<i>Dipoena prona</i>	<i>Dipoena prona</i>	E		W				NR	E
<i>Lasaeola tristis</i> (Hahn, 1833)	<i>Dipoena tristis</i>	<i>Dipoena tristis</i>	E				RI		NS	
<i>Phycosoma inornatum</i> (O. P.-Cambridge, 1861)	<i>Dipoena inornata</i>	<i>Dipoena inornata</i>	E	S	W		RI		NS	
<i>Dipoena erythropus</i> (Simon, 1881)			E		W				NR	V
<i>Dipoena melanogaster</i> (C. L. Koch, 1837)			E				RI		NR	E
<i>Dipoena torva</i> (Thorell, 1875)				S					NR	NT
<i>Crustulina guttata</i> (Wider, 1834)			E	S	W		RI			
<i>Crustulina sticta</i> (O. P.-Cambridge, 1861)			E				RI		NS	
<i>Asagena phalerata</i> (Panzer, 1801)	<i>Steatoda phalerata</i>	<i>Steatoda phalerata</i>	E	S	W	NI	RI			
<i>Steatoda albomaculata</i> (De Geer, 1778)			E		W				NR	
<i>Steatoda bipunctata</i> (Linnaeus, 1758)			E	S	W	NI	RI			

Species	2014	Roberts	E	S	W	NI	RI	AS	GB	IU
Theridiidae cont.										
<i>Steatoda grossa</i> (C. L. Koch, 1838)			E	S	W	NI	RI	Ab		
<i>Steatoda nobilis</i> (Thorell, 1875)		Appendix 2	E	S	W	NI	RI	Ab		
<i>Steatoda triangulosa</i> (Walckenaer, 1802)		not present	E		W					
<i>Anelosimus vittatus</i> (C. L. Koch, 1836)			E	S	W	NI	RI			
<i>Kochiura aulica</i> (C. L. Koch, 1838)		<i>Anelosimus aulicus</i>	E					NS		
<i>Cryptachaea riparia</i> (Blackwall, 1834)	<i>Achaearanea riparia</i>	<i>Achaearanea riparia</i>	E	S	W		RI	NS		
<i>Cryptachaea blattae</i> (Urquhart, 1886)	not present	not present	E		W					
<i>Cryptachaea veruculata</i> (Urquhart, 1885)		<i>Achaearanea veruculata</i>	E							
<i>Parasteatoda lunata</i> (Clerck, 1757)	<i>Achaearanea lunata</i>	<i>Achaearanea lunata</i>	E		W		RI			
<i>Parasteatoda tepidariorum</i> (C. L. Koch, 1841)	<i>Achaearanea tepidariorum</i>	<i>Achaearanea tepidariorum</i>	E	S	W	NI	RI	Ag		
<i>Parasteatoda simulans</i> (Thorell, 1875)	<i>Achaearanea simulans</i>	<i>Achaearanea simulans</i>	E		W					
<i>Phylloneta sisyphia</i> (Clerck, 1757)		<i>Theridion sisyphium</i>	E	S	W	NI	RI			
<i>Phylloneta impressa</i> (L. Koch, 1881)		<i>Theridion impressum</i>	E	S	W	NI	RI			
<i>Theridion pictum</i> (Walckenaer, 1802)			E	S	W					
<i>Theridion hemerobium</i> Simon, 1914			E		W		RI	NS		
<i>Theridion hannoniae</i> Denis, 1944		not present			W					
<i>Theridion varians</i> Hahn, 1833			E	S	W	NI	RI			
<i>Theridion pinastri</i> L. Koch, 1872			E					NS		
<i>Theridion familiare</i> O. P.-Cambridge, 1871			E	S				NS		
<i>Theridion melanurum</i> Hahn, 1831			E	S	W	NI	RI			
<i>Theridion mystaceum</i> L. Koch, 1870			E	S	W	NI	RI			
<i>Sardinidion blackwalli</i> (O. P.-Cambridge, 1871)	<i>Theridion blackwalli</i>	<i>Theridion blackwalli</i>	E	S	W		RI	NS		
<i>Platnickina tincta</i> (Walckenaer, 1802)		<i>Theridion tinctum</i>	E	S	W	NI	RI			
<i>Simitidion simile</i> (C. L. Koch, 1836)		<i>Theridion simile</i>	E	S	W	NI	RI			
<i>Neottiura bimaculata</i> (Linnaeus, 1767)		<i>Theridion bimaculatum</i>	E	S	W	NI	RI			
<i>Paidiscura pallens</i> (Blackwall, 1834)		<i>Theridion pallens</i>	E	S	W	NI	RI			
<i>Rugathodes instabilis</i> (O. P.-Cambridge, 1871)		<i>Theridion instabile</i>	E		W	NI	RI	NS		
<i>Rugathodes bellicosus</i> (Simon, 1873)		<i>Theridion bellicosum</i>	E	S	W		RI	NR		
<i>Rugathodes sexpunctatus</i> (Emerton, 1882)		not present			S					
<i>Coleosoma floridanum</i> (Banks, 1900)	not present	not present	E					Ag		
<i>Enoplognatha ovata</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Enoplognatha latimana</i> Hippa & Oksala, 1982		Appendix 1	E	S	W		RI			
<i>Enoplognatha thoracica</i> (Hahn, 1833)			E	S	W	NI	RI			
<i>Enoplognatha mordax</i> (Thorell, 1875)		<i>Enoplognatha crucifera</i>	E	S	W			NS		
<i>Enoplognatha caricis</i> (Fickert, 1876)	<i>Enoplognatha tecta</i>	<i>Enoplognatha tecta</i>	E					NR	V	
<i>Enoplognatha oelandica</i> (Thorell, 1875)			E					NR	CE	
<i>Robertus lividus</i> (Blackwall, 1836)			E	S	W	NI	RI			
<i>Robertus arundineti</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Robertus neglectus</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI	NS		
<i>Robertus scoticus</i> Jackson, 1914				S				NR	CE	
<i>Robertus insignis</i> O. P.-Cambridge, 1907			E					NR	DD	
<i>Pholcomma gibbum</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Theonoe minutissima</i> (O. P.-Cambridge, 1879)			E	S	W	NI	RI			
Family THERIDIOSOMATIDAE										
<i>Theridiosoma gemmosum</i> (L. Koch, 1877)			E		W	NI	RI	NS		
Family MYSMENIDAE										
<i>Trogloneta granulum</i> Simon, 1922	not present	not present			W					
Family LINYPHIIDAE										
<i>Ceratinella brevipes</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Ceratinella brevis</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Ceratinella scabrosa</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Walckenaeria acuminata</i> Blackwall, 1833			E	S	W	NI	RI			
<i>Walckenaeria mitrata</i> (Menge, 1868)			E					NR	V	
<i>Walckenaeria antica</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Walckenaeria alticeps</i> (Denis, 1952)			E	S	W	NI	RI		NS	
<i>Walckenaeria cucullata</i> (C. L. Koch, 1836)			E	S	W		RI			
<i>Walckenaeria nodosa</i> O. P.-Cambridge, 1873			E	S	W	NI	RI		NS	
<i>Walckenaeria atrotibialis</i> (O. P.-Cambridge, 1878)			E	S	W	NI	RI			
<i>Walckenaeria capito</i> (Westring, 1861)			E	S	W		RI		NS	
<i>Walckenaeria incisa</i> (O. P.-Cambridge, 1871)			E	S	W				NS	
<i>Walckenaeria dysderoides</i> (Wider, 1834)			E	S	W	NI	RI		NS	

Species	2014	Roberts	E	S	W	NI	RI	AS	GB	IU
Linyphiidae cont.										
<i>Walckenaeria stylifrons</i> (O. P.-Cambridge, 1875)			E						NR	V
<i>Walckenaeria nudipalpis</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Walckenaeria obtusa</i> Blackwall, 1836			E	S	W				NS	
<i>Walckenaeria monoceros</i> (Wider, 1834)			E	S	W		RI		NS	
<i>Walckenaeria corniculans</i> (O. P.-Cambridge, 1875)			E				RI		NR	CE
<i>Walckenaeria furcillata</i> (Menge, 1869)			E	S	W				NS	
<i>Walckenaeria unicornis</i> O. P.-Cambridge, 1861			E	S	W	NI	RI			
<i>Walckenaeria kochi</i> (O. P.-Cambridge, 1872)			E	S	W	NI	RI		NS	
<i>Walckenaeria clavicornis</i> (Emerton, 1882)			E	S	W	NI	RI		NS	
<i>Walckenaeria cuspidata</i> Blackwall, 1833			E	S	W	NI	RI			
<i>Walckenaeria vigilax</i> (Blackwall, 1853)			E	S	W	NI	RI			
<i>Dicymbium nigrum</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Dicymbium nigrum brevisetosum</i> Locket, 1962	<i>Dicymbium brevisetosum</i>	<i>D. nigrum f. brevisetosum</i>	E	S	W	NI	RI			
<i>Dicymbium tibiale</i> (Blackwall, 1836)			E	S	W	NI	RI			
<i>Entelecara acuminata</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Entelecara congenera</i> (O. P.-Cambridge, 1879)			E		W				NS	
<i>Entelecara erythropus</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Entelecara flavipes</i> (Blackwall, 1834)			E	S	W		RI		NS	
<i>Entelecara omissa</i> O. P.-Cambridge, 1902			E				RI		NS	
<i>Entelecara errata</i> O. P.-Cambridge, 1913			E	S	W		RI		NS	
<i>Moebelia penicillata</i> (Westring, 1851)			E	S	W	NI	RI		NS	
<i>Hylaphantes graminicola</i> (Sundevall, 1830)			E	S	W		RI			
<i>Gnathonarium dentatum</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Trematocephalus cristatus</i> (Wider, 1834)			E						NS	
<i>Tmeticus affinis</i> (Blackwall, 1855)			E	S	W		RI		NS	
<i>Gongylidium rufipes</i> (Linnaeus, 1758)			E	S	W	NI	RI			
<i>Dismodicus bifrons</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Dismodicus elevatus</i> (C. L. Koch, 1838)			E	S					NR	V
<i>Hypomma bituberculatum</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Hypomma fulvum</i> (Bösenberg, 1902)			E		W	NI	RI		NS	
<i>Hypomma cornutum</i> (Blackwall, 1833)			E	S	W	NI	RI			
<i>Metopobactrus prominulus</i> (O. P.-Cambridge, 1872)			E	S	W	NI	RI			
<i>Hybocoptus corrugis</i> (O. P.-Cambridge, 1875)	<i>Hybocoptus decollatus</i>	<i>Hybocoptus decollatus</i>	E		W				NS	
<i>Baryphyma pratense</i> (Blackwall, 1861)			E	S	W					
<i>Baryphyma gowerense</i> (Locket, 1965)			E		W	NI	RI		NR	V
<i>Baryphyma trifrons</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI			
<i>Baryphyma maritimum</i> (Crocker & Parker, 1970)			E						NR	NT
<i>Praestigia duffeyi</i> Millidge, 1954		<i>Baryphyma duffeyi</i>	E				RI		NR	E
<i>Gonatium rubens</i> (Blackwall, 1833)			E	S	W	NI	RI			
<i>Gonatium rubellum</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Gonatium paradoxum</i> (L. Koch, 1869)			E						NR	E
<i>Maso sundevalli</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Maso gallicus</i> Simon, 1894			E		W				NS	
<i>Minicia marginella</i> (Wider, 1834)		Appendix 2	E				RI		NR	DD
<i>Peponocranium ludicum</i> (O. P.-Cambridge, 1861)			E	S	W	NI	RI			
<i>Pocadicnemis pumila</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Pocadicnemis juncea</i> Locket & Millidge, 1953			E	S	W	NI	RI			
<i>Hypsistes jacksoni</i> (O. P.-Cambridge, 1902)			E	S	W	NI	RI		NS	
<i>Oedothorax gibbosus</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Oedothorax fuscus</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Oedothorax agrestis</i> (Blackwall, 1853)			E	S	W	NI	RI			
<i>Oedothorax retusus</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Oedothorax apicatus</i> (Blackwall, 1850)			E	S	W		RI			
<i>Trichopternoides thorelli</i> (Westring, 1861)		<i>Trichopterna thorelli</i>	E	S	W	NI	RI			
<i>Trichopterna cito</i> (O. P.-Cambridge, 1872)			E						NR	E
<i>Pelecopsis mengei</i> (Simon, 1884)			E	S	W	NI	RI			
<i>Pelecopsis parallela</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Pelecopsis elongata</i> (Wider, 1834)				S					NR	NT
<i>Pelecopsis radicicola</i> (L. Koch, 1872)			E						NR	E
<i>Pelecopsis susannae</i> (Simon, 1914)	not present	not present	E							
<i>Parapelecopsis nemoralis</i> (Blackwall, 1841)	<i>Pelecopsis nemoralis</i>	<i>Pelecopsis nemoralis</i>	E	S	W	NI	RI			
<i>Parapelecopsis nemoralioides</i> (O. P.-Cambridge, 1884)	<i>Pelecopsis nemoralioides</i>	not present	E	S	W		RI		NS	

Species	2014	Roberts	E	S	W	NI	RI	AS	GB	IU
Linyphiidae cont.										
<i>Silometopus elegans</i> (O. P.-Cambridge, 1872)			E	S	W	NI	RI			
<i>Silometopus ambiguus</i> (O. P.-Cambridge, 1905)			E	S	W	NI	RI		NS	
<i>Silometopus reussi</i> (Thorell, 1871)			E	S	W	NI	RI			
<i>Silometopus incurvatus</i> (O. P.-Cambridge, 1873)			E	S			RI		NR	V
<i>Mecopisthes peusi</i> Wunderlich, 1972			E	S	W	NI	RI		NS	
<i>Cnephalocotes obscurus</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Acartauchenius scurrilis</i> (O. P.-Cambridge, 1872)			E						NR	NT
<i>Trichoncus saxicola</i> (O. P.-Cambridge, 1861)			E	S			RI		NR	V
<i>Trichoncus hackmani</i> Millidge, 1955			E						NR	V
<i>Trichoncus affinis</i> Kulczyński, 1894			E						NR	
<i>Styloctetor romanus</i> (O. P.-Cambridge, 1873)	<i>Ceratinopsis romana</i>	<i>Ceratinopsis romana</i>	E		W				NR	
<i>Styloctetor compar</i> (Westring, 1861)	<i>Ceratinopsis stativa</i>	<i>Ceratinopsis stativa</i>	E		W		RI		NS	
<i>Evansia merens</i> O. P.-Cambridge, 1900			E	S	W		RI		NS	
<i>Tiso vagans</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Tiso aestivus</i> (L. Koch, 1872)			E	S	W				NS	
<i>Troxochrus scabriculus</i> (Westring, 1851)			E	S	W		RI			
<i>Minyriolus pusillus</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Tapinocyba praecox</i> (O. P.-Cambridge, 1873)			E	S	W	NI	RI			
<i>Tapinocyba pallens</i> (O. P.-Cambridge, 1872)			E	S	W	NI	RI			
<i>Tapinocyba insecta</i> (L. Koch, 1869)			E	S	W	NI	RI		NS	
<i>Tapinocyba mitis</i> (O. P.-Cambridge, 1882)			E						NR	E
<i>Tapinocyboides pygmaeus</i> (Menge, 1869)			E	S					NR	DD
<i>Microctenonyx subitaneus</i> (O. P.-Cambridge, 1875)			E	S	W	NI	RI		NS	
<i>Satilatlas britteni</i> (Jackson, 1913)			E	S	W	NI	RI		NS	
<i>Thyreosthenius parasiticus</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Thyreosthenius biovatus</i> (O. P.-Cambridge, 1875)			E	S	W		RI		NS	
<i>Monocephalus fuscipes</i> (Blackwall, 1836)			E	S	W	NI	RI			
<i>Monocephalus castaneipes</i> (Simon, 1884)			E	S	W	NI	RI		NS	
<i>Lophomma punctatum</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Saloca diceros</i> (O. P.-Cambridge, 1871)			E		W		RI		NS	
<i>Gongylidiellum vivum</i> (O. P.-Cambridge, 1875)			E	S	W	NI	RI			
<i>Gongylidiellum latebricola</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI		NS	
<i>Gongylidiellum murcidum</i> Simon, 1884			E	S	W		RI		NS	V
<i>Micrargus herbigradus</i> (Blackwall, 1854)			E	S	W	NI	RI			
<i>Micrargus apertus</i> (O. P.-Cambridge, 1871)			E	S	W					
<i>Micrargus subaequalis</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Micrargus laudatus</i> (O. P.-Cambridge, 1881)			E		W				NS	
<i>Notioscopus sarcinatus</i> (O. P.-Cambridge, 1872)			E	S	W				NS	
<i>Glyphesis cottonae</i> (La Touche, 1945)			E		W		RI		NR	V
<i>Glyphesis servulus</i> (Simon, 1881)			E		W				NR	NT
<i>Erigonella hiemalis</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Erigonella ignobilis</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI		NS	
<i>Savignia frontata</i> Blackwall, 1833			E	S	W	NI	RI			
<i>Diplocephalus cristatus</i> (Blackwall, 1833)			E	S	W	NI	RI			
<i>Diplocephalus permixtus</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Diplocephalus latifrons</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI			
<i>Diplocephalus connatus</i> Bertkau, 1889			E						NR	CE
<i>Diplocephalus picinus</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Diplocephalus protuberans</i> (O. P.-Cambridge, 1875)			E	S	W				NR	V
<i>Diplocephalus graecus</i> (O. P.-Cambridge, 1872)	not present		E							
<i>Araeoncus humilis</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Araeoncus crassiceps</i> (Westring, 1861)			E	S	W	NI	RI		NS	
<i>Panamomops sulcifrons</i> (Wider, 1834)			E		W				NS	
<i>Lessertia dentichelis</i> (Simon, 1884)			E		W	NI	RI		NS	
<i>Scotinotylus evansi</i> (O. P.-Cambridge, 1894)			E	S					NS	
<i>Typhochrestus digitatus</i> (O. P.-Cambridge, 1872)			E	S	W	NI	RI		NS	
<i>Typhochrestus simoni</i> Lessert, 1907			E		W				NR	CE
<i>Diplocentria bidentata</i> (Emerton, 1882)			E	S	W		RI		NS	
<i>Wabasso replicatus</i> (Holm, 1950)	not present		S						NR	V
<i>Erigone dentipalpis</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Erigone atra</i> Blackwall, 1833			E	S	W	NI	RI			
<i>Erigone promiscua</i> (O. P.-Cambridge, 1872)			E	S	W	NI	RI			

Species	2014	Roberts	E	S	W	NI	RI	AS	GB	IU
Linyphiidae cont.										
<i>Erigone arctica</i> (White, 1852)			E	S	W	NI	RI			
<i>Erigone longipalpis</i> (Sundevall, 1830)			E	S	W	NI	RI			
<i>Erigone tirolensis</i> L. Koch, 1872				S					NS	
<i>Erigone dentigera</i> O. P.-Cambridge, 1874	<i>Erigone capra</i>	<i>Erigone capra</i>	E	S	W		RI		NR	
<i>Erigone welchi</i> Jackson, 1911			E	S	W		RI		NR	E
<i>Erigone psychrophila</i> Thorell, 1871			E	S					NR	NT
<i>Erigone aletris</i> Crosby & Bishop, 1928			E	S						
<i>Prinerigone vagans</i> (Audouin, 1826)		<i>Erigone vagans</i>	E	S	W					
<i>Mermessus trilobatus</i> (Emerton, 1882)		not present	E							
<i>Mecynargus morulus</i> (O. P.-Cambridge, 1873)		<i>Rhaebothorax morulus</i>	E	S	W	NI	RI		NS	
<i>Mecynargus paetus</i> (O. P.-Cambridge, 1875)		<i>Rhaebothorax paetus</i>	S						NR	V
<i>Semljicola faustus</i> (O. P.-Cambridge, 1900)	<i>Latithorax faustus</i>	<i>Latithorax faustus</i>	E	S	W	NI	RI		NS	
<i>Semljicola caliginosus</i> (Falconer, 1910)			E	S					NR	E
<i>Donacochara speciosa</i> (Thorell, 1875)			E			NI	RI		NS	
<i>Leptorthoptrum robustum</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Drepanotylus uncatus</i> (O. P.-Cambridge, 1873)			E	S	W	NI	RI			
<i>Leptothrix hardyi</i> (Blackwall, 1850)			E	S	W	NI	RI		NS	
<i>Hilaira excisa</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Hilaira nubigena</i> Hull, 1911			E	S					NR	V
<i>Hilaira peruvicax</i> Hull, 1908			E	S	W	NI			NS	
<i>Oreoneta frigida</i> (Thorell, 1872)	<i>Hilaira frigida</i>	<i>Hilaira frigida</i>	E	S	W	NI	RI			
<i>Halorates reprobus</i> (O. P.-Cambridge, 1879)			E	S	W	NI	RI		NS	
<i>Collinsia inerrans</i> (O. P.-Cambridge, 1885)	<i>Milleriana inerrans</i>	<i>Milleriana inerrans</i>	E	S	W		RI			
<i>Collinsia distincta</i> (Simon, 1884)	<i>Halorates distinctus</i>	<i>Halorates distinctus</i>	E	S	W				NS	
<i>Collinsia holmgreni</i> (Thorell, 1871)	<i>Halorates holmgreni</i>	<i>Halorates holmgreni</i>	S						NS	
<i>Carorita limnaea</i> (Crosby & Bishop, 1927)			E		W	NI	RI		NR	V
<i>Karita paludosa</i> (Dufey, 1971)		<i>Carorita paludosa</i>	E			NI	RI		NR	V
<i>Wiehlea calcarifera</i> (Simon, 1884)			E						NR	E
<i>Mioxena blanda</i> (Simon, 1884)			E		W		RI		NR	DD
<i>Caviphantes saxetorum</i> (Hull, 1916)			E	S	W				NR	NT
<i>Asthenargus paganus</i> (Simon, 1884)			E	S	W	NI	RI		NS	
<i>Jacksonella falconeri</i> (Jackson, 1908)			E	S	W	NI	RI		NS	
<i>Pseudomaro aenigmatis</i> Denis, 1966			E						NR	DD
<i>Ostearius melanopygius</i> (O. P.-Cambridge, 1879)			E	S	W	NI	RI			
<i>Aphileta misera</i> (O. P.-Cambridge, 1882)			E	S	W	NI	RI			
<i>Porrhomma pygmaeum</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Porrhomma convexum</i> (Westring, 1851)			E	S	W	NI	RI		NS	
<i>Porrhomma rosenhaueri</i> (L. Koch, 1872)				W			RI		NR	NT
<i>Porrhomma pallidum</i> Jackson, 1913			E	S	W	NI	RI			
<i>Porrhomma campbelli</i> F. O. P.-Cambridge, 1894			E	S	W	NI	RI		NS	
<i>Porrhomma microphthalmum</i> (O. P.-Cambridge, 1871)			E	S	W					
<i>Porrhomma errans</i> (Blackwall, 1841)			E	S	W		RI		NS	
<i>Porrhomma egeria</i> Simon, 1884			E	S	W		RI		NS	
<i>Porrhomma oblitum</i> (O. P.-Cambridge, 1871)			E		W		RI		NS	
<i>Porrhomma cambridgei</i> Merrett, 1994			E						NR	DD
<i>Porrhomma montanum</i> Jackson, 1913			E	S	W	NI	RI		NS	
<i>Agyneta subtilis</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI			
<i>Agyneta conigera</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI			
<i>Agyneta decora</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Agyneta cauta</i> (O. P.-Cambridge, 1902)			E	S	W	NI	RI		NS	
<i>Agyneta olivacea</i> (Emerton, 1882)			E	S	W	NI	RI		NS	
<i>Agyneta ramosa</i> Jackson, 1912			E	S	W		RI			
<i>Agyneta innotabilis</i> (O. P.-Cambridge, 1863)	<i>Meioneta innotabilis</i>	<i>Meioneta innotabilis</i>	E	S	W	NI	RI			
<i>Agyneta rurestris</i> (C. L. Koch, 1836)	<i>Meioneta rurestris</i>	<i>Meioneta rurestris</i>	E	S	W	NI	RI			
<i>Agyneta mollis</i> (O. P.-Cambridge, 1871)	<i>Meioneta mollis</i>	<i>Meioneta mollis</i>	E		W	NI	RI		NR	NT
<i>Agyneta saxatilis</i> (Blackwall, 1844)	<i>Meioneta saxatilis</i>	<i>Meioneta saxatilis</i>	E	S	W	NI	RI			
<i>Agyneta mossica</i> (Schikora, 1993)	<i>Meioneta mossica</i>	not present	E	S	W	NI	RI		NS	
<i>Agyneta simplicitarsis</i> (Simon, 1884)	<i>Meioneta simplicitarsis</i>	<i>Meioneta simplicitarsis</i>	E						NS	
<i>Agyneta affinis</i> (Kulczyński, 1898)	<i>Meioneta beata</i>	<i>Meioneta beata</i>	E	S	W	NI	RI			
<i>Agyneta fuscipalpa</i> (C. L. Koch, 1836)	<i>Meioneta fuscipalpa</i>	not present	E						NR	V
<i>Agyneta gulosa</i> (L. Koch, 1869)	<i>Meioneta gulosa</i>	<i>Meioneta gulosa</i>	E	S	W	NI	RI		NS	
<i>Agyneta nigripes</i> (Simon, 1884)	<i>Meioneta nigripes</i>	<i>Meioneta nigripes</i>	S	W					NS	

Species	2014	Roberts	E	S	W	NI	RI	AS	GB	IU
Linyphiidae cont.										
<i>Microneta viaria</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Maro minutus</i> O. P.-Cambridge, 1906			E	S	W		RI		NS	
<i>Maro sublestus</i> Falconer, 1915			E	S			RI		NR	E
<i>Maro lepidus</i> Casimir, 1961			E	S	W				NR	E
<i>Syedra gracilis</i> (Menge, 1869)			E	S					NS	
<i>Syedra myrmicarum</i> (Kulczyński, 1882)	not present	not present	E							
<i>Centromerus sylvaticus</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Centromerus prudens</i> (O. P.-Cambridge, 1873)			E	S	W	NI	RI			
<i>Centromerus arcanus</i> (O. P.-Cambridge, 1873)			E	S	W	NI	RI			
<i>Centromerus levitarsis</i> (Simon, 1884)			E	S			RI		NR	E
<i>Centromerus dilutus</i> (O. P.-Cambridge, 1875)			E	S	W	NI	RI			
<i>Centromerus capucinus</i> (Simon, 1884)			E						NR	NT
<i>Centromerus incilium</i> (L. Koch, 1881)			E	S					NS	
<i>Centromerus semiater</i> (L. Koch, 1879)			E						NR	E
<i>Centromerus brevipalpus</i> (Menge, 1866)	<i>Centromerus brevivulvatus</i>	<i>Centromerus aequalis</i>	E	S					NR	E
<i>Centromerus serratus</i> (O. P.-Cambridge, 1875)			E						NR	E
<i>Centromerus albidus</i> Simon, 1929			E				RI		NR	CE
<i>Centromerus cavernarum</i> (L. Koch, 1872)			E						NR	NT
<i>Centromerus persimilis</i> (O. P.-Cambridge, 1912)			E				RI		NR	DD
<i>Centromerus minutissimus</i> Merrett & Powell, 1993			E						NR	DD
<i>Tallusia experta</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Centromerita bicolor</i> (Blackwall, 1833)			E	S	W	NI	RI			
<i>Centromerita concinna</i> (Thorell, 1875)			E	S	W	NI	RI			
<i>Sintula corniger</i> (Blackwall, 1856)			E	S	W	NI	RI		NS	
<i>Oreonetides vaginatus</i> (Thorell, 1872)			E	S	W		RI		NS	
<i>Saaristoa abnormis</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Saaristoa firma</i> (O. P.-Cambridge, 1905)			E	S	W	NI	RI		NS	
<i>Macrargus rufus</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Macrargus carpenteri</i> (O. P.-Cambridge, 1894)			E	S					NS	
<i>Bathyphantes approximatus</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Bathyphantes gracilis</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Bathyphantes parvulus</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Bathyphantes nigrinus</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Bathyphantes setiger</i> F. O. P.-Cambridge, 1894			E	S	W	NI	RI		NS	
<i>Kaestneria dorsalis</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Kaestneria pullata</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI			
<i>Diplostyla concolor</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Poeciloneta variegata</i> (Blackwall, 1841)		<i>Poeciloneta globosa</i>	E	S	W	NI	RI			
<i>Drapetisca socialis</i> (Sundevall, 1833)			E	S	W	NI	RI			
<i>Tapinopa longidens</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Floronia bucculenta</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Taranucnus setosus</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI		NS	
<i>Labulla thoracica</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Stemonyphantes lineatus</i> (Linnaeus, 1758)			E	S	W	NI	RI			
<i>Bolyphantes luteolus</i> (Blackwall, 1833)			E	S	W	NI	RI			
<i>Bolyphantes alticeps</i> (Sundevall, 1833)			E	S	W		RI			
<i>Nothophantes horridus</i> Merrett & Stevens, 1995		not present	E						NR	E
<i>Megalephyphantes nebulosus</i> (Sundevall, 1830)		<i>Lepthyphantes nebulosus</i>	E	S	W	NI	RI			
<i>Lepthyphantes leprosus</i> (Ohlert, 1865)			E	S	W	NI	RI			
<i>Lepthyphantes minutus</i> (Blackwall, 1833)			E	S	W	NI	RI			
<i>Mughiphantes whympéri</i> (F. O. P.-Cambridge, 1894)		<i>Lepthyphantes whympéri</i>	E	S	W		RI		NS	
<i>Obscuriphantes obscurus</i> (Blackwall, 1841)		<i>Lepthyphantes obscurus</i>	E	S	W	NI	RI			
<i>Tenuiphantes alacris</i> (Blackwall, 1853)		<i>Lepthyphantes alacris</i>	E	S	W	NI	RI			
<i>Tenuiphantes tenuis</i> (Blackwall, 1852)		<i>Lepthyphantes tenuis</i>	E	S	W	NI	RI			
<i>Tenuiphantes zimmermanni</i> (Bertkau, 1890)		<i>Lepthyphantes zimmermanni</i>	E	S	W	NI	RI			
<i>Tenuiphantes cristatus</i> (Menge, 1866)		<i>Lepthyphantes cristatus</i>	E	S	W	NI	RI			
<i>Tenuiphantes mensei</i> (Kulczyński, 1887)		<i>Lepthyphantes mensei</i>	E	S	W	NI	RI			
<i>Tenuiphantes flavipes</i> (Blackwall, 1854)		<i>Lepthyphantes flavipes</i>	E	S	W	NI	RI			
<i>Tenuiphantes tenebricola</i> (Wider, 1834)		<i>Lepthyphantes tenebricola</i>	E	S	W	NI	RI			
<i>Palliduphantes ericaeus</i> (Blackwall, 1853)		<i>Lepthyphantes ericaeus</i>	E	S	W	NI	RI			
<i>Palliduphantes pallidus</i> (O. P.-Cambridge, 1871)		<i>Lepthyphantes pallidus</i>	E	S	W	NI	RI			
<i>Palliduphantes insignis</i> (O. P.-Cambridge, 1913)		<i>Lepthyphantes insignis</i>	E	S	W		RI		NS	

Species	2014	Roberts	E	S	W	NI	RI	AS	GB	IU
Linyphiidae cont.										
<i>Palliduphantes antroniensis</i> (Schenkel, 1933)		<i>Leptyphantes antroniensis</i>		S					NR	CE
<i>Piniphantes pinicola</i> (Simon, 1884)		<i>Leptyphantes pinicola</i>	E	S	W				NR	
<i>Oryphantes angulatus</i> (O. P.-Cambridge, 1881)		<i>Leptyphantes angulatus</i>	E	S	W	NI	RI		NS	
<i>Improphanes complicatus</i> (Emerton, 1882)		<i>Leptyphantes complicatus</i>		S					NR	NT
<i>Agnyphantes expunctus</i> (O. P.-Cambridge, 1875)		<i>Leptyphantes expunctus</i>	E	S					NS	
<i>Midia midas</i> (Simon, 1884)		<i>Leptyphantes midas</i>	E						NR	E
<i>Helophora insignis</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Pityohyphantes phrygianus</i> (C. L. Koch, 1836)			E	S					NS	
<i>Linyphia triangularis</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Linyphia hortensis</i> Sundevall, 1830			E	S	W	NI	RI			
<i>Neriene montana</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Neriene clathrata</i> (Sundevall, 1830)			E	S	W	NI	RI			
<i>Neriene peltata</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Neriene furtiva</i> (O. P.-Cambridge, 1871)			E		W				NS	
<i>Neriene radiata</i> (Walckenaer, 1841)			E	S					NR	NT
<i>Microlinyphia pusilla</i> (Sundevall, 1830)			E	S	W	NI	RI			
<i>Microlinyphia impigra</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Allomengea scopigera</i> (Grube, 1859)			E	S	W	NI	RI			
<i>Allomengea vidua</i> (L. Koch, 1879)			E	S	W	NI	RI		NS	
Family TETRAGNATHIDAE										
<i>Tetragnatha extensa</i> (Linnaeus, 1758)			E	S	W	NI	RI			
<i>Tetragnatha pinicola</i> L. Koch, 1870			E	S	W		RI			
<i>Tetragnatha montana</i> Simon, 1874			E	S	W	NI	RI			
<i>Tetragnatha obtusa</i> C. L. Koch, 1837			E	S	W	NI	RI			
<i>Tetragnatha nigrita</i> Lendl, 1886			E		W	NI	RI			
<i>Tetragnatha striata</i> L. Koch, 1862			E	S	W		RI			
<i>Pachygnatha clercki</i> Sundevall, 1823			E	S	W	NI	RI			
<i>Pachygnatha listeri</i> Sundevall, 1830			E	S	W		RI			
<i>Pachygnatha degeeri</i> Sundevall, 1830			E	S	W	NI	RI			
<i>Metellina segmentata</i> (Clerck, 1757)		<i>Meta segmentata</i>	E	S	W	NI	RI			
<i>Metellina mengei</i> (Blackwall, 1869)		<i>Meta mengei</i>	E	S	W	NI	RI			
<i>Metellina merianae</i> (Scopoli, 1763)		<i>Meta merianae</i>	E	S	W	NI	RI			
<i>Meta menardi</i> (Latreille, 1804)			E	S	W	NI	RI			
<i>Meta bourneti</i> Simon, 1922			E		W				NS	
Family ARANEIDAE										
<i>Gibbaranea gibbosa</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Araneus angulatus</i> Clerck, 1757			E						NS	
<i>Araneus diadematus</i> Clerck, 1757			E	S	W	NI	RI			
<i>Araneus quadratus</i> Clerck, 1757			E	S	W	NI	RI			
<i>Araneus marmoreus</i> Clerck, 1757			E	S	W				NS	
<i>Araneus alsine</i> (Walckenaer, 1802)			E	S						
<i>Araneus sturmii</i> (Hahn, 1831)			E	S	W		RI			
<i>Araneus triguttatus</i> (Fabricius, 1775)			E	S	W	NI				
<i>Larinoides cornutus</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Larinoides sclopetarius</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Larinoides patagiatus</i> (Clerck, 1757)			E	S	W	NI	RI		NS	
<i>Nuctenea umbratica</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Agalenatea redii</i> (Scopoli, 1763)			E	S	W	NI	RI			
<i>Neoscona adianta</i> (Walckenaer, 1802)			E		W		RI			
<i>Araniella cucurbitina</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Araniella opistographa</i> (Kulczyński, 1905)			E	S	W	NI	RI			
<i>Araniella inconspicua</i> (Simon, 1874)			E						NS	
<i>Araniella alpica</i> (L. Koch, 1869)			E		W				NR	E
<i>Araniella displicata</i> (Hentz, 1847)			E						NR	NT
<i>Zilla diodia</i> (Walckenaer, 1802)			E		W					
<i>Hypsosinga albovittata</i> (Westring, 1851)			E	S	W		RI		NS	
<i>Hypsosinga pygmaea</i> (Sundevall, 1831)			E	S	W	NI	RI			
<i>Hypsosinga sanguinea</i> (C. L. Koch, 1844)			E						NS	
<i>Hypsosinga heri</i> (Hahn, 1831)			E						NR	V
<i>Singa hamata</i> (Clerck, 1757)			E	S	W				NS	
<i>Cercidia prominens</i> (Westring, 1851)			E	S	W				NS	
<i>Zygilla x-notata</i> (Clerck, 1757)			E	S	W	NI	RI			

Species	2014	Roberts	E	S	W	NI	RI	AS	GB	IU
Araneidae cont.										
<i>Zygiella atrica</i> (C. L. Koch, 1845)			E	S	W	NI	RI			
<i>Leviellus stroemi</i> (Thorell, 1870)	<i>Stroemelliellus stroemi</i>	<i>Zygiella stroemi</i>	E						NR	NT
<i>Mangora acalypha</i> (Walckenaer, 1802)			E		W		RI			
<i>Cyclosa conica</i> (Pallas, 1772)			E	S	W	NI	RI			
<i>Argiope bruennichi</i> (Scopoli, 1772)			E		W					
Family LYCOSIDAE										
<i>Pardosa agricola</i> (Thorell, 1856)			E	S	W	NI	RI			
<i>Pardosa agrestis</i> (Westring, 1861)			E	S	W	NI	RI		NS	
<i>Pardosa purbeckensis</i> F. O. P.-Cambridge, 1895		<i>Pardosa agrestis</i>	E	S	W		RI			
<i>Pardosa monticola</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Pardosa palustris</i> (Linnaeus, 1758)			E	S	W	NI	RI			
<i>Pardosa pullata</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Pardosa prativaga</i> (L. Koch, 1870)			E	S	W	NI	RI			
<i>Pardosa amentata</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Pardosa nigriceps</i> (Thorell, 1856)			E	S	W	NI	RI			
<i>Pardosa lugubris</i> (Walckenaer, 1802)			E	S			RI		NS	
<i>Pardosa saltans</i> Töpfer-Hofmann, 2000		not present	E	S	W		RI			
<i>Pardosa hortensis</i> (Thorell, 1872)			E	S	W					
<i>Pardosa tenuipes</i> C. L. Koch, 1847	<i>Pardosa proxima</i>	<i>Pardosa proxima</i>	E	S	W				NS	
<i>Pardosa trailli</i> (O. P.-Cambridge, 1873)			E	S	W				NR	V
<i>Pardosa paludicola</i> (Clerck, 1757)			E						NR	E
<i>Hygrolycosa rubrofasciata</i> (Ohlert, 1865)			E						NR	E
<i>Xerolycosa nemoralis</i> (Westring, 1861)			E						NS	
<i>Xerolycosa miniata</i> (C. L. Koch, 1834)			E	S	W				NS	
<i>Alopecosa pulverulenta</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Alopecosa cuneata</i> (Clerck, 1757)			E		W	NI	RI		NS	
<i>Alopecosa barbipes</i> (Sundevall, 1833)		<i>Alopecosa accentuata</i>	E	S	W	NI	RI			
<i>Alopecosa fabrilis</i> (Clerck, 1757)			E						NR	CE
<i>Trochosa ruricola</i> (De Geer, 1778)			E	S	W	NI	RI			
<i>Trochosa robusta</i> (Simon, 1876)			E						NR	V
<i>Trochosa terricola</i> Thorell, 1856			E	S	W	NI	RI			
<i>Trochosa spinipalpis</i> (F. O. P.-Cambridge, 1895)			E	S	W	NI	RI		NS	
<i>Arctosa fulvolineata</i> (Lucas, 1846)			E						NR	NT
<i>Arctosa perita</i> (Latreille, 1799)			E	S	W	NI	RI			
<i>Arctosa leopardus</i> (Sundevall, 1833)			E	S	W	NI	RI			
<i>Arctosa cinerea</i> (Fabricius, 1777)			E	S	W		RI		NS	
<i>Arctosa alpigena</i> (Doleschall, 1852)		<i>Tricca alpigena</i>	S						NR	V
<i>Pirata piraticus</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Pirata tenuitarsis</i> Simon, 1876			E	S	W	NI	RI		NS	
<i>Pirata piscatorius</i> (Clerck, 1757)			E	S	W	NI	RI		NS	
<i>Piratula hygrophila</i> (Thorell, 1872)	<i>Pirata hygrophilus</i>	<i>Pirata hygrophilus</i>	E	S	W	NI	RI			
<i>Piratula uliginosa</i> (Thorell, 1856)	<i>Pirata uliginosus</i>	<i>Pirata uliginosus</i>	E	S	W	NI	RI			
<i>Piratula latitans</i> (Blackwall, 1841)	<i>Pirata latitans</i>	<i>Pirata latitans</i>	E	S	W		RI			
<i>Aulonia albimana</i> (Walckenaer, 1805)			E						NR	CE
Family PISAURIDAE										
<i>Pisaura mirabilis</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Dolomedes fimbriatus</i> (Clerck, 1757)			E	S	W		RI		NS	
<i>Dolomedes plantarius</i> (Clerck, 1757)			E		W				NR	V
Family OXYOPIDAE										
<i>Oxyopes heterophthalmus</i> (Latreille, 1804)			E						NR	V
Family AGELENIDAE										
<i>Agelena labyrinthica</i> (Clerck, 1757)			E		W		RI			
<i>Textrix denticulata</i> (Olivier, 1789)			E	S	W	NI	RI			
<i>Eratigena agrestis</i> (Walckenaer, 1802)	<i>Tegenaria agrestis</i>	<i>Tegenaria agrestis</i>	E	S	W		RI			
<i>Eratigena atrica</i> (C. L. Koch, 1843)	<i>Tegenaria atrica</i>	<i>Tegenaria atrica</i>	E	S	W		RI			
<i>Eratigena duellica</i> (Simon, 1875)	<i>Tegenaria gigantea</i>	<i>Tegenaria duellica</i>	E	S	W	NI	RI			
<i>Eratigena picta</i> (Simon, 1870)	<i>Tegenaria picta</i>	Appendix 1 as <i>T. picta</i>	E						NR	V
<i>Eratigena saeva</i> (Blackwall, 1844)	<i>Tegenaria saeva</i>	<i>Tegenaria saeva</i>	E	S	W	NI	RI			
<i>Tegenaria domestica</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Tegenaria ferruginea</i> (Panzer, 1804)			E							
<i>Tegenaria parietina</i> (Fourcroy, 1785)			E					RI		
<i>Tegenaria hasperi</i> Chyzer, 1897	not present	not present	E						Ab	

Species	2014	Roberts	E	S	W	NI	RI	AS	GB	IU
Agelenidae cont.										
<i>Tegenaria silvestris</i> C. L. Koch, 1872			E	S	W	NI	RI			
<i>Coelotes atropos</i> (Walckenaer, 1830)	from Amaurobiidae	from Agelenidae	E	S	W					
<i>Coelotes terrestris</i> (Wider, 1834)	from Amaurobiidae	from Agelenidae	E	S	W				NS	
Family CYBAEIDAE										
<i>Cryphoeca silvicola</i> (C. L. Koch, 1834)	from Dictynidae	from Agelenidae	E	S	W	NI	RI			
<i>Tuberta maerens</i> (O. P.-Cambridge, 1863)	from Dictynidae	from Agelenidae	E						NR	E
Family HAHNIIDAE										
<i>Antistea elegans</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Iberina montana</i> (Blackwall, 1841)	<i>Hahnia montana</i>	<i>Hahnia montana</i>	E	S	W	NI	RI			
<i>Iberina candida</i> (Simon, 1875)	<i>Hahnia candida</i>	<i>Hahnia candida</i>	E						NR	V
<i>Iberina microphthalmalma</i> (Snazell & Duffey, 1980)	<i>Hahnia microphthalmalma</i>	<i>Hahnia microphthalmalma</i>	E						NR	DD
<i>Hahnia nava</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Hahnia helveola</i> Simon, 1875			E	S	W	NI	RI			
<i>Hahnia pusilla</i> C. L. Koch, 1841			E	S	W		RI		NS	
<i>Cicurina cicur</i> (Fabricius, 1793)	from Dictynidae	from Agelenidae	E	S	W				NS	
<i>Mastigusa arietina</i> (Thorell, 1871)	from Dictynidae	<i>Tetrilus arietina</i>	E						E	RE
<i>Mastigusa macrophthalmalma</i> (Kulczyński, 1897)	from Dictynidae	<i>Tetrilus macrophthalmalma</i>	E						NR	V
Family DICTYNIDAE										
<i>Dictyna arundinacea</i> (Linnaeus, 1758)			E	S	W	NI	RI			
<i>Dictyna pusilla</i> Thorell, 1856			E	S	W				NS	
<i>Dictyna major</i> Menge, 1869				S					NR	CE
<i>Dictyna uncinata</i> Thorell, 1856			E	S	W	NI	RI			
<i>Brigittea latens</i> (Fabricius, 1775)	<i>Dictyna latens</i>	<i>Dictyna latens</i>	E	S	W	NI	RI			
<i>Nigma puella</i> (Simon, 1870)			E		W		RI		NS	
<i>Nigma flavescens</i> (Walckenaer, 1830)	not present	<i>Nigma flavescens</i>	E							
<i>Nigma walckenaeri</i> (Roewer, 1951)			E							
<i>Lathys humilis</i> (Blackwall, 1855)			E	S	W					
<i>Lathys heterophthalma</i> Kulczyński, 1891	<i>Lathys nielseni</i>	Appendix 1	E						NR	V
<i>Lathys stigmatisata</i> (Menge, 1869)			E		W				NR	V
<i>Argenna subnigra</i> (O. P.-Cambridge, 1861)			E		W		RI		NS	
<i>Argenna patula</i> (Simon, 1874)			E	S	W				NS	
<i>Altella lucida</i> (Simon, 1874)			E						NR	CE
<i>Argyroneta aquatica</i> (Clerck, 1757)	from Cybaeidae	from Argyronetidae	E	S	W	NI	RI			
Family AMAUROBIIDAE										
<i>Amaurobius fenestralis</i> (Stroem, 1768)			E	S	W	NI	RI			
<i>Amaurobius similis</i> (Blackwall, 1861)			E	S	W	NI	RI			
<i>Amaurobius ferox</i> (Walckenaer, 1830)			E	S	W	NI	RI			
Family ANYPHAENIDAE										
<i>Anyphaena accentuata</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Anyphaena numida</i> Simon, 1897	not present	not present	E							
<i>Anyphaena sabina</i> L. Koch, 1866	not present	not present	E							
Family LIOCRANIDAE										
<i>Agroeca brunnea</i> (Blackwall, 1833)			E	S	W					
<i>Agroeca proxima</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Agroeca inopina</i> O. P.-Cambridge, 1886			E		W					
<i>Agroeca lusatica</i> (L. Koch, 1875)			E						NR	E
<i>Agroeca dentigera</i> Kulczyński, 1913		not present			W				NR	DD
<i>Agroeca cuprea</i> Menge, 1873			E	S					NR	NT
<i>Liocranoeca striata</i> (Kulczyński, 1882)	<i>Agraecina striata</i>	<i>Agroeca striata</i>	E	S	W	NI	RI		NS	
<i>Apostenus fuscus</i> Westring, 1851		Appendix 1	E						NR	V
<i>Scotina celans</i> (Blackwall, 1841)			E	S	W		RI		NS	
<i>Scotina gracilipes</i> (Blackwall, 1859)			E	S	W	NI	RI		NS	
<i>Scotina palliardii</i> (L. Koch, 1881)			E						NR	E
<i>Liocranum rupicola</i> (Walckenaer, 1830)			E		W		RI		NS	
Family PHRUROLITHIDAE	<i>Corinnidae</i>	<i>Clubionidae</i>								
<i>Phrurolithus festivus</i> (C. L. Koch, 1835)			E	S	W	NI	RI			
<i>Phrurolithus minimus</i> C. L. Koch, 1839			E						NS	
Family CLUBIONIDAE										
<i>Clubiona corticalis</i> (Walckenaer, 1802)			E		W					
<i>Clubiona reclusa</i> O. P.-Cambridge, 1863			E	S	W	NI	RI			

Species	2014	Roberts	E	S	W	NI	RI	AS	GB	IU
Clubionidae cont.										
<i>Clubiona subsultans</i> Thorell, 1875				S					NR	NT
<i>Clubiona stagnatilis</i> Kulczyński, 1897			E	S	W	NI	RI			
<i>Clubiona rosserae</i> Locket, 1953			E						NR	V
<i>Clubiona norvegica</i> Strand, 1900			E	S	W				NS	
<i>Clubiona caerulescens</i> L. Koch, 1867			E	S	W				NR	V
<i>Clubiona pallidula</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Clubiona phragmitis</i> C. L. Koch, 1843			E	S	W	NI	RI			
<i>Clubiona terrestris</i> Westring, 1851			E	S	W	NI	RI			
<i>Clubiona frutetorum</i> L. Koch, 1866	not present						RI			
<i>Clubiona neglecta</i> O. P.-Cambridge, 1862			E	S	W	NI	RI			
<i>Clubiona pseudoneglecta</i> Wunderlich, 1994	not present		E						NR	V
<i>Clubiona frisia</i> Wunderlich & Schütt, 1995		<i>Clubiona similis</i>	E						NR	NT
<i>Clubiona lutescens</i> Westring, 1851			E	S	W	NI	RI			
<i>Clubiona comta</i> C. L. Koch, 1839			E	S	W	NI	RI			
<i>Clubiona brevipes</i> Blackwall, 1841			E	S	W	NI	RI			
<i>Clubiona trivialis</i> C. L. Koch, 1843			E	S	W	NI	RI			
<i>Clubiona juvenis</i> Simon, 1878			E				RI		NR	NT
<i>Clubiona diversa</i> O. P.-Cambridge, 1862			E	S	W	NI	RI			
<i>Clubiona subtilis</i> L. Koch, 1867			E	S	W		RI			
<i>Porrhocladion genevensis</i> (L. Koch, 1866)	<i>Clubiona genevensis</i>	<i>Clubiona genevensis</i>	E		W				NR	NT
<i>Porrhocladion leucaspis</i> (Simon, 1932)	<i>Clubiona leucaspis</i>	not present	E							
Family CHEIRACANTHIIDAE	Clubionidae	Clubionidae								
<i>Cheiracanthium erraticum</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Cheiracanthium pennyi</i> O. P.-Cambridge, 1873			E						NR	E
<i>Cheiracanthium virescens</i> (Sundevall, 1833)			E	S	W	NI	RI		NS	
Family ZODARIIDAE										
<i>Zodarion italicum</i> (Canestrini, 1868)		Appendix 1	E						NS	
<i>Zodarion vicinum</i> Denis, 1935		not present	E						NR	V
<i>Zodarion rubidum</i> Simon, 1914		not present	E						NR	
<i>Zodarion fuscum</i> (Simon, 1870)		not present	E		W				NR	V
Family GNAPHOSIDAE										
<i>Drassodes lapidosus</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Drassodes cupreus</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Drassodes pubescens</i> (Thorell, 1856)			E	S	W		RI		NS	
<i>Haplodrassus signifer</i> (C. L. Koch, 1839)			E	S	W	NI	RI			
<i>Haplodrassus dalmatinus</i> (L. Koch, 1866)			E		W				NS	
<i>Haplodrassus umbratilis</i> (L. Koch, 1866)			E						NR	DD
<i>Haplodrassus soerrenseni</i> (Strand, 1900)				S					NR	E
<i>Haplodrassus silvestris</i> (Blackwall, 1833)			E	S	W				NS	
<i>Haplodrassus minor</i> (O. P.-Cambridge, 1879)			E		W				NS	
<i>Scotophaeus blackwalli</i> (Thorell, 1871)			E	S	W	NI	RI			
<i>Scotophaeus scutulatus</i> (L. Koch, 1866)	Appendix 2		E					Ah		
<i>Phaeocedus braccatus</i> (L. Koch, 1866)			E						NR	V
<i>Zelotes electus</i> (C. L. Koch, 1839)			E	S	W	NI	RI		NS	
<i>Zelotes latreillei</i> (Simon, 1878)			E	S	W	NI	RI			
<i>Zelotes apricorum</i> (L. Koch, 1876)			E	S	W		RI			
<i>Zelotes subterraneus</i> (C. L. Koch, 1833)	Appendix 1		E	S	W				NS	
<i>Zelotes longipes</i> (L. Koch, 1866)		<i>Zelotes serotinus</i>	E						NR	V
<i>Zelotes petrensis</i> (C. L. Koch, 1839)			E						NR	
<i>Trachyzelotes pedestris</i> (C. L. Koch, 1837)		<i>Zelotes pedestris</i>	E		W					
<i>Urozelotes rusticus</i> (L. Koch, 1872)		<i>Zelotes rusticus</i>	E		W					
<i>Drassyllus luteitanus</i> (L. Koch, 1866)		<i>Zelotes luteitanus</i>	E		W		RI		NS	
<i>Drassyllus pusillus</i> (C. L. Koch, 1833)		<i>Zelotes pusillus</i>	E	S	W	NI	RI			
<i>Drassyllus praeficus</i> (L. Koch, 1866)		<i>Zelotes praeficus</i>	E		W				NS	
<i>Gnaphosa lugubris</i> (C. L. Koch, 1839)			E						NR	V
<i>Gnaphosa occidentalis</i> Simon, 1878			E						NR	NT
<i>Gnaphosa nigerrima</i> L. Koch, 1877	not present		E						NR	V
<i>Gnaphosa leporina</i> (L. Koch, 1866)			E	S	W				NS	
<i>Callilepis nocturna</i> (Linnaeus, 1758)			E		W				NR	V
<i>Micaria pulicaria</i> (Sundevall, 1831)			E	S	W	NI	RI			
<i>Micaria albovittata</i> (Lucas, 1846)		<i>Micaria romana</i>	E						NR	V

Species	2014	Roberts	E	S	W	NI	RI	AS	GB	IU
Gnaphosidae cont.										
<i>Micaria alpina</i> L. Koch, 1872				S	W				NR	V
<i>Micaria subopaca</i> Westring, 1861			E	S					NS	
<i>Micaria silesiaca</i> L. Koch, 1875			E						NR	NT
Family MITURGIDAE	Zoridae	Zoridae								
<i>Zora spinimana</i> (Sundevall, 1833)			E	S	W	NI	RI			
<i>Zora armillata</i> Simon, 1878			E						NR	CE
<i>Zora nemoralis</i> (Blackwall, 1861)			E	S	W				NR	V
<i>Zora silvestris</i> Kulczyński, 1897			E						NR	CE
Family ZOROPSIDAE										
<i>Zoropsis spinimana</i> (Dufour, 1820)	not present	not present	E							
Family SPARASSIDAE		Eusparassidae								
<i>Micrommata virescens</i> (Clerck, 1757)			E		W		RI		NS	
Family PHILODROMIDAE		Thomisidae								
<i>Philodromus dispar</i> Walckenaer, 1826			E	S	W		RI			
<i>Philodromus aureolus</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Philodromus praedatus</i> O. P.-Cambridge, 1871			E	S	W		RI			
<i>Philodromus cespitum</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Philodromus longipalpis</i> Simon, 1870		Appendix 2	E						NS	
<i>Philodromus collinus</i> C. L. Koch, 1835			E							
<i>Philodromus buxi</i> Simon, 1884			E							
<i>Philodromus emarginatus</i> (Schrank, 1803)			E	S		NI			NR	V
<i>Philodromus albidus</i> Kulczyński, 1911			E		W		RI		NS	
<i>Philodromus margaritatus</i> (Clerck, 1757)			E	S					NR	NT
<i>Philodromus rufus</i> Walckenaer, 1826			E							
<i>Rhysodromus fallax</i> (Sundevall, 1833)	<i>Philodromus fallax</i>	<i>Philodromus fallax</i>	E		W				NR	V
<i>Rhysodromus histrio</i> (Latreille, 1819)	<i>Philodromus histrio</i>	<i>Philodromus histrio</i>	E	S	W				NS	
<i>Thanatus striatus</i> C. L. Koch, 1845			E		W		RI			
<i>Thanatus formicinus</i> (Clerck, 1757)			E						NR	CE
<i>Thanatus vulgaris</i> Simon, 1870	not present	not present	E	S	W				Ab	
<i>Tibellus maritimus</i> (Menge, 1875)			E	S	W	NI	RI			
<i>Tibellus oblongus</i> (Walckenaer, 1802)			E	S	W	NI	RI			
Family THOMISIDAE										
<i>Thomisus onustus</i> Walckenaer, 1806			E						NS	
<i>Diae dorsata</i> (Fabricius, 1777)			E		W		RI			
<i>Misumena vatia</i> (Clerck, 1757)			E		W		RI			
<i>Pistius truncatus</i> (Pallas, 1772)			E						NR	CE
<i>Xysticus cristatus</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Xysticus audax</i> (Schrank, 1803)			E	S	W		RI			
<i>Xysticus kochi</i> Thorell, 1872			E	S	W					
<i>Xysticus erraticus</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Xysticus lanio</i> C. L. Koch, 1835			E		W		RI			
<i>Xysticus ulmi</i> (Hahn, 1831)			E	S	W		RI			
<i>Xysticus bifasciatus</i> C. L. Koch, 1837			E	S	W				NS	
<i>Xysticus luctator</i> L. Koch, 1870			E						NR	E
<i>Xysticus sabulosus</i> (Hahn, 1832)			E	S	W	NI	RI		NS	
<i>Xysticus luctuosus</i> (Blackwall, 1836)			E	S	W		RI		NR	E
<i>Xysticus acerbus</i> Thorell, 1872			E		W				NR	
<i>Bassaniodes robustus</i> (Hahn, 1832)	<i>Xysticus robustus</i>	<i>Xysticus robustus</i>	E						NR	E
<i>Cozyptila blackwalli</i> (Simon, 1875)	<i>Ozyptila blackwalli</i>	<i>Ozyptila blackwalli</i>	E						NR	E
<i>Ozyptila scabircula</i> (Westring, 1851)			E		W				NS	
<i>Ozyptila claveata</i> (Walckenaer, 1837)	<i>Ozyptila nigrita</i>	<i>Ozyptila nigrita</i>	E						NS	
<i>Ozyptila pullata</i> (Thorell, 1875)		not present	E						NR	V
<i>Ozyptila sanctuaria</i> (O. P.-Cambridge, 1871)			E		W		RI			
<i>Ozyptila praticola</i> (C. L. Koch, 1837)			E		W		RI			
<i>Ozyptila trux</i> (Blackwall, 1846)			E	S	W	NI	RI			
<i>Ozyptila simplex</i> (O. P.-Cambridge, 1862)			E		W					
<i>Ozyptila atomaria</i> (Panzer, 1801)			E	S	W	NI	RI			
<i>Ozyptila brevipes</i> (Hahn, 1826)			E		W		RI			
Family SALTICIDAE										
<i>Saltilus scenicus</i> (Clerck, 1757)			E	S	W	NI	RI			

Species	2014	Roberts	E	S	W	NI	RI	AS	GB	IU
Salticidae cont.										
<i>Salicus cingulatus</i> (Panzer, 1797)			E	S	W	NI	RI			
<i>Salicus zebraneus</i> (C. L. Koch, 1837)			E						NS	
<i>Heliophanus cupreus</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Heliophanus flavipes</i> (Hahn, 1832)			E	S	W	NI	RI			
<i>Heliophanus auratus</i> C. L. Koch, 1835			E						NR	V
<i>Heliophanus dampfi</i> Schenkel, 1923		Appendix 2	E	S	W				NR	V
<i>Marpissa muscosa</i> (Clerck, 1757)			E	S	W				NS	
<i>Marpissa radiata</i> (Grube, 1859)			E		W				NR	V
<i>Marpissa nivoyi</i> (Lucas, 1846)			E		W		RI		NS	
<i>Sibianor aurocinctus</i> (Ohlert, 1865)		<i>Bianor aurocinctus</i>	E	S	W				NS	
<i>Sibianor larae</i> Logunov, 2001	not present	not present	E							
<i>Ballus chalybeius</i> (Walckenaer, 1802)		<i>Ballus depressus</i>	E		W				NS	
<i>Neon reticulatus</i> (Blackwall, 1853)			E	S	W	NI	RI			
<i>Neon robustus</i> Lohmander, 1945		not present	E	S	W		RI		NS	
<i>Neon valentulus</i> Falconer, 1912			E						NR	CE
<i>Neon pictus</i> Kulczyński, 1891		not present	E						NR	NT
<i>Euophrys frontalis</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Euophrys herbigrada</i> (Simon, 1871)			E						NR	V
<i>Euophrys petrensis</i> C. L. Koch, 1837	<i>Talavera petrensis</i>	<i>Euophrys petrensis</i>	E	S		NI	RI		NR	NT
<i>Pseudeuophrys erratica</i> (Walckenaer, 1826)		<i>Euophrys erratica</i>	E	S	W	NI	RI		NS	
<i>Pseudeuophrys lanigera</i> (Simon, 1871)		<i>Euophrys lanigera</i>	E	S	W		RI			
<i>Pseudeuophrys obsoleta</i> (Simon, 1868)		<i>Euophrys browningi</i>	E						NS	
<i>Talavera aequipes</i> (O. P.-Cambridge, 1871)		<i>Euophrys aequipes</i>	E	S	W		RI			
<i>Talavera thorelli</i> (Kulczyński, 1891)		App. 2 as <i>Euophrys thorelli</i>	E						NR	V
<i>Hypositticus pubescens</i> (Fabricius, 1775)	<i>Sitticus pubescens</i>	<i>Sitticus pubescens</i>	E	S	W		RI			
<i>Attulus distinguendus</i> (Simon, 1968)	<i>Sitticus distinguendus</i>	not present	E						NR	CE
<i>Attulus saltator</i> (O. P.-Cambridge, 1868)	<i>Sitticus saltator</i>	<i>Attulus saltator</i>	E		W				NS	
<i>Calositticus caricis</i> (Westring, 1861)	<i>Sitticus caricis</i>	<i>Sitticus caricis</i>	E		W		RI		NR	
<i>Calositticus floricola</i> (C. L. Koch, 1837)	<i>Sitticus floricola</i>	<i>Sitticus floricola</i>	E	S	W	NI	RI		NR	NT
<i>Calositticus inexpectus</i> (Logunov & Kronestedt, 1997)	<i>Sitticus inexpectus</i>	not present	E		W				NS	
<i>Evarcha falcata</i> (Clerck, 1757)			E	S	W		RI			
<i>Evarcha arcuata</i> (Clerck, 1757)			E		W				NS	
<i>Macaroeris nidicolens</i> (Walckenaer, 1802)		not present	E							
<i>Aelurillus v-insignitus</i> (Clerck, 1757)			E	S	W				NS	
<i>Phlegra fasciata</i> (Hahn, 1826)			E		W				NR	NT
<i>Synageles venator</i> (Lucas, 1836)			E		W				NS	
<i>Myrmarachne formicaria</i> (De Geer, 1778)			E						NS	
<i>Pellenes tripunctatus</i> (Walckenaer, 1802)			E						NR	V
<i>Dendryphantes rufidus</i> (Sundevall, 1832)	not present	not present	E							
<i>Hasarius adansoni</i> (Audouin, 1826)	not present	not present	E			NI	RI	Ag		

List A2. Species awaiting taxonomic definition

	2014 Checklist	Family					
<i>Orchestina</i> sp.		Oonopidae	E				NR CE
<i>Megalephyphantes cf. collinus</i>		Linyphiidae	E				
<i>Lathys</i> sp.	not present	Dictynidae				RI	

List A3. Species with insufficient data to determine status

	2014 Checklist	Family					
<i>Holocnemus pluchei</i> (Scopoli, 1763)	not present	Pholcidae	E				Ab
<i>Oecobius navus</i> Blackwall, 1859	not present	Oecobiidae	E				Ab
<i>Islandiana falsifica</i> (Keyserling, 1886)		Linyphiidae			W		
<i>Frontinellina frutetorum</i> (C.L.Koch, 1834)		Linyphiidae	E				
<i>Neriene emphana</i> (Walckenaer, 1841)	not present	Linyphiidae	E				
<i>Tegenaria ramblae</i> Barrientos, 1978		Agelenidae	E				
<i>Trachyzelotes fuscipes</i> (C. L.Koch, 1866)	not present	Gnaphosidae	E				
<i>Synema globosum</i> (Fabricius, 1775)	not present	Thomisidae	E				

B1. Species found only in artificial tropical biomes

	2014 Checklist	Family
<i>Spermophora kerinci</i> Huber, 2005	not present	Pholcidae
<i>Nesticella mogera</i> (Yaginuma, 1972)	not present	Nesticidae
<i>Pseudanapis aloha</i> Forster, 1959	not present	Anapidae

B2. Species recorded from imported goods but not established

	2014 Checklist	Family
<i>Uroctea durandi</i> (Latreille, 1809)	not present	Oecobiidae
<i>Artema atlanta</i> Walckenaer, 1873	not present	Pholcidae
<i>Steatoda paykulliana</i> (Walckenaer, 1806)		Theridiidae
<i>Cyrtophora citricola</i> (Forsskål, 1775)	not present	Araneidae
<i>Olios sanctivincentii</i> (Simon, 1897)	not present	Sparassidae
<i>Barylestis variatus</i> (Pocock, 1899)	not present	Sparassidae
<i>Heteropoda venatoria</i> (Linnaeus, 1767)	not present	Sparassidae
<i>Philaeus chrysops</i> (Poda, 1761)		Salticidae
<i>Phidippus johnsoni</i> (Peckham & Peckham, 1883)	not present	Salticidae

Table 2: List B: species recorded but not established in natural or semi-natural habitats.

List	Description	E	S	W	NI	RI	GB & I
A1	Established species	644	449	492	315	418	665
A2	Established but not fully described	2				1	3
A1 + A2	Established in Great Britain and Ireland	646	449	492	315	419	668
A3	Status not known	7		1			8
A1 + A2 + A3	Recorded in Great Britain and Ireland	653	449	493	315	419	676
B1	Artificial biomes only						3
B2	Imports						9

Table 3: Summary. Abbreviations: E = England; S = Scotland; W = Wales; NI = Northern Ireland; RI = Republic of Ireland; GB = Great Britain; I = island of Ireland.