

These records are additions to the lists of records published in B.S.S.G. Bulletins 22-26 (April 1964 - April 1965) and in Bulletin 34 (April 1967). They have been collected from numerous unpublished and published sources.

## Family DICTYNIDAE

C.similis Nairn. D.arundinacea Clackm., Skye. L.humilis Leics.  
L.stigmatisata Kent.

## Family ULOBORIDAE

U.walckenaerius Surrey.

## Family OONOPIDAE

O.pulcher Derby. O.domesticus Beds., Yorks.

## Family DYSDERIDAE

D.crocata Hunts., Durham. H.hombergi Nairn. S.senoculata Nairn.  
S.bavarica Somer.

## Family GNAPHOSIDAE

D.lapidus macer Devon, Somer., Hants. D.lapidus cupreus Cornw., Somer., Skye. D.pubescens Cornw., Somer. D.signifer Nairn. H.blackwalli Hunts. P.braccatus Hants. Z.pusillus Devon, Somer. Z.serotinus Sussex. Z.petrensis Hants. G.leporina Surrey, Sussex. M.pulicaria Hunts, Lincs, Nairn. M.silesiaca Sussex.

## Family CLUBIONIDAE

C.corticalis Devon. C.pallidula Fife. C.terrestris Nairn. C.lutescens Derby. C.compta Derby, Clackm., Nairn. C.trivialis Cornw., Devon, Somer., Clackm. C.diversa Somer., Derby., Beds., Clackm. A.brunnea Devon, Somer. A.proxima Cornw., Beds., Leics. A.inopina Somer. A.striata Surrey. S.celans Somer. S.gracilipes Cornw., Sussex. Z.spinimana Nairn. Z.silvestris Sussex. P.minimus Somer.

## Family ANYPHAENIDAE

A.accentuata Nairn, Cork.

## Family THOMISIDAE

X.cristatus Nairn. X.audax Nairn. X.erraticus Hunts., Somer. X.ulmi Flint. X.bifasciatus Somer., Kent. X.sabulosus Devon, Somer. X.acerbus Somer. X.robustus Kent. O.blackwalli Somer. O.nigrita Somer. O.sanctuarina Somer., Beds. O.atomaria Somer., Beds. P.aureolus Nairn. P.a.caespiticolis Nairn. T.maritimus Nairn. T.oblongus Devon, Lincs.

## Family SALTICIDAE

S.cingulatus Nairn. H.cupreus Lincs., Derby. H.flavipes Derby, Nairn. N.reticulatum Somer., Sutherl. N.valentulum Surrey. E.frontalis Warw. E.erratica Nairn. E.aequipes Beds., Kent. E.lanigera Middx., Beds., I.O.Wight. E.browningi Kent. E.falcata Nairn. S.venator Sussex. M.formicaria Surrey.

## Family LYCOSIDAE

L.agricola Nairn. L.purbeckensis Nairn. L.tarsalis Somer., Durh., Nairn. L.pullata Nairn. L.amentata Clackm., Nairn. L.nigriceps Derby, Clackm., Nairn. L.lugubris Nairn. T.pulverulenta Nairn. T.barbipes Flint, Nairn. T.terricola Clackm., Nairn. A.perita Durh., Nairn. A.leopardus Sussex. A.cinerea Nairn. P.piraticus Clackm., Nairn, Skye. P.hygrophilus Skye. P.latitans Somer., Leics. P.uliginosus Devon.

## Family PISAURIDAE

P.mirabilis Nairn.

Family AGELENIDAE

A.labyrinthica Hunts. T.denticulata Brecon, Nairn. T. atrica C.L.K. Warw. T. parietina Hunts. T. agrestis London, Derby, Warw. T. silvestris Essex. C. cicur Durh. C. silvicola Wilts, Flint, Nairn. H. montana Somer., Clackm., Skye. H. nava Somer., Beds., Derby, Nairn. H. pusilla Kent, Warw.

Family MIMETIDAE

E. cambridgei Devon, Cork. E. tuberculata Sussex.

Family THERIDIIDAE

E. angulatus Somer. E. truncatus Surrey. E. flavomaculata Cornw., Devon, Somer. D. tristis Devon. A. phalerata Sussex, Somer. S. bipunctata Nairn. T. lunatum Anglesey. T. pictum Nairn. T. melanurum Dorset. T. neglectum Dumfr. T. bellicosum Skye. T. pallens Beds. E. thoracica Somer. E. schaufussi Somer., Glam., Dumfr. R. lividus Clackm. R. neglectus Derby. P. gibbum Cornw., Lincs., Clackm., Cork. T. minutissima Somer.

Family TETRAGNATHIDAE

T. extensa Clackm. T. montana Somer., Derby. T. nigrita Salop. P. clercki Derby. P. degeeri Clackm., Nairn.

Family ARGIOPIDAE

Meta segmentata Somer., Lincs., Durh., Clackm. M. s. mengei Clackm., Nairn. M. merianae Kinross. M. menardi Kinross. A. marmoreus Lincs. A. umbraticus Anglesey, Nairn. A. cucurbitinus Nairn. A. c. opistographus Surrey, Lincs. S. albovittata Cornw., Fife. S. pygmaea Cornw., Out Hebr. S. sanguinea Kent. C. prominens Cornw., Devon, Lincs.

Family LINYPHIIDAE

C. brevipes Somer., Clackm., Nairn. C. brevis Cornw., Derby. W. acuminata Beds., Nairn. W. antica Beds., Clackm. W. nodosa Sussex. W. melanocephala Somer., Leics. W. capito Somer. W. fugax Cornw., Devon, Somer., Sussex. W. polita Cornw. T. nudipalpis Kent, Clackm. T. obtusa Devon, Sussex. P. monoceros Surrey, Beds. T. furcillatus Devon, Sussex. P. incisa Suff. C. unicornis Glam., Cork. C. kochi Glam. C. karpinskii Skye. C. cuspidata Devon, Derby. C. vigilax Somer. D. nigrum Clackm., Nairn. D. tibiale Devon, Somer. E. erythropus Derby. E. flavipes Surrey, Somer. E. errata Sutherl. G. dentatum Clackm. G. rufipes Clackm., Cork. D. bifrons Clackm., Nairn. H. bituberculatum Clackm. H. cornutum Nairn. H. fulvum Kent. M. prominulus Derby, Clackm. P. duffeyi Kent. G. rubens Caern., Clackm. G. rubellum Nairn. G. corallipes Kent. M. trifrons Leics., Lincs., Clackm. M. sundevalli Somer., Lincs., Clackm. P. ludicrum Beds., Nairn. P. pumila Clackm. H. jacksoni Somer. Oe. fuscus Derby. Oe. agrestis Devon. Oe. retusus Devon, Cork. T. thorelli Cornw., Somer., Sussex. T. mengei Perth, Clackm. L. parallelum Kent, Beds. L. nemorale Leics., Moray. L. raditicola Somer. S. elegans Devon, Somer., Glam. S. curtis Kent. C. obscurus Somer., Durh., Clackm. T. saxicola Cornw., Beds. A. stativa Durh. E. merens Cornw., Somer., Leics. T. vagans Somer., Wilts., Clackm. T. praecox Somer., Wilts., Clackm. T. insecta Leics. T. mitis Cornw. M. fuscipes Somer., Durh., Clackm., Nairn. M. castaneipes Dorset, Somer., Clackm. L. punctatum Sussex. S. diceros Kent. J. falconeri Cornw., Somer. G. vivum Somer. M. herbigradus Cornw., Somer., Clackm., Skye. M. subaequalis Beds. E. hiemalis Devon, Somer., Clackm. S. frontata Angus, Clackm. D. cristatus Derby, Clackm. D. permixtus Kent, Clackm. D. latifrons Somer., Clackm., Nairn. D. picinus Somer., Clackm. A. humilis Beds. A. crassiceps Kent. P. sulcifrons Beds. C. evansi Clackm. T. digitatus Somer., Durh. C. distincta Warw. C. holmgreni Perth. S. inerrans Kent, Nairn. D. bidentata Clackm. E. dentipalpis Nairn, Skye.

E. atra Clackm. E. promiscua Derby, Sutherl., Skye. E. arctica Skye.  
E. capra Brecon. E. vagans Kent, Essex, Warw., Notts. L. robustum Kent.  
P. hardyi Devon, Somer., Merion., Caern., Clackm., Fife, Skye. H. excisa  
 Derby, Clackm. O. melanopygius Beds., Derby, Perth, Clackm. P. pygmaeum  
 Cards., Clackm. P. convexum Leics., Derby. P. pallidum Somer., Angus.  
P. campbelli Devon, Somer., Sussex. P. egeria Perth. P. montanum Clackm.  
A. subtilis Somer., Surrey, Sussex, Warw., Sutherl. A. conigera Perth,  
 Clackm., Nairn. A. decora Cornw., Devon, Somer., Caern., Angus. A. cauta  
 Surrey. A. ramosa Devon, Somer. M. rurestris Beds., Derby. M. mollis  
 Beds. M. saxatilis Durh. M. beata Cornw., Beds., Clackm. M. gulosa Perth,  
 Skye. M. nigriceps Skye. M. simplicatarsis Dorset, Hants, Kent. M. minutus  
 Somer. C. sylvaticus Clackm. C. expertus Cornw., Warw. C. prudens Fife,  
 Clackm., Sutherl. C. arcanus Somer. C. aequalis (Westring) Sussex.  
C. incilium Suff., Norf. C. jacksoni Herts. C. bicolor Beds., Clackm.  
C. concinna Somer., Sussex, Beds., Warw., Durh., Clackm. S. cornigera Devon,  
 Somer. O. abnormis Clackm. O. vaginatus Clackm. M. rufus Somer.  
M. r. carpenteri Clackm. B. dorsalis Clackm. B. concolor Beds., Clackm.  
B. approximatus Derby. B. gracilis Sussex, Kent, Beds., Lincs., Invern.  
B. parvulus Cornw., Devon, Sussex, Lincs., Beds., Durh., Clackm. B. nigrinus  
 Clackm. P. globosa Clackm., Nairn. T. longidens Cornw., Somer., Clackm.  
L. thoracica Nairn. S. lineatus Durh., Clackm. B. luteolus Somer., Sussex,  
 Clackm., Skye. L. alacris Clackm., Nairn. L. whymperi Sutherl. L. obscurus  
 Clackm., Nairn, Skye. L. tenuis Clackm. L. zimmermanni Clackm. L. cristatus  
 Somer., Derby, Clackm., Nairn. L. mengei Beds., Clackm., Skye. L. flavipes  
 Clackm. L. tenebricola Devon, Derby., Clackm. L. ericaeus Beds., Bucks.,  
 Clackm. L. pallidus Clackm. L. pinicola Perth. L. expunctus Yorks.  
H. insignis Somer. L. triangularis Clackm., Skye. L. clathrata Derby.,  
 Beds, Clackm., Nairn. L. peltata Clackm., Nairn. L. pusilla Somer., Clackm,  
 Nairn. L. hortensis Derby. M. scopigera Devon, Somer., Clackm.  
M. warburtoni Kent.

\*\*\*\*\*

TWO UNUSUAL SPIDERS

by FRANCES MURPHY.

Hybocoptus decollatus (Simon) in Surrey.

Two males of this species were knocked out of a yew tree at White-down, Surrey (TQ 14) on 21.5.67. This species was originally found in the Isle of Wight and has more recently been taken in Dorset, Wiltshire and Sussex (B.S.S.G. Bulletin No.25, p.7).

Centromerus incilium (L.Koch) in Middlesex.

Hatherop Recreation Ground, Hampton (TQ 17) borders on Kempton Park Reservoir. A high wire fence with concrete posts divides them. A female of C. incilium was grubbed from the long grass around these posts together with two common spiders, Centromerita bicolor (Blk.) and Maso sundevalli (Westr.), on 14.10.67.

C. incilium has previously been found near Balmoral at Frilford Heath in March and April 1952, and in Hampshire (B.S.S.G. Bulletin No.26, p.5). My thanks are due to Dr. J.A.L. Cooke for checking this identification.

\*\*\*\*\*