

Editor's Notice

I shall be retiring from my employment with the Institute of Terrestrial Ecology on 31 March 1989. I shall continue as Editor of the *Bulletin* as usual, but after that date all communications should be addressed to me at my home address, as follows:

Dr P. Merrett,
6 Hillcrest,
Durlston Road,
Swanage,
Dorset, BH19 2HS.

As I shall no longer have easy access to photocopying facilities, it is essential that all authors provide three copies of all text and figures (i.e. the original and 2 photocopies), so that I have adequate copies for sending to referees. Failure to comply with this request will inevitably result in delays and extra costs. In order to save possible unnecessary postage, authors need not send the original figures until after the paper has been accepted (especially if the figures are bulky).

Peter Merrett

Bull.Br.arachnol.Soc. (1989) 8 (1), 1-4

Twelve hundred new county records of British spiders

Peter Merrett

6 Hillcrest,
Durlston Road,
Swanage, Dorset, BH19 2HS

Introduction

The county records which follow are additions to those shown on the distribution maps in Locket, Millidge & Merrett, *British Spiders*, Vol. III (1974) and those listed in my two papers in *Bull.Br.arachnol.Soc.* 3(5): 140-141 (1975) and 5(7): 332-336 (1982). The counties listed are those which existed before the boundary revisions of April 1974. Records for islands are treated as described in *British Spiders*, Vol. III, p. 132. For ease of comparison, the nomenclature and species order used in Vol. III is also followed here, except of course for new species and those old species which have since been split into two species.

The list includes both published and unpublished records, the principal contributors of the latter being K. Alexander, M. J. Amphlett, N. P. Ashmole, M. Askins, S. I. Baldwin, E. A. Blackwell, K. Catley, R. B. Coleman, D. R. Cowden, J. E. Dalingwater,

R. M. Dobson, S. Dobson, E. Duffey, F. L. Farr-Cox, M. J. Fulton, C. Geddes, C. Hamblen, P. R. Harvey, D. Higgins, P. D. Hillyard, D. Horsfield, G. V. Jackson, A. Jones, R. Jones, R. G. Loxton, M. A. Macdonald, J. E. D. Milner, J. A. Murphy, M. Nelson, J. R. Parker, H. Read, M. J. Roberts, K. M. Rowland, S. P. Rushton, A. Scott, P. A. Selden, G. C. Slawson, C. J. Smith, R. G. Snazell, J. A. Stewart, M. Taylor, T. J. Thomas and S. A. Williams (with apologies to anyone whom I have inadvertently omitted).

Although records are being collected on a 10km square basis for the spider recording scheme, I think it is also worthwhile to continue keeping the county records up-to-date, and I should therefore be pleased to receive any additional new county records for publication in future lists.

I should be particularly glad to receive ANY reliable records of species which have recently been split into two species, as all old records of these species have become uncertain (especially *Zelotes apricorum/subterraneus*, *Pirata piraticus/tenuitarsis*, *Pocadicnemis pumila/juncea*, *Micrargus herbigradus/apertus* and *Agyneta cauta/olivacea*, in which both species of each pair appear to be widespread). In the cases of *Enoplognatha ovata/latimana* and *Walckenaeria antica/alticeps* it is likely that the great majority of old records will refer to *E. ovata* and *W. antica* respectively.

Family Atypidae

A. affinis Oxon.

D. uncinata Somerset
D. latens Cardigan
L. humilis Worcs.

O. domesticus Notts., Aberdeen

Family Amaurobiidae

A. fenestralis Wigtown
A. similis Kincardine

L. nielseni Surrey, Sussex
L. stigmatisata Sussex
A. subnigra Oxon., Essex, Lincs., Anglesey
A. patula Lincs., NOT E. Yorks.

Family Dysderidae

D. erythrina I.o.Man, Caern. (Bardsey)
D. crocata Wigtown
D. hombergi Cardigan, Fermanagh
S. senoculata Mull

Family Dictynidae

D. arundinacea I.o.Wight, Cards., Ferman.
D. pusilla Berks.

Family Oonopidae
O. pulcher Carmar., Wigtown

Family Scytodidae
S. thoracica Dublin

- Family Pholcidae**
- P. phalangioides* Staffs., Radnor, Pembs., Caern. (Bardsey)
- Family Zodariidae**
- Zodarion italicum* Kent, Essex
- Family Gnaphosidae**
- D. lapidosus* Somerset, Worcs., Monm., Glam.
- D. cupreus* I.o.Wight, Berks., Oxon., Cards., Anglesey, Mull, Down, Antrim
- D. pubescens* Oxon., Essex
- H. signifer* Cards., Anglesey, Down
- H. minor* Caernarvon
- H. blackwalli* Pembs.
- Z. lutetianus* Cardigan
- Z. pusillus* Essex, Caern. (Bardsey), Down
- Z. praeficus* Oxon.
- Z. electus* Cardigan
- Z. latreillei* Worcs., Herefs., Brecon, Perth
- Z. apricorum* (*sensu stricto*) Devon, Somerset, Dorset, Hants., I.o.Wight, Surrey, Sussex, Kent, Bucks., Essex, Suffolk, Shrops., Derby, W. Yorks., Cumb., Merion., Caern., Argyll, Sutherl., Clare
- Z. subterraneus* Sussex, Essex, Suffolk, Derby, Cards., Caern., Angus, Invern., Banff
- M. pulicaria* Down
- M. alpina* Invern., Ross, Sutherl.
- M. subopaca* Dorset
- M. silesiaca* Worcs.
- Family Clubionidae**
- C. corticalis* I.o.Wight
- C. reclusa* I.o.Man, Angus, Ferman.
- C. stagnatilis* Somerset, Pembs., Cards., Flint, Aberdeen, Ferman.
- C. norvegica* Cardigan
- C. phragmitis* Derby
- C. neglecta* Caern. (Bardsey), Down
- C. lutescens* Rutland, Aberdeen
- C. trivialis* I.o.Man, Angus
- C. juvenis* Essex
- C. diversa* Pembs.
- C. subtilis* Cardigan
- C. erraticum* Fermanagh
- C. virescens* Anglesey, Argyll
- A. brunnea* Aberdeen
- A. proxima* I.o.Wight, Pembs., Cards., Flint, I.o.Man, Angus, Aberdeen, Skye, Offaly
- A. inopina* Berks.
- A. cuprea* Kincardine
- A. striata* Essex, Cards., Kirkcud.
- S. celans* Essex
- Apostenus fuscus* Kent
- P. festivus* Argyll
- P. minimus* Essex
- Family Zoridae**
- Z. spinimana* Herefs., Angus, Kincard.
- Z. nemoralis* W. Yorks.
- Z. silvestris* Notts.
- Family Anyphaenidae**
- A. accentuata* Shrops., Pembs., Selkirk
- Family Sparassidae**
- M. virescens* London
- Family Thomisidae**
- D. dorsata* I.o.Wight, Somerset
- M. vatica* Pembs., Carmar., Cards.
- P. truncatus* Kent
- X. kochi* Cards.
- X. erraticus* Essex, Leics., Cards., Down
- X. ulmi* Somerset, Worcs., Carmar., Perth
- X. bifasciatus* Essex
- O. blackwalli* Staffs., NOT Warw.
- O. trux* Cards., Offaly, Tyrone
- O. simplex* Somerset, Anglesey
- O. atomaria* Essex, Glam., Skye, Down
- P. dispar* Lundy, Derby
- P. aureolus* Anglesey, Fermanagh
- P. praedatus* Wilts., Berks., Oxon., Surrey, Essex, Beds., Hunts., Invern.
- P. cespitum* Worcs., Cards., Offaly, Kildare, Down
- P. collinus* Berks., Oxon., Beds.
- P. fallax* Somerset
- P. emarginatus* Sussex
- P. rufus* Dorset, Sussex, Oxon.
- P. margaritatus* Sussex
- T. maritimus* Pembs., Cards., Tyrone
- T. oblongus* Worcs., Clackman., Down
- Family Salticidae**
- S. scenicus* Peebles
- S. cingulatus* Worcs., Argyll
- S. zebraneus* Berks.
- H. flavipes* Perth
- B. aenescens* Dunbarton
- H. nivoyi* Cards.
- N. reticulatus* Lundy, Cards., Dumfr., Peebles, Offaly
- E. frontalis* Brecon, Argyll
- E. erratica* Oxon., Derby, Peebles
- E. aequipes* Cheshire, Perth
- E. lanigera* Essex, Worcs., Aberdeen, Dublin
- S. pubescens* Worcs., Derby, Skye
- A. v-insignitus* Sussex
- Family Lycosidae**
- P. agricola* Cards., Merion., Dumfr., W. Lothian
- P. purbeckensis* Sussex, Pembs., Cards.
- P. monticola* Down
- P. palustris* Scilly, I.o.Man
- P. pullata* Clackmannan
- P. prativaga* Pembs., Down
- P. amentata* Angus
- P. nigriceps* Cards., Down
- P. lugubris* I.o.Wight
- P. proxima* Somerset, Cards., Caern. (Bardsey)
- X. nemoralis* Essex, Worcs.
- X. miniata* Cardigan
- A. pulverulenta* Banff, NOT Selkirk
- A. cuneata* Anglesey, Down
- A. accentuata* Cards., Angus
- T. ruricola* Dumfr.
- T. terricola* Lundy, Caithness
- T. spinipalpis* Glos., Cards., Kirkcud., Selkirk, Perth, Down, Ferman.
- A. perita* Down
- A. leopardus* Somerset, Cards.
- A. cinerea* Merion.
- T. alpigena* Perth, Ross
- P. piraticus* (*sensu stricto*) Scilly, Cornw., Somerset, Dorset, I.o.Wight, Essex, Derby, Lincs., W.Yorks., Northumb., Radnor, Perth, Kincard.
- P. tenuitarsis* Cornw., Dorset, Hants., Surrey, Sussex, Chesh., Cumb.
- P. hygrophilus* Derby, Pembs., Selkirk, Ferman.
- P. latitans* I.o.Man
- P. piscatorius* Somerset, Oxon., Cards., Tipperary
- P. uliginosus* Oxon., Essex, Cards., Tyrone
- A. albimana* I.o.Wight
- Family Pisauridae**
- P. mirabilis* Kincard., Down
- D. fimbriatus* Cards., Tipperary
- Family Agelenidae**
- A. aquatica* Derby, Aberdeen, Tyrone
- T. denticulata* Berks.
- T. saeva* W., E. & N. Yorks., Pembs., Fife, Ross, Dublin
- T. gigantea* Derby, N. Yorks., Aberdeen, Ross
- T. atrica* W. Yorks.
- T. parietina* Sussex
- T. domestica* Aberdeen
- T. silvestris* Oxon., Pembs., Cards.
- T. picta* Sussex
- C. atropos* Essex
- C. cicur* Glam., Stirling
- C. silvicola* Hants., Oxon., Selkirk, Kinross
- T. maerens* Wilts., Surrey
- A. elegans* Berks., Caithness, Tyrone
- H. montana* London, Dumfr., E. Lothian, Kinross, Angus, Mull
- H. nava* Cards., Caern. (Bardsey), Down
- H. helveola* Cornw., London, Cards., Caern.
- H. pusilla* I.o.Wight
- Family Mimetidae**
- E. cambridgei* I.o.Wight, Rutland, Worcs., Derby, Argyll, Sutherl., Down
- E. furcata* Down
- Family Theridiidae**
- E. angulatus* Staffs., Argyll, Down
- E. truncatus* Lundy
- E. flavomaculata* Berks., Leics., Notts., Cards., Offaly, Tyrone
- D. prona* Hants.
- S. phalerata* Cards., Islay, Down
- S. bipunctata* Cards., Peebles, Clackman.
- S. grossa* Devon, Somerset, Sussex, Glam., Lincs.
- A. vittatus* London, Perth
- A. tepidariorum* Denbigh
- A. simulans* Sussex, Berks., Oxon., Bucks., Essex, Worcs., Northants.
- T. impressum* Oxon., Worcs., Kirkcud., Offaly, Wicklow, Kildare, Down
- T. pictum* Sussex
- T. simile* Oxon., Worcs.
- T. varians* Antrim
- T. melanurum* Somerset, Staffs., Derby, Monm., Glam.
- T. mystaceum* London, Glos., Worcs., Staffs., Derby, N. Yorks., Cards., Denbigh, Perth, Ross
- T. familiare* Berks.
- T. blackwalli* Somerset, Essex, Worcs.
- T. tinctum* Worcs.
- T. instabile* Essex, Pembs., Ferman.
- T. bimaculatum* Derby
- T. pallens* Cards., Dumfr., Angus, Ferman.
- E. ovata* (*sensu lato*) Dumfr., Wigtown, Selkirk
- E. latimanus* Dorset, Hants., Essex, Lancs., Pembs., Glam.
- E. thoracica* Derby, Perth, Down
- R. arundineti* Oxon., Kirkcud., Down
- R. neglectus* Worcs., Glam.

- P. gibbum* London, W. Lothian, Skye, Ferman., Tyrone
T. minutissima Cardigan
Family Nesticidae
N. cellularis Essex, Dumfr., Perth
Family Tetragnathidae
T. extensa Dumfr., Selkirk, Kincard., Ferman., Tyrone
T. pinicola Worcs.
T. montana Cards., Dumfr., Selkirk, W. Lothian, Clackman.
T. obtusa Berks., Shrops., Perth, Ferman.
T. nigrita Oxon., Ferman.
T. striata Shrops.
P. clercki Ross
P. listeri Oxon.
P. degeeri Wigtown, Mull
M. segmentata Scilly, Lundy, Herefs., Staffs., I.o.Man, Northumb., Roxb., E. Lothian, Angus, Kincard., Aberdeen, Mayo
M. mengei Lundy, Herefs., Worcs., Kinross, Kincard., Ferman., Tyrone, Antrim
M. meriana W. Lothian, Ferman.
M. menardi Pembs.
M. bourneti Oxon., Notts.
- Family Araneidae**
A. gibbosus London, Leics., E. Yorks.
A. quadratus I.o.Man, Pembs.
A. marmoreus Aberdeen
A. m. pyramidatus Herefs.
A. alsine Worcs., Perth
A. cornutus Angus, Kincard.
A. sclopetaeus Worcs., Antrim
A. patagiatus Ross
A. umbraticus Durham
A. redii Cardigan
A. adiantus Glam.
A. sturmii W. Lothian
A. triguttatus Wilts., Worcs.
A. cucurbitinus Cards., Ferman.
A. opistographus Worcs., Staffs., Derby, Cumb., Perth
A. inconspicuum I.o.Wight, Oxon., Essex, Beds.
A. alpicus Dorset
A. displicatus Sussex
Z. diodia Suffolk
H. albovittata Oxon., Cards.
H. pygmaea Anglesey, Tyrone
H. sanguinea Worcs.
S. hamata Essex, Cards.
C. prominens Essex, Worcs., Aberdeen
Z. x-notata Fermanagh
Z. atrica Lundy
Z. stroemi Wilts., Oxon.
M. acalypha Worcs., Shrops., Ramsey, NOT Essex
C. conica Kinross
T. gemmosum Berks., Pembs.
- Family Linyphiidae**
C. brevipes I.o.Wight, Ferman., Tyrone, Antrim, NOT Banff
C. brevis Cards., Offaly
C. scabrosa Somerset, Berks., Essex
W. acuminata Herefs., Mull
W. antica (sensu lato) Mull, Skye, Shetland
W. alticeps Norfolk
W. cucullata Derby, Argyll
W. nodosa Cards., Argyll
W. melanocephala Oxon., Essex, Derby, Lancs., Northumb., Cards., Down

- W. capito* Cambr.
W. incisa Cards.
W. dysderoides Essex, Derby
W. nudipalpis Cards., Angus, Offaly
W. obtusa Essex, Stirling
W. monoceros Lundy, Cards., Mayo
W. furcillata London, Essex, Derby, Cards.
W. unicornis Cards., Dumfr.
W. kochi Flint
W. clavicornis O. Hebr.
W. cuspidata Lundy, Berks., Essex, Cards., Dumfr.
W. vigilax Essex, Derby, Cards.
D. nigrum Lundy, I.o.Wight, Worcs., Derby
D. brevisetosum Berks., Essex, Anglesey, Aberdeen, Orkney
D. tibiale Berks., Worcs., Derby, Midloth.
E. acuminata W. Lothian, Perth
E. congenera Hants., Sussex, Notts.
E. erythropus Somerset
E. flavipes Oxon.
M. penicillata Oxon., Derby, Aberdeen
E. graminicola Berks.
G. dentatum Derby, Dumfr., Orkney
T. affinis Sussex, Bucks., Essex, Worcs., Northants., Invern.
G. rufipes Selkirk, W. Lothian
D. bifrons Dumfr.
D. elevatus Northumb.
H. bituberculatum Tyrone
H. fulvum Beds, Ferman.
H. cornutum Worcs., Pembs., Selkirk, W. Lothian, Perth, Antrim
M. prominulus Oxon., Cards., Selkirk, Perth, Ross, Orkney, Kildare
B. pratense Berks., Worcs., Cards.
G. rubens Mull
G. rubellum Derby, Pembs., I.o.Man, Dumfr.
M. trifrons Cheshire, Cards., Aberdeen
M. sundevalli Dumfr., Angus
M. gallicus Cards.
P. ludicum Worcs., Selkirk, Shetland, Down, Antrim
P. pumila (sensu stricto) Somerset, Hants., London, Derby, Lincs., W. Yorks., Selkirk, Peebles, Midloth., Perth, Invern., Ross, Down
P. juncea Devon, Somerset, Sussex, Middx., Berks., Oxon., Worcs., Norfolk, Lincs., Pembs., Invern., Banff, Shetland
H. jacksoni Midlothian, Orkney
O. gibbosus I.o.Wight, Brecon, Ferman., Tyrone, Derry, Down
O. tuberosus Berks., Cards., Ross
O. fuscus Rutland, Merion., Ferman.
O. agrestis Derby
O. retusus Pembs., I.o.Man, Selkirk, Skye
O. apicatus Rutland, Flint, Dumfr.
T. thorelli Essex, Cards., Antrim
T. mengei Cards., Selkirk, Kincard.
T. cito Kent
P. parallela Northants., Down
P. mediocris Flint, Anglesey
S. elegans Cornw., Oxon., Pembs., Cards., Selkirk, Ross, Tyrone
S. ambiguus Caern., Flint, Sutherl.
S. reussi Devon, Worcs.
M. peusi Merion.
C. obscurus Pembs., Antrim
C. romana Flint
C. stativa I.o.Wight, Essex
E. merens Angus
T. vagans Lundy, I.o.Man, Mull, Ferman., Tyrone
T. scabriculus London, Worcs., Cards.
M. pusillus Kent, Berks., Kinross, Angus
T. praecox I.o.Wight, Caern., Angus, Down
T. pallens Pembs., Angus
T. pygmaea Durham, Northumb.
A. subitanea Essex, Radnor, Caern. (Bardsey)
P. britteni Cardigan
T. parasiticus Somerset, Berks., Derby
M. fuscipes Cards., Kinross, Shetland
L. punctatum Dumfr., Tyrone
M. blanda Cornw., Berks., Beds., Essex, Caern. (Bardsey), Skye
L. saxetorum Cardigan
S. diceros Berks., Northants.
J. falconeri Derby, Pembs., Orkney, Offaly
W. calcarifera Glos., London
G. vivum Skye
G. latebricola Bucks., Perth, Offaly, Kildare
G. murcidum Huntingdon
M. herbigradus (sensu stricto) Dorset, Hants., Wilts., Surrey, Middx., Essex, Norfolk, Derby, Northumb., Monm., Radnor, Tyrone
M. apertus Devon, Hants., Sussex, Derby, W. & N. Yorks., Cumb., Northumb., Perth
M. subaequalis Somerset, Essex, Caern. (Bardsey), Aberdeen
M. laudatus Kent
G. servulus Pembs.
E. hiemalis Kent, Essex, Cards., Ross, Mull
E. ignobilis Cardigan
D. cristatus Somerset, Worcs., Rutland, Skomer, Angus, Skye
D. permixtus I.o.Wight, Berks., Worcs., W. Lothian, Ferman.
D. latifrons Radnor, Pembs., Dumfr., W. Lothian, Orkney
D. picinus Cornw., Dumfr., Wigton, Perth, Aberdeen
D. protuberans N. & E. Yorks., Northumb.
A. crassiceps Cards., Midloth., Ferman., Down
P. sulcifrons Essex
L. dentichelis London, Cheshire, Kerry
A. paganus Angus
T. digitatus Derby, Flint, Argyll, Aberdeen
C. distincta Worcs.
C. holmgreni O. Hebr.
M. inerrans Lundy, London, Essex, Cheshire, Northumb., Midloth.
D. bidentata Cards., Kirkcud., Ross
E. dentipalpis Rutland, Roxb., Angus, Ferman.
E. atra Herefs., Skomer, Tyrone
E. promiscua Lundy, Northumb.
E. arctica Hunts., Pembs., Invern., Antrim
E. longipalpis Berks., Shetland, Antrim
E. capra Cumb., Angus, Invern., Ross
E. welchi Derby
E. vagans London, Derby
E. psychrophila Northumb., Ross
E. aletris Midlothian
R. paetus Invern.
E. fausta Angus, Ross, Shetland
E. caliginosa Ross
D. speciosa Essex
L. robustum Worcs., Cambr.
D. uncatus Berks.
P. hardyi Orkney
H. excisa Cards., Dumfr., Kirkcud., Midloth., Skye
H. nubigena N. Yorks., Durham
H. reprobus Lundy

- O. melanopygius* Berks., Worcs., Cards., Northumb.
A. misera Pembs.
P. pygmaeum London, Derby, Dumfr., Kirkcud., Argyll, Orkney
P. convexum Berks., Oxon.
P. rosenhaueri Glam.
P. pallidum Shrops.
P. campbelli Berks., Middx., N. Yorks., Dumfr.
P. microphthalmum Berks., Oxon.
P. errans Berks., Herts., Beds.
P. egeria Berks., Essex, Skye
P. montanum Derby, Cards., Angus
S. innotabilis Worcs., Denbigh, Ferman.
A. subtilis Cards., Perth, Skye, Down
A. conigera Merion., Kirkcud., O. Hebr., Ferman., Tyrone
A. decora Essex, Lincs., Pembs., Cards., Selkirk, Perth
A. cauta (sensu lato) Offaly
A. cauta (sensu stricto) Dorset, Hants., Sussex, W. Yorks., Northumb., Midloth.
A. olivacea Cheshire, W. & N. Yorks., Cards., Caern., Sutherl., Tyrone
A. ramosa Berks., Derby, Northumb., Cards., Aberdeen
M. rurestris Anglesey
M. mollis Worcs., Cheshire
M. simplicitarsis Essex
M. saxatilis Selkirk, Tyrone, Derry, Antrim
M. beata Derby, Pembs., Kildare
M. gulosa Derby, Peebles
M. viaria Wigtown
M. sublestus Lancs.
M. lepidus Denbigh
C. sylvaticus Selkirk, Angus, Aberdeen
C. expertus Lundy, Worcs., Notts., Cards., Flint, Perth
C. prudens Essex, Mull
C. arcanus Cards., Shetland
C. dilutus Herefs.
C. incilium Beds.
C. serratus Cornw., Essex
C. bicolor Flint, Sutherl.
C. concinna Cards., Angus, Mull, Down
S. cornigera London
O. abnormis Kinross, Angus, Aberdeen, Ferman.
O. firmus Berks., Derby, Cards., Perth, Aberdeen
O. vaginatus O. Hebr.
M. rufus London, Cards., Antrim
M. carpenteri Cumb., Invern.
B. approximatus Somerset, Notts., Cards., Flint, W. Lothian, Ferman.
B. gracilis I.o.Man, Dumfr., Kirkcud., Ross, Mull, Antrim, Down
B. parvulus Middx., Derby, Caern. (Bardsey), W. Lothian, Ferman.
B. nigrinus Dumfr.
B. setiger Pembs., Cards.
K. dorsalis Ferman.
K. pullata Worcs., Derby, Ross, Skye
D. concolor Scilly, Lundy, I.o.Wight, Caern. (Bardsey), I.o.Man, Dumfr.
P. globosa Dumfr., Mull, Ferman.
D. socialis Derby, Selkirk, W. Lothian
T. longidens Shrops., W. Lothian, Angus
F. bucculenta Pembs., Kirkcud.
T. setosus Caern.
L. thoracica Angus
S. lineatus Ross, Tyrone
B. luteolus Angus
B. alticeps W. Lothian, Argyll, Angus
L. leporus Dumfr., Kirkcud.
- L. minutus* Herefs., Pembs.
L. alacris I.o.Wight, Berks., Herefs., Glam., Pembs., Dumfr., Kincard., Islay, Mull, Ferman.
L. obscurus I.o.Man, Dumfr., Selkirk, Kinross, Angus, Shetland, Ferman.
L. tenuis Skomer
L. zimmermanni Kinross, Mull, Tyrone
L. cristatus Lincs., W. Lothian, Kinross, Angus, Aberdeen
L. mengei London, Pembs., Wigtown, Mull, Offaly, Ferman., Tyrone, Down
L. flavipes Pembs., I.o.Man, W. Lothian, Angus, Sutherl., Antrim
L. tenebricola Sussex, London, Worcs., Cards., Dumfr., W. Lothian, Orkney, Ferman.
L. ericaeus W. Lothian, Mull, Ferman., Antrim
L. pallidus London, Herefs., Cards., Dumfr.
L. pinicola Ross, Sutherl.
L. angulatus Ross
L. expunctus Selkirk, Angus
H. insignis London, Roxb., Angus
L. triangularis Wigtown, Kinross, Angus, Kincard., Sutherl.
L. hortensis Cards., W. Lothian
L. montana Lundy, Dumfr.
L. clathrata Roxb., Angus, Mull, Ferman.
L. peltata Selkirk, Kinross
L. marginata Worcs., Shrops., Wigtown, Ross
M. pusilla Cards., Selkirk, Tyrone
M. impigra Somerset, Oxon., Worcs., Ferman.
A. scopigera Cards., Denbigh, Selkirk
A. warburtoni Beds., Cards., Caern. (Bardsey), Selkirk, Argyll