

Eighteen hundred new county records of British spiders

Peter Merrett

6 Hillcrest,
Durlston Road,
Swanage, Dorset BH19 2HS

Introduction

The county records which follow are additions to those shown on the distribution maps in Locket, Millidge & Merrett (1974) and in subsequent published lists (Merrett, 1975, 1982, 1989). The counties listed are those which existed before the boundary revisions of April 1974. Records for islands are treated as described in Locket *et al.* (1974: 132). The nomenclature and species order is the same as that used in the check-list in the B.A.S. Handbook, which in turn follows that in Merrett, Locket & Millidge (1985) and later amendments in Merrett & Millidge (1992).

The list includes both published and unpublished records, the principal contributors of the latter being K. N. Alexander, M. C. Askins, M. Bailey, S. I. Baldwin, D. Beaumont, L. Bee, A. E. Cooper, M. B. Davidson, S. Dobson, C. Felton, A. P. Foster, A. Fowles, C. Geddes, P. R. Harvey, M. Hogg, D. Jones, D. McFerran, C. M. Merrett, J. E. D. Milner, D. R. Nellist, G. S. Oxford, F. Park, J. R. Parker, M. Pugh, H. J. Read, W. Rixom, D. Roscoe, A. G. Scott, P. A. Selden, M. E. A. Shardlow, G. C. Slawson, C. J. Smith, P. Smithers, J. D. Stanney, J. A. Stewart, M. Taylor, T. J. Thomas, A. J. White, S. A. Williams and J. Wright (with apologies to anyone whom I have

inadvertently omitted). This list is complete up to June 1994.

Although records are being collected on a 10 km square basis for the spider recording scheme, I think it is also still worthwhile to continue keeping the county records up-to-date, and I should therefore be pleased to receive any additional new county records for publication in future lists.

References

- BOSMANS, R., VANUYTVEN, H. & VAN KEER, J. 1994: On two poorly known *Theridion* species, recently collected in Belgium for the first time (Araneae: Theridiidae). *Bull. Br. arachnol. Soc.* **9**(7): 236–240.
- LOCKET, G. H., MILLIDGE, A. F. & MERRETT, P. 1974: *British spiders* **3**: 1–314. Ray Society, London.
- MERRETT, P. 1975: New county records of British spiders. *Bull. Br. arachnol. Soc.* **3**(5): 140–141.
- MERRETT, P. 1982: New county records of British spiders. *Bull. Br. arachnol. Soc.* **5**(7): 332–336.
- MERRETT, P. 1989: Twelve hundred new county records of British spiders. *Bull. Br. arachnol. Soc.* **8**(1): 1–4.
- MERRETT, P. 1994: *Porrhomma cambridgei*, replacement name for *Porrhomma oblongum* (O.P.–Cambridge, 1871), revalidated and redescribed from southern England (Araneae: Linyphiidae). *Bull. Br. arachnol. Soc.* **9**(9): 318–320.
- MERRETT, P., LOCKET, G. H. & MILLIDGE, A. F. 1985: A check list of British spiders. *Bull. Br. arachnol. Soc.* **6**(9): 381–403.
- MERRETT, P. & MILLIDGE, A. F. 1992: Amendments to the check list of British spiders. *Bull. Br. arachnol. Soc.* **9**(1): 4–9.
- MERRETT, P., POWELL, D. F. & MAHER, H. 1993: A new species of *Centromerus* (Araneae: Linyphiidae) from arable farmland in eastern England. *Bull. Br. arachnol. Soc.* **9**(6): 203–204.
- ROBERTS, M. J. 1993: *The spiders of Great Britain and Ireland*. Supplement: 1–16. Harley, Colchester.
- SCHIKORA, H.-B. 1993: *Meioneta mossica* sp. n., a new spider close to *M. saxatilis* (Blackwall) from northern and central Europe (Araneae: Linyphiidae). *Bull. Br. arachnol. Soc.* **9**(5): 157–163.

Family Amaurobiidae

- A. fenestralis* Roxb., Selkirk, Berwick, Kinross, Banff, Ferman.
A. similis Angus, Bute
A. ferox Cards., Bute

Family Dictynidae

- D. arundinacea* Pembs., I.o.Man, Kincard., Banff, Down, Antrim
D. pusilla Perth
D. major Angus
D. uncinata Derbys., Perth, Invern.
D. latens Northants., Flint
L. humilis Pembs., Perth
A. subnigra Somerset

Family Uloboridae

- H. paradoxus* Kent, Staffs.

Family Oonopidae

- O. pulcher* Northants., Kincard., Banff
O. domesticus Essex, Midlothian

Family Dysderidae

- D. erythrina* Wigtown
D. crocata Cards., Bute
H. hombergi Wigtown, Selkirk, Aberd., Banff, Bute
H. rubicunda Essex

Family Segestriidae

- S. senoculata* Cards., Roxb., Selkirk, Banff
S. florentina Surrey

Family Scytodidae

- S. thoracica* Herts., Norf., Northants., Lancs.

Family Pholcidae

- P. phalangioides* W. Yorks., Cumber., Anglesey, Argyll, Bute, Shetl.
P. simoni Midloth., Lanark, Bute, Rhum

Family Zodariidae

- Z. italicum* Middx.

Family Gnaphosidae

- D. lapidosus* Pembs., Cards., Merion., Wigtown, Fife, Rhum
D. cupreus Northants., Flint, Wigtown, Dumfr., Roxb., Selkirk, Berwick, Ayr, Angus, Bute
D. pubescens Worcs., Shrops.
H. signifer Wigtown, Roxb., Stirl., Angus, Armagh, Tyrone
H. dalmatensis Essex, Suff.
H. umbratilis Essex
H. minor Sussex
S. blackwalli Cards., I.o.Man, Bute
S. scutulatus Essex
Z. electus Pembs., Angus
Z. latreillei Herts., Northants., Anglesey, Angus
Z. apricorum (*sensu stricto*) Cornw., Glos., Worcs., Lancs., Westmor., Cards., Montgom., Denbigh, I.o.Man
Z. subterraneus Kincard., Aberdeen

- Z. petrensis* Essex, Staffs.

- T. pedestris* Norfolk
D. pusillus Herts., E. Yorks., Pembs., Cards., Angus, Sligo
M. pulicaria Carmar., Wigtown, Dumfr., Roxb., Selkirk, Angus, Banff
M. subopaca Lancs., Lanark

Family Clubionidae

- C. corticalis* Lancs.
C. reclusa Dumfr., Roxb., Banff
C. stagnatilis Northants., I.o.Man, Roxb., Angus
C. norvegica W. Yorks.
C. pallidula Somerset, Cards., I.o.Man
C. phragmitis Cards., I.o.Man, W. Lothian, Angus
C. terrestris Cards., Angus, Moray
C. neglecta Herts., Derbys., Cards., Dumfr., Midloth., Perth
C. similis Suffolk
C. lutescens I.o.Man, Kirkcud., Dumfr., Selkirk, Angus, Kincard., Invern., Bute
C. comita I.o.Man, W. Lothian, Banff, Ferman.
C. brevipies London, Cards., Ferman.
C. trivialis Pembs., Kirkcud., Kincard., Cork, Antrim
C. diversa London, Herts., Wigtown, Angus, Kincard., Banff, Mull, Sligo, Ferman., Tyrone

- C. subtilis* Middx.
C. erraticum Cards., Aberd., Ross
C. virescens Notts., Cards., Angus

Family Liocranidae

- A. proxima* London, Wigtown
A. inopina London, Staffs., Carmar., NOT
 Warwicks.
A. lusatica Cards.
S. celans Ayr
S. gracilipes Pems., Ayr, Angus, Caithn.
P. festivus Derbys., Cards., I.o.Man, Bute,
 Down
P. minimus Oxon.

Family Zoridae

- Z. spinimana* Dumfr., E. Lothian, Banff
Z. nemoralis Cards.

Family Anyphaenidae

- A. accentuata* Cards., Dumfr., Ferman.

Family Thomisidae

- D. dorsata* Northants.
X. cristatus Wigtown, Selkirk, W. Lothian
X. audax Herts., Cards.
X. kochi Merion.
X. erraticus I.o.Man, Roxb., Angus, Aberd.,
 Bute
X. lanio London, Devon
X. ulmi Cards.
X. sabulosus Aberd., Down
O. sanctuaria Kent, I.o.Man
O. praticola Kent
O. trux Merion., Wigtown, Dumfr., W.
 Lothian, Kinross, Banff, Moray, Caithn.,
 Bute, Mull, Antrim
O. simplex Herts., Carmar.
O. atomaria Cards., Wigtown, Angus, Banff
O. brevipes Northants., Staffs., NOT
 Warwicks.

Family Philodromidae

- P. dispar* London
P. aureolus I.o.Man, Dumfr., Angus, Banff
P. praedatus Somerset, Kent, Middx., Herts.,
 Warw., Herefs., Pems.
P. cespitum I.o.Man, E. Lothian, Kincard.,
 Bute
P. longipalpis Simon (see Roberts, 1993)
 Somerset, Surrey, Kent, Essex
P. collinus Essex, Herts.
P. fallax Cards.
P. histrio Bute
P. albidus Hants., Essex, Herts., Suff., Norf.,
 Northants., Monm.
P. margaritatus Invern.
T. striatus Pems., Cards.
T. maritimus Northants., N. Yorks., I.o.Man,
 Dumfr., Caithn., Bute
T. oblongus Derbys., Cards., Merion.,
 Denbigh, Angus, Mull

Family Salticidae

- S. scenicus* Roxb., Bute, Derry
S. cingulatus Angus
S. zebraneus London, Essex
H. cupreus London, Bute
H. flavipes Anglesey, Banff
H. dampfi Cards., Perth
M. muscosa Northants.
M. nivoyi Westmor.
B. aurocinctus Warw., W. Yorks.
B. chalybeius London
N. reticulatus Aberdeen

- E. frontalis* Wigtown, Ayr, Sutherl., Bute,
 Down
E. petrensis N. Yorks., Rhum
E. erratica Kincard., Aberd.
E. aequipes Herts., Ayr, Angus
E. thorelli Kent
E. lanigera Herts., Derbys., I.o.Man
E. browni Sussex
S. pubescens Northants., Caern.
S. floricola Shrops., Denbigh
A. saltator I.o.Man
E. falcata Cards.
E. arcuata Shrops., Cards.
S. venator Somerset

Family Lycosidae

- P. agricola* Pems., Anglesey, Berwick, Ayr,
 Angus, Bute
P. agrestis Herts., Notts.
P. purbeckensis Devon, Wigtown, Dumfr.,
 Angus, Invern.
P. monticola Cards., Midloth., Stirl.
P. palustris Cards., Ferman.
P. prativaga Derbys., E. Yorks., Cards.,
 Flint
P. nigriceps Flint, Dumfr., Ferman., Tyrone
P. lugubris Cards., Berwick, Angus, Banff
P. hortensis Herts., W. Yorks., Ayr
P. proxima Merion., Ayr
X. miniata Essex, Flint
A. pulverulenta Flint, Wigtown, Roxb.,
 Caithn., Derry
A. cuneata Kent, Pems.
A. barbipes Herts., Caithn.
T. ruricola Pems., Kinross, Caithn.
T. robusta Essex
T. terricola Wigtown
A. perita Wigtown, Dumfr., Midloth., W.
 Lothian, Sligo
A. leopardus Herts., Merion., I.o.Man
A. cinerea Aberdeen
P. piraticus (sensu stricto) Sussex, Middx.,
 London, Herts., Cumber., Pems., Cards.,
 Merion., Caern., I.o.Man, Wigtown,
 Kincard., Roxb., W. Lothian, Ayr,
 Angus, Banff, Bute, Sligo, Ferman.,
 Down, Antrim
P. tenuitarsis Anglesey
P. hygrophilus Cards., Bute
P. uliginosus Herts., W. & N. Yorks.,
 Kincard., Dumfr., Ayr, Rhum, Armagh
P. latitans Derbys., Cards.
P. piscatorius Pems., Merion., Armagh

Family Pisauridae

- P. mirabilis* I.o.Man, Angus
D. fimbriatus Norf., W. Yorks.
D. plantarius Sussex

Family Argyronetidae

- A. aquatica* Herts., Pems., I.o.Man, Sligo

Family Agelenidae

- T. gigantea* Cornw., Berks., Essex, Notts.,
 Anglesey, Down, Antrim
T. saeva Staffs., Cards., Anglesey, I.o.Man,
 Angus, Down, Antrim
T. atrica Fife, Down
T. agrestis Kent, Suff., Staffs., W. Lothian,
 Stirl.
T. domestica Wigtown, Kincard.
T. silvestris London, Northants.
C. terrestris London, Herts.
C. silvicola Kincard., Banff, O. Hebr.

Family Hahniidae

- A. elegans* Northants., Hunts., I.o.Man,
 Wigtown, W. Lothian, Angus, Kincard.,
 Mull
H. montana Northants., Pems., Ayr, Fife,
 Banff
H. candida Sussex
H. nava London, Anglesey, I.o.Man, Fife,
 Kincard.
H. helveola Carmar., Kirkcud., Angus, Moray
H. pusilla Essex

Family Mimetidae

- E. cambridgei* Pems., Cards., I.o.Man,
 Wigtown, Kirkcud., Fife, Aberd.
E. furcata Dumfr., Kincard., Angus, Banff
E. tuberculata Essex

Family Theridiidae

- E. angulatus* Northants., Cards., Aberd.
E. maculipes Cornw., Devon
E. flavomaculata Essex, Herts., Angus,
 Ferman.
D. prona Cards.
D. inornata Carmar.
D. tristis Kent
D. torva Aberd.
C. guttata Bute
S. phalerata Midloth., Angus
S. bipunctata Kirkcud., Fife, Bute
S. grossa Essex
S. nobilis Dorset, Hants, Sussex, Essex
A. vittatus Derbys., Pems., Selkirk, Berwick,
 Midloth., Fife, Angus
A. aulicus Sussex
A. lunata Devon, London, Derbys., W.
 Yorks.
A. riparia Essex, Herts.
A. simulans Somerset, Herts., Derbys.
T. sisypium Wigtown, Selkirk, Angus
T. impressum Middx., Herts., Derbys.,
 Pems., Argyll, Kincard., Banff, Ross,
 Sligo, Armagh
T. hemerobius Simon (see Bosmans,
 Vanuytven & Van Keer, 1994) Sussex
T. varians Derbys., Pems., Clackman.
T. pinastris Essex, Bucks
T. simile Herts., Perth
T. familiare N. Yorks
T. melanurum Northants., W., N. & E.
 Yorks., I.o.Man, Bute
T. mystaceum Northants., Norf., Herefs., E.
 Lothian, W. Lothian, Fife, Bute, Ferman.
T. blackwalli Hants
T. tinctum Derbys., Pems., Perth
T. bimaculatum Wigtown, Dumfr., W.
 Lothian, Argyll, Perth, Bute, Armagh
T. pallens Selkirk, Kincard., Banff, Sligo
R. instabilis Herts., Worcs.
R. bellicosus Aberd., Banff
E. ovata (sensu stricto) Scilly, Cornw., Devon,
 Dorset, Hants, Sussex, Surrey, Kent,
 Middx., Berks., Herts., Essex, Oxon.,
 Norf., Warw., Worcs., Herefs., W., N. &
 E. Yorks., Durh., Monm., Glam., Pems.,
 Cards., Brecon, Caern., Anglesey,
 I.o.Man, Wigtown, Kirkcud., Berwick,
 Stirl., Fife, Angus, Invern., Nairn, Moray,
 Ross, Sutherl., Bute, Skye, Cork, Kerry,
 Wexford, Offaly, Westmeath, Sligo,
 Armagh, Ferman., Derry, Down, Antrim
E. latimana Cornw., Devon, Surrey, Middx.,
 London, Kent, Herts., Suff., Norf.,
 Chesh., Carmar., Anglesey

- E. thoracica* Herts., Northants., Roxb., Angus
E. mordax Pems.
R. lividus Kincard., Banff
R. arundineti Devon, Lancs., Antrim
R. neglectus Surrey, Herts., Kirkcud.
P. gibbum Wigtown, Kincard., Banff, Sligo
T. minutissima Pems., Kincard., Banff, Caithn., Rhum, Antrim
- Family Nesticidae**
N. cellulanus Devon, Pems., Cards., I.o.Man, W. Lothian, Kincard.
- Family Tetragnathidae**
T. extensa I.o.Man, Roxb., Angus, Banff, Down
T. pinicola Middx., Herts., Suff., Northants.
T. montana I.o.Man, Wigtown, Roxb., Angus, Kincard., Aberd., Invern.
T. obtusa Kent, Dumfr.
T. striata Warwick
P. clercki Wigtown, Roxb., Angus, Mull
P. listeri Camb., Norf., Dumfr., Angus
P. degeeri Selkirk, W. Lothian
- Family Metidae**
M. segmentata Wigtown, Dumfr., Kinross, Mull, Islay, O. Hebr., Sligo, Ferman.
M. mengei E. Lothian, W. Lothian, Angus, Banff, Moray, Bute, Sligo, Down
M. merianae Clackman.
M. menardi Essex, Kincard., Bute
M. bourneti Bucks.
Z. x-notata Roxb., Angus, Kincard., Mull, Derry
Z. atrica I.o.Man, Wigtown, Sligo
Z. stroemi Northants.
- Family Araneidae**
G. gibbosa N. Yorks., Perth, Armagh, Ferman.
A. angulatus Cornwall
A. diadematus Roxb.
A. quadratus Wigtown, Roxb., E. Lothian, W. Lothian, Angus, Kincard.
L. cornutus I.o.Man, Berwick, Sligo
L. sclopetarius Derry
L. patagiatus Berks.
N. umbratica Cards., Ayr, Bute, Sligo
A. redii Kent, Northants., W. Yorks., Down
A. sturmi Herts.
N. adianta Cards., W. & N. Yorks.
A. cucurbitina Wigtown, Selkirk, Berwick, Kildare
A. opistographa Middx., Herts., Pems., Cards., Armagh, Ferman., NOT Kildare
A. inconspicua Sussex, Berks., Northants.
A. displicata Essex
Z. diodia Staffs.
H. albivittata Beds., Perth, Angus
H. pygmaea Staffs., Derbys., Cumber., Pems., Cards., Ayr, Caithn.
C. prominens Herts., Derbys.
M. acalypha Essex
C. conica Derbys., Pems., Cards., Peebles, Fife
- Family Theridiosomatidae**
T. gemmosum Essex, Staffs., Cards.
- Family Linyphiidae**
C. brevipis I.o.Man, Dumfr., Banff
C. brevis Dumfr., Angus, Aberd., Caithn.
C. scabrosa Pems., Cards., Dumfr., Ferman.
- W. acuminata* Banff
W. antica (sensu stricto) I.o.Man, Roxb., Stirl., Banff, Sligo
W. alticeps Cards.
W. cucullata London, Aberd., Bute
W. nodosa Westmorl., Carmar., Brecon, I.o.Man, Kirkcud., Roxb., Selkirk, Angus, Aberd., Islay
W. atrotibialis Herts., Northants., W. Yorks., Antrim
W. capito Suff., Ayr
W. incisa Essex, Herts.
W. dysderoides London, Northants.
W. nudipalpis Northants., Bute, Islay, Mull, O. Hebr.
W. monoceros Herts., I.o.Man, Angus
W. furcillata Herts., Notts.
W. unicornis I.o.Man, Fife
W. kochi Kirkcud., Dumfr., Caithn., Antrim
W. flavicornis N. Yorks., Angus, Caithn., Ferman., Antrim
W. cuspidata Herts., Notts., Roxb., W. Lothian, Angus, Kincard., Banff, Moray, Islay, Ferman.
W. vigilax Northants., Pems., Merion., Anglesey, I.o.Man, Kirkcud., Dumfr., Perth, Angus, Ferman., Down, Antrim
D. nigrum Middx., Herts., Kirkcud., Dumfr., Berwick, Midloth., Ayr, Fife, Angus, Banff, Bute, Rhum, Antrim
D. brevisetosum Kent, Angus, Caithn., Antrim
D. tibiale Pems., Cards., Kirkcud., Dumfr., Angus, Aberd., Banff, Moray, Caithn., Bute, Antrim
E. acuminata Wigtown
E. congenera Northants., Staffs.
E. erythropus Pems., Cards., Kirkcud., E. Lothian, Perth, Bute
E. flavipes Essex, Herts.
E. omissa Dorset, Staffs.
E. errata W. Yorks., Argyll
G. dentatum Notts., I.o.Man, Wigtown, Kirkcud., Roxb., W. Lothian, Angus, Moray, Ferman.
T. cristatus Essex, Staffs.
T. affinis Notts.
G. rufipes Cards., Wigtown, Dumfr., Berwick, Angus, Aberd., Armagh, Ferman.
D. bifrons I.o.Man, Selkirk, Angus, Banff, Bute, Tyrone
H. bituberculatum Wigtown, Dumfr., Roxb., Ferman.
H. fulvum Hunts., Staffs., NOT Beds.
H. cornutum Roxb., Berwick, Midloth., Aberd., Armagh, Ferman., Derry
M. prominulus I.o.Man, Ayr, Angus, Aberd., Bute
B. pratense Essex, Derbys., Notts., Roxb., Angus
B. gowerense Carmar., Anglesey, Ferman.
B. trifrons Pems., Flint, I.o.Man, Wigtown, Angus, Moray, Bute, Rhum, Derry
G. rubens Wigtown, Kinross, O. Hebr.
G. rubellum Selkirk, E. Lothian, W. Lothian, Banff
M. sundevalli London, Herefs., Pems., Merion., I.o.Man, Berwick, W. Lothian, Bute, Tyrone
M. gallicus Devon
M. marginella Kent
P. ludicrum Roxb., Angus, Derry
- P. pumila (sensu stricto)* Devon, Essex, Herts., Worcs., Staffs., Westmorl., Cards., Merion., I.o.Man, Wigtown, Kirkcud., Dumfr., Roxb., Ayr, W. Lothian, Stirl., Banff, O. Hebr., Ferman, Antrim
P. juncea London, Herts., Derbys., Notts., W., N. & E. Yorks., Cards., I.o.Man, Caithn., Bute
H. jacksoni Lancs., Pems., Cards., Wigtown, Dumfr., Aberd., Ross, Antrim
O. gibbosus London, Pems., Cards., I.o.Man, Kirkcud., Roxb., Selkirk, E. Lothian, Argyll, Angus, Kincard., Aberd., Banff, Caithn., Antrim
O. fuscus Monm., Wigtown, Roxb., Selkirk, W. Lothian, Angus, Aberd., Bute, Mull
O. agrestis Pems., Cards., I.o.Man, Moray
O. retusus Notts., Merion., Roxb., Bute
O. apicatus Cards., I.o.Man, Selkirk, Berwick, W. Lothian, Bute
T. thorelli Kent, Beds., Anglesey, I.o.Man, Dumfr., Shetl., Ferman., Tyrone
P. mengei Essex, I.o.Man, Kirkcud., Fife, Angus, Bute
P. parallela Carmar., Cards., Bute
P. nemoralis Middx., Herts., Suff., N. Yorks., Pems., Cards., Wigtown, Kirkcud., Roxb., Selkirk, E. Lothian, Midloth., Aberd., Banff, Bute, O. Hebr., Antrim
P. nemoralioides Kent, Essex
S. elegans Merion., Dumfr., W. Lothian, Angus, Aberd., Ferman., Antrim
S. ambiguus I.o.Man, Wigtown, Dumfr.
S. reussi Herts., Notts., Angus
M. peusi Chesh., Cards.
C. obscurus Cards., I.o.Man, Wigtown, Kirkcud., Dumfr., Angus, Kincard., Banff, Ross, Bute
A. scurrilis Kent
T. saxicola Bute
C. romana Cards.
C. stativa London, Northants, W. Yorks., Pems.
E. merens Wigtown, Ayr, Bute
T. vagans Dumfr., Banff
T. scabriculus Somerset, Derbys., Berwick, E. Lothian
M. pusillus Cards., Dumfr., Selkirk, Berwick, Banff
T. praecox London, Herts., Cards., I.o.Man, Kincard.
T. pallens Fife, Banff, Caithn., O. Hebr., Antrim
T. insecta Essex, Herts., Worcs., Shrops., Kirkcud., Aberd.
T. pygmaeus London
M. subitaneus Northants.
S. britteni Caithn., Ferman, Tyrone
T. parasiticus Carmar., Cards., Berwick
T. biovatus Kincard.
M. fuscipes Wigtown, Selkirk, Banff, Tyrone
M. castaneipes Westmorl., Pems., Cards., Kirkcud., Dumfr., Berwick, Ferman.
L. punctatum I.o.Man, Wigtown, Roxb., Angus, Kincard., Moray, Caithn., Bute, Mull, Ferman.
S. diceros Essex, Oxon.
G. vivum I.o.Man, Wigtown, W. Lothian, Ayr
G. latebricola Essex, Northants., Worcs., Shrops., Cards., Kirkcud., Antrim
M. herbigradus (sensu stricto) London, Herts., Cams., Northants., Shrops., Staffs., Pems., Kirkcud., Ayr, Antrim

- M. apertus* Essex, Staffs., Westmorl., Ayr, Fife, Kincard., Aberd., Banff, Invern., Bute, Rhum
- M. subaequalis* London, Herefs., Derbys., Notts.
- M. laudatus* Herts.
- N. sarcinatus* Aberdeen
- G. servulus* Oxon., Carmar.
- E. hiemalis* Middx., Herts., Northants., Carmar., I.o.Man, Dumfr., Selkirk, Berwick, E. Lothian, W. Lothian, Kincard., Banff, Sutherl., Antrim
- E. ignobilis* Herts.
- S. frontata* Kent, Kinross, Kincard.
- D. cristatus* Notts., Berwick, Kincard., Banff
- D. permixtus* Pembs., Dumfr., Roxb., Selkirk, Angus, Moray, Caithn., Bute
- D. latifrons* Roxb., Selkirk, Angus, Kincard., Aberd., Bute
- D. picinus* Northants., Cards., Berwick, Angus, Kincard., Moray, Bute, Down
- A. humilis* Notts., Wigtown, Berwick, Perth, Angus
- A. crassiceps* Essex, I.o.Man, Caithn., Tyrone
- P. sulcifrons* Kent, Suffolk
- L. dentichelis* Middx.
- S. evansi* Peebles, Angus, Caithn.
- T. digitatus* Essex, Cards., Roxb., Antrim
- M. inerrans* Northants., Staffs., Derbys., Notts., W. Yorks., Pembs., Kincard., Bute
- D. bidentata* Staffs., Ayr
- E. dentipalpis* Herefs., Dumfr., Selkirk, Ayr, Kincard., Mull
- E. atra* Wigtown, Roxb., Angus
- E. promiscua* Kent, Cards., I.o.Man, E. Lothian, Angus
- E. arctica* Staffs., Cards., Wigtown, Angus, Kincard.
- E. longipalpis* Derbys., Notts., Cards., I.o.Man, Dumfr., Angus, Ferman.
- E. tirolensis* Argyll
- E. welchi* Kirkcud.
- E. aletris* W. Lothian
- P. vagans* Devon, Herts., Norf., Shrops., Chesh., Lancs.
- R. morulus* N. Yorks., Ferman., Antrim
- L. faustus* N. Yorks., Roxb., Selkirk, W. Lothian, Kincard., Aberd., Banff, Moray, Caithn.
- D. speciosa* Caerns.
- L. robustum* Essex, Notts., Kirkcud., Berwick, E. Lothian, Midloth., Angus, Aberd., Moray
- D. uncatus* W. Lothian, Angus, Ferman., Down, Antrim
- L. hardyi* Cards., Caithn., Antrim
- H. excisa* Worcs., Westmorl., Pembs., I.o.Man, Wigtown, Roxb., Selkirk, E. Lothian, Kincard., Moray, Bute, NOT Banff
- H. frigida* Argyll, Angus, Caithn.
- H. pervicax* Perth, Aberd., Banff, Caithn., Antrim
- H. reprobus* Down
- H. distinctus* Derbys., Notts., Ayr
- W. calcarifera* Essex
- A. paganus* Aberdeen
- J. falconeri* Banff
- P. aenigmaticus* Herts.
- O. melanopygius* Herts., Staffs., Notts., Carmar., I.o.Man, Midloth., Angus, Aberd., Bute
- A. misera* Caithn., Rhum, Donegal
- P. pygmaeus* Notts., Pembs., Caern., Selkirk, Peebles, E. Lothian, Kinross, Angus, Kincard., Banff
- P. convexum* Devon, Herts., Northants., Caern., Berwick, Kincard., Aberd.
- P. pallidum* Essex, Lancs., Carmar., Kirkcud., Peebles, Berwick, Kincard., Antrim
- P. campbelli* London, Beds., Herefs., Westmorl., Northumb.
- P. microphthalmum* London, Notts., Fife
- P. errans* Essex, Notts.
- P. egeria* Northants., Banff
- P. oblitum* Essex, Northants., Staffs.
- P. montanum* Essex, Staffs., O. Hebr.
- P. cambridgei* Merrett (see Merrett, 1994) Dorset, Sussex, Middx., Herts.
- A. subtilis* Cumber., Pembs., I.o.Man., Kirkcud., Dumfr., Angus, Ferman., Tyrone, Antrim
- A. conigera* Essex, Herts., Cards., I.o.Man, Wigtown, Roxb., Selkirk, Peebles, Angus, Bute
- A. decora* Suff., I.o.Man, Bute, Ferman.
- A. cauta (sensu stricto)* Essex, Derbys., Cards., I.o.Man, Roxb., Ayr, Angus, Perth, Aberd., Antrim
- A. olivacea* Staffs., Roxb., Ayr, Angus, Aberd., Ferman., Antrim, NOT Sutherl.
- A. ramosa* Essex, Herts., Northants., I.o.Man, Dumfr., Ayr, Angus
- M. innotabilis* Middx., Northants.
- M. rurestris* Stirl., Clackman., Kinross, Caithn.
- M. mollis* Cards.
- M. saxatilis (sensu lato)* Cards., Merion., I.o.Man, Ayr, Caithn., Bute, Down
- M. mossica* Schikora (see Schikora, 1993) Derbys., Northumb., Perth
- M. simplicitaris* Sussex
- M. beata* Herts., Northants., Berwick, Midloth., Stirl.
- M. gulosa* Down, Antrim
- M. nigripes* Argyll
- M. viaria* I.o.Man, Selkirk, Kinross, Angus, Kincard., Banff, O. Hebr.
- M. minutus* N. Yorks., Cards., Angus
- M. sublestus* Norf., Kirkcud.
- M. lepidus* Cards.
- S. gracilis* Essex, Berks.
- C. sylvaticus* Middx., Shrops., Kirkcud.
- C. prudens* Peebles, Ayr, Kincard.
- C. arcanus* Kirkcud., Fife, Angus, Banff
- C. dilutus* London, Pembs., Angus, Banff., Caithn.
- C. capucinus* Herts., Essex
- C. incilium* Essex
- C. minutissimus* Merrett & Powell (see Merrett, Powell & Maher, 1993) Cambs.
- T. experta* Kirkcud., Roxb., Selkirk, Angus, Kincard., Antrim
- C. bicolor* Carmar., I.o.Man, Selkirk, Stirl., Angus, Kincard., Sligo
- C. concinna* I.o.Man, Peebles, Berwick, Stirl., Antrim
- S. corniger* Bucks., Kirkcud.
- O. vaginatus* W. & N. Yorks., Angus
- S. abnormis* Herefs., Banff, Caithn.
- S. firma* Essex, Lancs., Ayr, Tyrone
- M. rufus* Selkirk, Kinross
- B. approximatus* I.o.Man, Wigtown, Dumfr., Roxb., Angus, Kincard., Moray, Bute
- B. gracilis* Notts., Wigtown, Berwick, Kinross, Angus, Banff, Moray, Bute, Armagh, Ferman.
- B. parvulus* Herts., Cards., I.o.Man, Dumfr., Selkirk, Caithn., Bute
- B. nigrinus* Roxb.
- B. setiger* Wigtown., Kincard., Aberd.
- K. dorsalis* Roxb., Selkirk, Sligo
- K. pullata* I.o.Man, Wigtown, Dumfr.
- D. concolor* Selkirk, W. Lothian, Angus, Kincard., O. Hebr.
- P. variegata* Wigtown, Selkirk, Kincard., Aberd., Banff
- D. socialis* Herefs., Kirkcud., Kinross, Kincard.
- T. longidens* Pembs., Wigtown, Ayr, Kinross, Kincard., Mull, O. Hebr., Antrim
- F. bucculenta* Monm., I.o.Man, Wigtown
- T. setosus* N. Yorks., Westmorl., Pembs.
- L. thoracica* Dumfr., Selkirk, E. Lothian, W. Lothian, Kinross, Fife, Banff
- S. lineatus* Wigtown, Kinross, Angus, Kincard., Banff, Sligo
- B. luteolus* Herts., Pembs., Wigtown, Selkirk, W. Lothian, Bute, Mull
- B. alticeps* Dumfr., Roxb., Kinross
- L. minutus* Kirkcud., Selkirk, Kinross, Angus, Kincard.
- L. alacris* Middx., I.o.Man, Kirkcud., W. Lothian, Kinross, Banff
- L. whymperi* Argyll
- L. obscurus* Pembs., Roxb., Kincard.
- L. tenuis* Wigtown, Kinross, Mull, Tyrone
- L. cristatus* Herts., Cards., Kincard., Banff, Bute
- L. mengei* Cards., W. Lothian, Bute, Sligo
- L. flavipes* Cards., Kirkcud., Berwick, E. Lothian, Ayr, Aberd., Bute, Ferman.
- L. tenebricola* Herefs., Merion., I.o.Man, Berwick, Angus, Kincard., Antrim
- L. ericaeus* Wigtown
- L. pallidus* Northants., Kirkcud., Berwick, E. Lothian, W. Lothian, Angus, Caithn., Bute, Mull
- L. insignis* Kent, London, Essex, Beds., E. Yorks., Aberd.
- L. angulatus* Roxb., Angus, Ferman.
- L. expunctus* Dumfr., Roxb., Peebles, Midloth., Kincard.
- H. insignis* Monm., Pembs., Dumfr., Kirkcud., Kinross, Kincard., Aberd., Banff, Sligo
- P. phrygianus* E. Yorks., Westmorl., Kirkcud., Selkirk, Berwick, E. Lothian, Midloth., Fife, Angus, Aberd.
- L. montana* Pembs., I.o.Man, Wigtown, Roxb., Aberd., Ferman.
- L. clathrata* Wigtown, Dumfr., Selkirk, Moray, Ross
- L. peltata* I.o.Man, Wigtown, Angus, Banff
- M. pusilla* Angus, Kincard., Banff, Mull
- M. impigra* Derbys., Pembs., Anglesey, Wigtown, Berwick, Angus
- A. scopigera* Wigtown, Kinross, Angus, O. Hebr., Antrim
- A. vidua* Devon, Sussex, Derbys., Notts., Pembs., Kirkcud., Roxb., Angus