

Bibliographic check list of the Hungarian spider fauna

Ferenc Samu

Plant Protection Institute,
Hungarian Academy of Sciences,
P.O. Box 102, Budapest, H-1525 Hungary*

and

Csaba Szinetár

Berzsenyi College, Department of Zoology,
4 Károlyi Gáspár tér,
Szombathely, H-9700 Hungary

Summary

The first check list of the Hungarian spider fauna is presented since the 1918 check list by Chyzer and Kulczyński. All pre-1900 records are included from the Chyzer and Kulczyński list. For the period 1900–1996 the literature has been extensively searched, and records are included from the original sources. Records are listed only from locations within the present borders of Hungary. Altogether the present list is based on 108 literature items, in which there were 6010 records for 725 spider species from the country.

Introduction

The preservation of global and local biodiversity requires knowledge about patterns of diversity. Fauna lists of spiders have traditionally served this purpose. Such lists can be established at different scales, for whole countries (Merrett *et al.*, 1985; Pesarini, 1994; Buchar *et al.*, 1995; Mikhailov, 1996), or smaller regions, such as a national park (Coddington *et al.*, 1996). Fauna lists are inventories, which not only help to establish patterns of biodiversity, but also serve as raw material for more detailed ecological studies. Their electronic publication via the Internet (e.g. Langemark; Working group arachnology, 1996; Vanuystven, 1998) or in other database formats (Hanggi *et al.*, 1995) makes their availability wider and easier.

Arachnological studies in Hungary have a long tradition. Listing the spider fauna was started by Ottó Herman (1876–1879) and was continued by Cornél Chyzer and László Kulczyński (1891, 1894, 1897). Based on their three-volume seminal work, the first and until now the only fauna list of Hungarian spiders was published in 1918 by Chyzer & Kulczyński (1918a,b). In the present list we set out to revise this list with published spider data originating after 1900, in a format where all known references are given for each species included in the list. We hope that an electronic publication of our results will follow in the near future.

Material and methods

Scope of data included in check list

Area: Only records from locations within the present borders of Hungary are included.

*Address for correspondence.

Time period: The check list is based on the last published check list from Hungary by Chyzer & Kulczyński (1918a, b). Those papers gave a comprehensive and critical list of all previous arachnological records, since the pioneering work by Herman (1876, 1878, 1879). For records after 1900 the authors have extensively searched the literature between 1900 and 1998.

Sources: Concerning the Chyzer & Kulczyński (1918a,b) papers, it has to be mentioned that they were completed in 1896 and 1900 respectively, but remained unpublished until 1918. These papers synthesise all records from the better known three-volume *Araneae Hungariae* (Chyzer & Kulczyński, 1891, 1894, 1897). The coverage of literature after 1900 is almost complete. Szinetár & Samu (1995) gave a comprehensive list of Hungarian arachnological literature. In the present list, to our knowledge we have included all records from Balogh, Loksa and other contemporary arachnologists. Kolosváry was an extremely prolific author, and we have been able to examine c. 95% of his papers, including all important faunistic reports. The reason why many papers which might be well known in the arachnological literature, but to which no reference can be found here, is simply that these papers contained records only from outside Hungary.

Data validation procedures

Species identity: The taxonomic names mainly follow the nomenclature in Platnick (1997). Original names in the sources were often synonyms. These were checked and if possible cleared using the catalogues of Bonnet (1945, 1955–1959, 1961), Roewer (1942, 1955), Brignoli (1983) and Platnick (1989, 1993, 1997), but other sources, such as Prószyński's computer catalogue (1993) and original species descriptions, were also used.

In cases where one or more sibling species have been described based on one original species, or where subspecies have been elevated to species rank, the original species name is listed either *sensu stricto* or *sensu lato*. In cases where we know that the species has been identified according to the narrower definition, we list it as *sensu stricto*. We have indicated *sensu lato* in cases where either the records originated before the sibling species were described, or in cases where it was impossible to establish whether the species names have been used in the wider or in the narrower sense. For species given as *sensu lato*, the names of sibling species included under that name are listed. In some species records are known in both senses, and these are shown as separate entries, but counted only as one species.

We have classified species as invalid if their identity could not be established, or if their validity was questionable (*nomen dubium*), or in one case because it was stated to be a *nomen nudum* in the literature (Loksa, 1972).

Location validity: Each record in the literature was checked, as to whether the original location is within the present borders of Hungary, using old locality lists and

Species name	Reference	Present designation	Reference for designation
<i>Ballus lendli</i> Kolosváry, 1934	Kolosváry, 1934a	Nomen dubium	present paper
<i>Cheiracanthium cuniculum</i> Herman, 1879	Chyzer & Kulczyński, 1918b	Nomen dubium	Chyzer & Kulczyński, 1918b
<i>Cyclosa strandi</i> Kolosváry, 1934	Kolosváry, 1934a	Nomen dubium	present paper
<i>Drassodes striatus</i> L. Koch, 1866	Kolosváry, 1933b	Nomen dubium	present paper
<i>Enoplognatha hungarica</i> Kolosváry, 1934	Kolosváry, 1934a, 1935b,d	Nomen dubium	present paper
<i>Leptyphantes anguliformis</i> Loksa	Loksa, 1966a	Nomen dubium	present paper
<i>Lophomma rufipes</i> Bösenberg, 1902	Kolosváry, 1928b,c, 1933b	Nomen dubium	Braun, 1982
<i>Lycosa conica</i> Kolosváry, 1928	Kolosváry, 1928b	Nomen nudum	Loksa, 1972
<i>Poecilochroa hungarica</i> Kolosváry, 1934	Kolosváry 1932b, 1934a, 1935b	Nomen dubium	present paper
<i>Theridion sylvaticum</i> Koch	Loksa, 1966a	Nomen dubium	present paper

Table 1: List of invalid species.

maps. A complete locality list in the second volume of Chyzer & Kulczyński (1897) was especially useful.

Record validity: There was no exact way to check the validity of the records. We declare the present paper to be a literature survey. Accordingly no specimens from collections were checked. However, we realise that there was a wide range of different quality data. In the overwhelming majority of cases we had no reason to doubt the precision and validity of the records. Special care was taken of species found in one or very few records. Many of these were supported by our own unpublished data. Others were less certain, but we had no grounds to exclude them. A separate list of these uncertain species is given below. Species that deserve special attention because they were originally described from Hungary are also listed separately.

A record was classified as invalid if any of the following circumstances were met: (i) Occurrence is considered highly unlikely on the basis of known biology, habitat preference and distribution. These species usually were restricted in known occurrence to high mountains, seashores, or were Mediterranean species. They have not been mentioned from any habitat probable in Hungary in the check lists of neighbouring countries (Drenski, 1936; Fuhn & Oltean, 1970; Nikolic & Polenec, 1981; Weiss, 1987; Buchar, 1992; Pesarini, 1994; Buchar *et al.*, 1995; Platen *et al.*, 1995; Kropf & Horak, 1996; Mikhailov, 1996). (ii) Records examined by Loksa (1969a, 1972) and declared to be not valid. We are not sure, but it is likely, that this declaration was based on the examination of specimens. (iii) Revision of the identification made by the author of the given record in a later paper, or unpublished self-revision in the case of Samu and Szinetár.

Results of species and record validation

Invalid species (not included in check list)

We classified most of the species described by Kolosváry from Hungary as *nomina dubia* (many other species were described by him from outside the area of Hungary, and thus fall outside our scope). These species have seldom if ever been mentioned after the original description, and in many cases only one sex was found by Kolosváry. Considering the original descriptions, it is hardly likely that these Kolosváry species will be vali-

dated, given the unknown location of type material and the poor quality of the drawings.

In the list of invalid species (Table 1) the original species name is given, as it occurred in the source literature. It sometimes lacked the year of description.

Probably invalid records (not in check list)

Based on the criteria described in the data validation section, the records presented in Table 2 are regarded as invalid.

Possibly uncertain records (in check list)

We give a list of "somewhat uncertain species", which we feel might be problematic. Species were included in this list on the basis of comments on previous versions of the list by T. Blick, K. Thaler and P. Merrett; known distribution made occurrence questionable, but still possible to some degree (cf. list of invalid records). These species are listed here to indicate that some caution should be paid when accepting the record as valid for Hungary.

Species Name	Reference
<i>Centromerus sellarius</i> (Simon, 1884)	Loksa, 1971
<i>Centromerus silvicola</i> (Kulczyński, 1887)	Kolosváry, 1943
<i>Drassodes heeri</i> (Pavesi, 1873)	Kolosváry, 1930
<i>Drassodes hypocrita</i> (Simon, 1878)	Kolosváry, 1933b
<i>Helophora insignis</i> (Blackwall, 1841)	Kolosváry, 1935a
<i>Leptyphantes istrianus</i> Kulczyński, 1914	Kolosváry, 1934c
<i>Leptyphantes liguricus</i> Simon, 1929	Loksa, 1966a
<i>Micaria silesiaca</i> L. Koch, 1875	Kolosváry, 1930
<i>Porrhomma errans</i> (Blackwall, 1841)	Balogh & Loksa, 1953
<i>Porrhomma rosenhaueri</i> (L. Koch, 1872)	Loksa, 1961b
<i>Silometopus curtus</i> (Simon, 1881)	Loksa, 1991b
<i>Sitticus rupicola</i> (C. L. Koch, 1837)	Chyzer & Kulczyński, 1918a
<i>Trachelas maculatus</i> Thorell, 1875	Kolosváry, 1932b, 1935b
<i>Trichoncus hackmani</i> Millidge, 1956	Kerekes, 1988
<i>Zelotes clivicola</i> (L. Koch, 1870)	Kolosváry, 1932b, 1935b, 1943

Notes on some valid records

Porrhomma species are probably the most problematic group in the list. Miller & Kratochvil (1940) examined

Species	Reference	Reason for uncertainty	Species in check list
<i>Argiope lobata</i> (Pallas, 1772)	Balogh, 1935	self-revision	yes
<i>Clubiona reclusa</i> O. P.-Cambridge, 1863	Szenetár, 1992e	self-revision	yes
<i>Dasumia amoena</i> (Kulczyński, 1897)	Kolosváry, 1932b, 1935b	Loksa, 1969a	no
<i>Dictyna major</i> Menge, 1869	Kolosváry, 1932b	Loksa, 1969a	no
<i>Evarcha jucunda</i> (Lucas, 1846)	Kolosváry, 1933b, 1934b	occurrence unlikely	no
<i>Gnaphosa montana</i> (L. Koch, 1866)	Kolosváry, 1935c	occurrence unlikely	no
<i>Larinia lineata</i> Lucas, 1846	Szenetár, 1993	self-revision	no
<i>Marilynia bicolor</i> (Simon, 1870)	Kolosváry, 1928c	Loksa, 1969a	no
<i>Nemesia pannonica</i> (Herman, 1879)	Chyzer & Kulczyński, 1918a	self-revision	yes
<i>Neoscona subfuscata</i> (C. L. Koch, 1837)	Chyzer & Kulczyński, 1918a	Loksa, 1969a	no
<i>Nigma puella</i> (Simon, 1870)	Kolosváry, 1934b	Loksa, 1969a	no
<i>Nuctenea silvicultrix</i> (C. L. Koch, 1844)	Kolosváry, 1935d	Loksa, 1969a	no
<i>Pardosa albatula</i> (Roewer, 1951)	Kolosváry, 1933b	occurrence unlikely	no
<i>Pardosa blanda</i> (C. L. Koch, 1834)	Kolosváry, 1928b, 1933b	Loksa, 1972	no
<i>Pardosa monticola</i> (Clerck, 1757)	Samu & Lövei, 1995	self-revision	yes
<i>Pardosa nigriceps</i> (Thorell, 1856)	Kolosváry, 1933b	Loksa, 1972	no
<i>Pardosa purbeckensis</i> F. O. P.-Cambridge, 1895	Loksa, 1988	occurrence unlikely	no
<i>Philodromus glaucinus</i> Simon, 1870	Szenetár, 1992d	self-revision	no
<i>Philodromus poecilus</i> (Thorell, 1872)	Szenetár, 1992c,d	self-revision	yes
<i>Tegenaria picta</i> Simon, 1870	Kolosváry, 1933d, 1934c	Loksa, 1969a	no
<i>Tetragnatha pinea</i> Seeley, 1928	Kolosváry, 1935d	occurrence unlikely	no
<i>Theridion petraeum</i> L. Koch, 1872	Kerekes, 1988	occurrence unlikely	no

Table 2: List of probably invalid records. A species was included in the check list if there were other valid records, but was excluded if only the revised record was found for the given species.

several *Porrhomma* specimens originating from Hungary. According to their results all *Porrhomma rosenhaueri* records before that study were in fact *Porrhomma profundum*. The record of *Porrhomma errans* by Kolosváry (1928a) is also *P. profundum* (Miller & Kratochvíl, 1940). The subspecies *Porrhomma rosenhaueri hungaricum* Loksa, 1970 is a junior synonym of *P. profundum* (Thaler & Plachter, 1983). Thus only one record each of *P. errans* and *P. rosenhaueri* remained which we regard as valid (but draw attention to them, by listing them above); both records were identified by Loksa. *Porrhomma thorelli* mentioned by Chyzer & Kulczyński (1918a)=*P. convexum*. *P. errans* sensu Chyzer & Kulczyński (1894)=*P. proserpina* (Miller & Kratochvíl, 1940). Since *Porrhomma proserpina* is regarded as a junior synonym of *P. convexum* (Holm, 1944), all records of *P. proserpina* are listed under *P. convexum*. However, we noted that the reported habitats were systematically different between the two nominal species; *P. proserpina* having always been reported from caves and *P. convexum* from various non-cave habitats. Only a future examination of the Hungarian cave *Porrhomma* spp. can resolve this problem.

New species described from Hungary after 1900 (in check list)

The following new species, described from Hungary after 1900, are regarded as valid:

- Altella hungarica* Loksa, 1981b
- Altella orientalis* Balogh, 1935
- Brommella falcigera* (Balogh, 1935)
- Metopobactrus deserticola* Loksa, 1981b
- Sintula spiniger* (Balogh, 1935)

Xysticus embriki Kolosváry, 1935c

Cryptodrassus hungaricus (Balogh, 1935)—this species was described as *Zelotes hungaricus* Balogh and transferred to the genus *Cryptodrassus* by Weiss *et al.*, 1998.

List of species

Family ATYPIDAE

Atypus affinis Eichwald, 1830

Balogh, 1938c; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1934b; Loksa, 1966a, 1969a, 1971, 1988, 1991b.

Atypus piceus (Sulzer, 1776)

Balogh, 1938b; Balogh & Loksa, 1953; Loksa, 1966a, 1969a, 1981b, 1991a; Szenetár, 1992b.

Family NEMESIIDAE

Nemesia pannonica Herman, 1879

Balogh, 1938c; Kisbenedek, 1991; Loksa, 1958, 1966a,b, 1969a, 1971, 1984, 1988; Samu *et al.*, 1996.

Family SCYTODIDAE

Scytodes thoracica (Latreille, 1802)

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1958, 1969a; Pillich, 1914; Szenetár, 1992e.

Family PHOLCIDAE

Hoploholcus forskali (Thorell, 1871)

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1930; Loksa, 1969a, 1984; Szenetár, 1992e.

Pholcus opilionoides (Schrank, 1781)

Balogh, 1933, 1935, 1938a; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1928c, 1930, 1933d, 1934c; Loksa, 1962, 1966a, 1969a, 1971, 1977, 1984, 1988, 1991a; Pillich, 1914; Szenetár, 1991, 1992e.

***Pholcus phalangioides* (Fuesslin, 1775)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1930; Loksa, 1966a, 1969a, 1984; Szinetár, 1992e.

***Psilochorus simoni* (Berland, 1911)**

Szinetár, 1992e.

Family SEGESTRIIDAE***Segestria bavarica* C. L. Koch, 1843**

Balogh, 1933; Chyzer & Kulczyński, 1918a; Kolosváry, 1930; Loksa, 1966a, 1969a; Szinetár, 1992d, 1996.

***Segestria senoculata* (Linnaeus, 1758)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1930; Loksa, 1966a, 1969a, 1971, 1984; Szinetár, 1992b.

Family DYSDERIDAE***Dasumia canestrinii* (L. Koch, 1876)**

Loksa, 1969a, 1971.

***Dysdera crocota* C. L. Koch, 1838**

Kolosváry, 1930; Loksa, 1966a, 1969a; Szinetár, 1992a,b.

***Dysdera erythrina* (Walckenaer, 1802)**

Balogh, 1933; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1933b; Loksa, 1966a, 1969a, 1971, 1978, 1988, 1991b; Szinetár, 1991.

***Dysdera hungarica* Kulczyński, 1897**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918b; Loksa, 1966a, 1969a, 1971, 1973a, 1977, 1981b; Pillich, 1914; Tóth *et al.*, 1996.

***Dysdera longirostris* Doblika, 1853**

Balogh, 1938d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1933b; Loksa, 1966a, 1969a, 1971, 1973a, 1981b, 1988, 1991b; Szinetár, 1992b.

***Dysdera ninnii* Canestrini, 1868**

Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Loksa, 1966a, 1969a, 1971, 1984, 1991a; Szathmáry, 1995.

***Dysdera westringi* O. P.-Cambridge, 1872**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a,b; Loksa, 1969a, 1977, 1984, 1988.

***Harpactea hombergi* (Scopoli, 1763)**

Balogh, 1933, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928a, 1930; Loksa, 1966a, 1968, 1969a, 1971, 1984, 1988, 1991b; Szinetár, 1991.

***Harpactea lepida* (C. L. Koch, 1838)**

Balogh, 1938b; Kolosváry, 1928c; Loksa, 1969a.

***Harpactea rubicunda* (C. L. Koch, 1838)**

Balogh, 1933, 1935, 1938a; Balogh & Loksa, 1946, 1948a, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1961c, 1966a, 1969a, 1971, 1977, 1978, 1981b, 1984, 1987, 1988, 1991a,b; Pillich, 1914; Samu & Lövei, 1995; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1991, 1992e, 1996.

***Harpactea saeva* (Herman, 1879)**

Kolosváry, 1928b, 1933b; Loksa, 1966a, 1969a.

Family OONOPIDAE***Oonops pulcher* Templeton, 1835**

Balogh, 1938c; Loksa, 1969a.

Family MIMETIDAE***Ero aphana* (Walckenaer, 1802)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1928c; Loksa, 1981b, 1984, 1988, 1991b; Loksa & Loksa, 1991a; Szathmáry, 1995; Szinetár, 1992a,c,d,e, 1995a, 1996.

***Ero furcata* (Villers, 1789)**

Balogh, 1933, 1935, 1938a,b; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1930; Loksa, 1966a, 1977, 1978, 1981a,b, 1984, 1987, 1988, 1991a,b; Szathmáry, 1995; Szinetár, 1992a,b.

***Ero tuberculata* (De Geer, 1778)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1984; Szinetár, 1992e.

***Mimetus laevigatus* (Keyserling, 1863)**

Balogh, 1933; Chyzer & Kulczyński, 1918a.

Family ERESIDAE***Eresus cinnaberinus* (Olivier, 1789)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1958, 1961c, 1966a, 1969a, 1971, 1977, 1988, 1991a; Loksa & Loksa, 1991b; Pillich, 1914; Szinetár, 1991.

Family ULOBORIDAE***Hyptiotes paradoxus* (C. L. Koch, 1834)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1969a, 1984; Szinetár, 1988, 1992c,d, 1996.

***Uloborus plumipes* Lucas, 1846**

Szinetár, 1992e.

***Uloborus walckenaerius* Latreille, 1806**

Balogh, 1938d; Balogh & Loksa, 1946, 1948b; Chyzer & Kulczyński, 1918a; Kolosváry, 1935d, 1943; Loksa, 1967, 1969a, 1984, 1987; Pillich, 1914; Szinetár, 1992b, 1996.

Family NESTICIDAE***Nesticus cellulanus* (Clerck, 1757)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1928a,b, 1933d, 1934c, 1939a; Loksa, 1958, 1962; Szinetár, 1992e; Szombathy, 1917.

Family THERIDIIDAE***Achaearanea lunata* (Clerck, 1757)**

Balogh, 1938b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1933d, 1934c; Loksa, 1958, 1962, 1981b, 1984, 1991a; Loksa & Loksa, 1991a; Szinetár, 1992a,b,c,d,e.

***Achaearanea riparia* (Blackwall, 1834)**

Chyzer & Kulczyński, 1918a,b; Szinetár, 1992c.

***Achaearanea simulans* (Thorell, 1875)**

Kolosváry, 1928b,c, 1933b.

***Achaearanea tepidariorum* (C. L. Koch, 1841)**

Balogh, 1933, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928c; Loksa, 1981b, 1984; Pillich, 1914; Szinetár, 1992e.

***Anelosimus aulicus* (C. L. Koch, 1838)**

Kolosváry, 1928b, 1933b.

***Anelosimus pulchellus* (Walckenaer, 1802)**

Kolosváry, 1928c.

***Anelosimus vittatus* (C. L. Koch, 1836)**

Chyzer & Kulczyński, 1918a; Szinetár, 1992a,d, 1996.

***Crustulina guttata* (Wider, 1834)**

Balogh, 1938b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1966a, 1971, 1973a, 1981b, 1984, 1987, 1991a; Pillich, 1914; Szinetár, 1992b, 1995a.

***Crustulina sticta* (O. P.-Cambridge, 1861)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1943.

***Dipoena braccata* (C. L. Koch, 1841)**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1984; Pillich, 1914.

***Dipoena coracina* (C. L. Koch, 1837)**

Balogh, 1935, 1938a; Loksa, 1977, 1988; Szinetár, 1992c.

***Dipoena erythropus* (Simon, 1881)**

Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1988.

***Dipoena inornata* (O. P.-Cambridge, 1861)**

Chyzer & Kulczyński, 1918a.

***Dipoena melanogaster* (C. L. Koch, 1837)**

Balogh, 1935, 1938a,b,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1961c, 1966a, 1968, 1971, 1977, 1984, 1987, 1988; Pillich, 1914; Szenetár, 1992a,b,c,d, 1995a, 1996.

***Dipoena nigroreticulata* (Simon, 1879)**

Chyzer & Kulczyński, 1918a.

***Dipoena prona* (Menge, 1868)**

Chyzer & Kulczyński, 1918a; Szenetár, 1995a.

***Dipoena torva* (Thorell, 1875)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Szenetár, 1992a.

***Enoplognatha ambigua* Kulczyński, 1894**

Chyzer & Kulczyński, 1918a; Loksa, 1977.

***Enoplognatha mandibularis* (Lucas, 1846)**

Balogh, 1935, 1938a; Kerekes, 1988.

***Enoplognatha mordax* (Thorell, 1875)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1930; Szathmáry, 1995.

***Enoplognatha oelandica* (Thorell, 1875)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1932b, 1935b; Loksa, 1977, 1981b, 1984.

***Enoplognatha ovata* (Clerck, 1757) sensu lato, probably incl. *Enoplognatha latimana* Hippa & Oksala, 1982**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946, 1953, 1956; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b,c, 1930, 1943; Loksa, 1977, 1981b, 1984, 1991a; Loksa & Loksa, 1991b; Pillich, 1914; Szathmáry, 1995; Szenetár, 1992a,b,c,d,e.

***Enoplognatha ovata* (Clerck, 1757) sensu stricto**

Samu et al., 1996; Szenetár, 1995a, 1996.

***Enoplognatha thoracica* (Hahn, 1833)**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a,b; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1933c; Loksa, 1977, 1981b, 1987, 1988, 1991a,b; Pillich, 1914; Samu & Lövei, 1995; Samu et al., 1996; Szathmáry, 1995; Szenetár, 1991; Tóth et al., 1996.

***Episinus angulatus* (Blackwall, 1836)**

Balogh, 1938b; Loksa, 1981a, 1987, 1988; Pillich, 1914; Szenetár, 1992c, 1996.

***Episinus truncatus* Latreille, 1809**

Balogh, 1933, 1935, 1938a; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1930; Loksa, 1958, 1966a, 1968, 1971, 1977, 1978, 1981b, 1984, 1988, 1991a,b; Loksa & Loksa, 1991b; Samu et al., 1996; Szathmáry, 1995; Szenetár, 1992a,b.

***Euryopis flavomaculata* (C. L. Koch, 1836)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1961c, 1966a, 1971, 1973a, 1981b, 1984, 1987, 1991a; Pillich, 1914; Szenetár, 1991, 1992a,b.

***Euryopis laeta* (Westring, 1861)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1977.

***Euryopis quinqueguttata* Thorell, 1875**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1977.

***Lasaeola tristis* (Hahn, 1833)**

Balogh, 1933; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Szenetár, 1995a.

***Neottiura bimaculata* (Linnaeus, 1767)**

Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a,b; Kisbenedek, 1991; Loksa, 1984, 1987, 1988, 1991a,b; Pillich, 1914; Samu et al., 1996; Szathmáry, 1995; Szenetár, 1992a,b,c,d, 1995a, 1996; Tóth et al., 1996.

***Neottiura suaveolens* (Simon, 1879)**

Balogh, 1935, 1938a,b,c; Kisbenedek, 1991; Loksa, 1977; Samu et al., 1996.

***Paidiscura pallens* (Blackwall, 1834)**

Chyzer & Kulczyński, 1918a; Loksa, 1984; Szathmáry, 1995; Szenetár, 1996.

***Pholcomma gibbum* (Westring, 1851)**

Balogh, 1938b,c; Chyzer & Kulczyński, 1918a; Loksa, 1966a, 1984, 1991b; Szenetár, 1992b.

***Robertus arundineti* (O. P.-Cambridge, 1871)**

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1930; Loksa, 1961c, 1966a, 1968, 1971, 1979, 1981a,b, 1987, 1991a; Samu et al., 1996; Szathmáry, 1995; Tóth et al., 1996.

***Robertus lividus* (Blackwall, 1836)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1943; Loksa, 1961a,c, 1981b, 1984, 1987, 1988, 1991a,b; Pillich, 1914; Samu & Lövei, 1995; Szenetár, 1991, 1992a.

***Robertus neglectus* (O. P.-Cambridge, 1871)**

Loksa, 1966a, 1971.

***Rugathodes bellicosus* (Simon, 1873)**

Balogh, 1933; Chyzer & Kulczyński, 1918a; Kolosváry, 1928c.

***Simitidion simile* (C. L. Koch, 1836)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1930, 1932b, 1935b,d; Loksa, 1966a, 1981b, 1984; Pillich, 1914; Szenetár, 1996.

***Steatoda albomaculata* (De Geer, 1778)**

Balogh, 1935, 1938a; Balogh & Loksa, 1946, 1948b; Chyzer & Kulczyński, 1918a; Jenser et al., 1997; Kolosváry, 1935a; Loksa, 1966a, 1977, 1984, 1987; Tóth et al., 1996.

***Steatoda bipunctata* (Linnaeus, 1758)**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928c; Loksa, 1958, 1977, 1981b, 1984, 1991a; Szenetár, 1992e, 1996.

***Steatoda castanea* (Clerck, 1757)**

Balogh, 1933, 1938b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c; Loksa, 1984, 1991a; Pillich, 1914.

***Steatoda grossa* (C. L. Koch, 1838)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Szenetár, 1992e.

***Steatoda meridionalis* (Kulczyński, 1894)**

Chyzer & Kulczyński, 1918a.

***Steatoda phalerata* (Panzer, 1801)**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928b, 1930; Loksa, 1966a, 1977, 1981b, 1984, 1987, 1988; Pillich, 1914; Samu et al., 1996; Szenetár, 1992b, 1995a.

***Steatoda triangulosa* (Walckenaer, 1802)**

Balogh, 1935, 1938a,b; Chyzer & Kulczyński, 1918a; Loksa, 1958, 1977, 1984; Pillich, 1914; Szenetár, 1992d,e.

***Theridion blackwalli* O. P.-Cambridge, 1871**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918b.

***Theridion familiare* O. P.-Cambridge, 1871**

Kolosváry, 1933b, 1934b.

***Theridion impressum* L. Koch, 1881**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Jenser et al., 1997; Kolosváry, 1933c; Loksa, 1977, 1984, 1991a; Pillich, 1914; Samu et al., 1996; Szenetár, 1992d, 1995a, 1996; Tóth et al., 1996.

***Theridion melanurum* Hahn, 1831**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1984, 1991a; Loksa & Loksa, 1991b; Pillich, 1914; Szenetár, 1992e.

***Theridion mystaceum* L. Koch, 1870**

Kolosváry, 1928c, 1930; Szenetár, 1992a,d, 1996.

***Theridion nigroviriegatum* Simon, 1873**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1996a, 1977, 1984; Pillich, 1914; Szenetár, 1996.

***Theridion pictum* (Walckenaer, 1802)**

Chyzer & Kulczyński, 1918a; Loksa, 1981b, 1984; Loksa & Loksa, 1991b; Szathmáry, 1995; Szenetár, 1992a,b.

***Theridion pinastri* L. Koch, 1872**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Jenser et al., 1997; Kolosváry, 1933b,c; Loksa, 1977; Szathmáry, 1995; Szenetár, 1992c,d, 1996.

***Theridion sisypium* (Clerck, 1757)**

Balogh, 1933, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1930, 1933b,c, 1935d; Loksa, 1984, 1989; Pillich, 1914; Szathmáry, 1995; Szenetár, 1996.

***Theridion tinctum* (Walckenaer, 1802)**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1933c; Loksa, 1977, 1984; Pillich, 1914; Szenetár, 1988, 1992a,b,c, 1996.

***Theridion varians* Hahn, 1833**

Balogh, 1933, 1935, 1938a; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Kolosváry, 1928b,c; Loksa, 1977, 1981b, 1984, 1987, 1991a; Loksa & Loksa, 1991a; Pillich, 1914; Szathmáry, 1995; Szenetár, 1988, 1992a,b,c,d, 1996.

Family THERIDIOSOMATIDAE***Theridiosoma gemmosum* (L. Koch, 1877)**

Balogh, 1933, 1938c,d; Balogh & Loksa, 1953; Loksa, 1972, 1973b, 1981a, 1991a.

Family ANAPIDAE***Comaroma simoni* Bertkau, 1889**

Chyzer & Kulczyński, 1918a.

Family MYSMENIDAE***Mysmenella jobi* (Kraus, 1967)**

Balogh, 1938c; Loksa, 1973b, 1981a,b, 1987, 1991b; Szenetár, 1995b.

Family LINYPHIIDAE***Abacopreces saltuum* (L. Koch, 1872)**

Balogh & Loksa, 1953; Kolosváry, 1933b, 1934b; Loksa, 1971, 1973a, 1981a,b, 1987, 1988, 1991a,b; Szenetár, 1991, 1992b.

***Acartauchenius scurrilis* (O. P.-Cambridge, 1872)**

Balogh & Loksa, 1946, 1947a; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1984.

***Allomengea vidua* (L. Koch, 1879)**

Loksa, 1981a; Szenetár, 1993.

***Araeoncus anguineus* (L. Koch, 1869)**

Balogh & Loksa, 1956.

***Araeoncus humilis* (Blackwall, 1841)**

Balogh, 1935, 1938a; Balogh & Loksa, 1947a, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1961c, 1966a, 1977, 1981b, 1984, 1987, 1991a; Pillich, 1914; Samu *et al.*, 1996; Szenetár, 1995a; Tóth *et al.*, 1996.

***Bathyphantes approximatus* (O. P.-Cambridge, 1871)**

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1981b, 1984, 1991a.

***Bathyphantes gracilis* (Blackwall, 1841)**

Balogh, 1933; Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1973a, 1981b, 1984, 1987, 1991a; Samu *et al.*, 1996; Szenetár, 1993.

***Bathyphantes nigrinus* (Westring, 1851)**

Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Kolosváry, 1933b, 1934b; Loksa, 1981a, 1984, 1991a; Szathmáry, 1995; Szenetár, 1992b,c, 1993, 1995b.

***Bathyphantes similis* Kulczyński, 1894**

Szenetár, 1995a.

***Bolyphantes alticeps* (Sundevall, 1833)**

Chyzer & Kulczyński, 1918a.

***Bolyphantes luteolus* (Blackwall, 1833)**

Chyzer & Kulczyński, 1918a; Loksa, 1961c, 1984.

***Centromerita bicolor* (Blackwall, 1833) sensu lato, probably incl. *Centromerita concinna* (Thorell, 1875)**

Chyzer & Kulczyński, 1918a; Loksa, 1966a, 1971.

***Centromerus aequalis* (Westring, 1851)**

Loksa, 1981b, 1991a.

***Centromerus cavernarum* (L. Koch, 1872)**

Balogh & Loksa, 1947b; Loksa, 1971, 1991b.

***Centromerus incilium* (L. Koch, 1881)**

Chyzer & Kulczyński, 1918a; Loksa, 1961c, 1988.

***Centromerus sellarius* (Simon, 1884)**

Chyzer & Kulczyński, 1918a; Loksa, 1971, 1991b.

***Centromerus serratus* (O. P.-Cambridge, 1875)**

Balogh & Loksa, 1947b; Kisbenedek, 1991; Loksa, 1961c, 1966a, 1968, 1971, 1988; Szenetár, 1991.

***Centromerus silvicola* (Kulczyński, 1887)**

Kolosváry, 1943.

***Centromerus sylvaticus* (Blackwall, 1841)**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1946, 1947b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1943; Loksa, 1961a,c, 1966a, 1968, 1973a, 1977, 1978, 1981a,b, 1987, 1988, 1991a,b; Samu & Lövei, 1995; Szenetár, 1992a,b.

***Ceratinella brevipes* (Westring, 1851)**

Loksa, 1981a, 1987, 1988, 1991b.

***Ceratinella brevis* (Wider, 1834)**

Balogh, 1935, 1938a; Balogh & Loksa, 1947a, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1961a, 1968, 1973a, 1977, 1981b, 1991a; Szathmáry, 1995; Szenetár, 1991.

***Ceratinella major* Kulczyński, 1894**

Balogh, 1938b; Kolosváry, 1939b; Loksa, 1966a, 1979, 1987.

***Ceratinella scabrosa* (O. P.-Cambridge, 1871)**

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1971, 1987, 1991a,b; Szenetár, 1991.

***Ceratinopsis romana* (O. P.-Cambridge, 1872)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1977, 1981b.

***Ceratinopsis stativa* (Simon, 1881)**

Kolosváry, 1930; Loksa, 1981a, 1987; Pillich, 1914; Szenetár, 1993.

***Dicymbium nigrum* (Blackwall, 1834)**

Balogh & Loksa, 1947a; Chyzer & Kulczyński, 1918a; Pillich, 1914; Szenetár, 1992a, 1995a.

***Diplocephalus alpinus* (O. P.-Cambridge, 1872)**

Balogh, 1938b; Balogh & Loksa, 1947a.

***Diplocephalus cristatus* (Blackwall, 1833)**

Balogh & Loksa, 1946, 1947a; Chyzer & Kulczyński, 1918a; Kolosváry, 1939a.

***Diplocephalus latifrons* (O. P.-Cambridge, 1863)**

Loksa, 1991b.

***Diplocephalus picinus* (Blackwall, 1841)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1968, 1971, 1978, 1981b, 1987, 1991a,b; Szathmáry, 1995.

***Diplostyla concolor* (Wider, 1834)**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1946, 1947b, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1928b; Loksa, 1961a, 1966a, 1971, 1973a, 1977, 1981a,b, 1987, 1988, 1991a,b; Loksa & Loksa, 1991a; Samu & Lövei, 1995; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1991, 1992a,b, 1995b; Tóth *et al.*, 1996.

***Dismodicus bifrons* (Blackwall, 1841)**

Balogh & Loksa, 1953; Loksa, 1984, 1991a.

***Dismodicus elevatus* (C. L. Koch, 1838)**

Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a.

***Donacochara speciosa* (Thorell, 1875)**

Balogh & Loksa, 1947b, 1953; Chyzer & Kulczyński, 1918a,b; Loksa, 1987, 1991a; Szathmáry, 1995; Szenetár, 1993, 1995b.

***Drapetisca socialis* (Sundevall, 1833)**

Balogh, 1938b; Balogh & Loksa, 1947b, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928c, 1933b; Loksa 1966a, 1981a,b, 1984, 1991a.

***Entelecara acuminata* (Wider, 1834)**

Balogh & Loksa, 1946, 1947b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1968, 1981b, 1984; Pillich, 1914; Szenetár, 1992a,c.

***Entelecara congenera* (O. P.-Cambridge, 1879)**

Szenetár, 1992d.

***Entelecara flavipes* (Blackwall, 1834)**

Loksa, 1981a; Szinetár, 1992d.

***Erigone atra* Blackwall, 1833**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1961c, 1977, 1981b, 1984, 1987, 1991a; Pillich, 1914; Szathmáry, 1995; Tóth *et al.*, 1996.

***Erigone dentipalpis* (Wider, 1834)**

Balogh, 1933, 1938b; Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928b; Loksa, 1958, 1981b, 1984, 1987; Loksa & Loksa, 1991a; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1992d; Tóth *et al.*, 1996.

***Erigonella ignobilis* (O. P.-Cambridge, 1871)**

Balogh & Loksa, 1953; Loksa, 1987, 1991a.

***Erigonoplus globipes* (L. Koch, 1872)**

Balogh & Loksa, 1946, 1947b; Kolosváry, 1932b, 1935b; Loksa, 1966a, 1984.

***Floronia bucculenta* (Clerck, 1757)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1933b; Loksa, 1991a; Szinetár, 1992c.

***Frontinellina frutetorum* (C. L. Koch, 1834)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1930, 1943; Loksa, 1984, 1988; Szinetár, 1996.

***Glyphesis servulus* (Simon, 1881)**

Loksa, 1981a; Szinetár, 1993.

***Glyphesis tauplesius* Wunderlich, 1969**

Loksa, 1981a (described as *Glyphesis conicus* Loksa); Szinetár, 1995b.

***Gnathonarium dentatum* (Wider, 1834)**

Balogh, 1933; Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Loksa, 1981b, 1987, 1991a; Loksa & Loksa, 1991a; Szathmáry, 1995; Szinetár, 1993, 1995b.

***Gonatium hilare* (Thorell, 1875)**

Balogh & Loksa, 1947b.

***Gonatium paradoxum* (L. Koch, 1869)**

Balogh & Loksa, 1947b, 1953; Loksa, 1987, 1988, 1991a,b; Szathmáry, 1995.

***Gonatium rubellum* (Blackwall, 1841)**

Chyzer & Kulczyński, 1918a; Loksa, 1981a, 1984.

***Gonatium rubens* (Blackwall, 1833)**

Chyzer & Kulczyński, 1918a; Loksa, 1984.

***Gongylidiellum murcidum* Simon, 1884**

Balogh & Loksa, 1947b, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1961a, 1973a, 1978, 1981a,b, 1987, 1991a; Pillich, 1914; Szathmáry, 1995; Szinetár, 1996.

***Gongylidiellum rufipes* (Linnaeus, 1758)**

Balogh, 1933; Balogh & Loksa, 1947b, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1930; Loksa, 1981a, 1991a; Szinetár, 1992a,b.

***Helophora insignis* (Blackwall, 1841)**

Kolosváry, 1935a.

***Hylyphantes graminicola* (Sundevall, 1830)**

Szinetár, 1988, 1992c.

***Hylyphantes nigritus* (Simon, 1881)**

Kolosváry, 1930; Szinetár, 1992b, 1995a.

***Hypomma bituberculatum* (Wider, 1834)**

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1933b; Loksa, 1981b, 1991a; Szinetár, 1992b, 1993.

***Hypomma cornutum* (Blackwall, 1833)**

Balogh & Loksa, 1946, 1947b, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1981b, 1991a; Szinetár, 1992a,b.

***Hypomma fulvum* (Bösenberg, 1902)**

Loksa, 1987.

***Kaestneria dorsalis* (Wider, 1834)**

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1984, 1987, 1991a; Szinetár, 1992a.

***Kaestneria pullata* (O. P.-Cambridge, 1863)**

Balogh & Loksa, 1953; Loksa, 1991a; Szathmáry, 1995.

***Leptyphantes alacris* (Blackwall, 1853)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, Loksa, 1966a, 1984.

***Leptyphantes angulatus* (O. P.-Cambridge, 1881)**

Kolosváry, 1928b.

***Leptyphantes angulipalpis* (Westring, 1851)**

Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918b; Kerekes, 1988; Kolosváry, 1933b; Loksa, 1966a, 1971, 1978, 1988, 1991a,b; Szinetár, 1991, 1992a.

***Leptyphantes cristatus* (Menge, 1866)**

Balogh & Loksa, 1947b; Kolosváry, 1939a; Loksa, 1971, 1984, 1988, 1991b; Szinetár, 1992a.

***Leptyphantes crucifer* (Menge, 1866)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1930; Loksa, 1966a, 1971, 1984, 1988, 1991b.

***Leptyphantes flavipes* (Blackwall, 1854)**

Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a,b; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1966a, 1971, 1973a, 1978, 1979, 1981a,b, 1987, 1988, 1991a,b; Loksa & Loksa, 1991b; Samu *et al.*, 1996; Szinetár, 1991, 1992a,b.

***Leptyphantes geniculatus* Kulczyński, 1898**

Kerekes, 1988.

***Leptyphantes istrianus* Kulczyński, 1914**

Kolosváry, 1934c.

***Leptyphantes keyserlingi* (Ausserer, 1867)**

Balogh, 1935, 1938a; Balogh & Loksa, 1946, 1947b; Chyzer & Kulczyński, 1918a; Loksa, 1996a, 1977, 1984, 1988.

***Leptyphantes leprosus* (Ohlert, 1865)**

Balogh, 1933, 1935, 1938a; Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1933d, 1934c, 1935a; Loksa, 1960a, 1962, 1977, 1984, 1988; Szinetár, 1992e.

***Leptyphantes leptophantiformis* (Strand, 1907)**

Loksa, 1970, 1971.

***Leptyphantes liguricus* Simon, 1929**

Loksa, 1966a.

***Leptyphantes mansuetus* (Thorell, 1875)**

Chyzer & Kulczyński, 1918a,b; Loksa, 1961a, 1966a, 1988, 1991b.

***Leptyphantes mengei* Kulczyński, 1887**

Chyzer & Kulczyński, 1918a,b; Kolosváry, 1935a; Loksa, 1966a, 1968, 1971, 1978, 1981a, 1987, 1988, 1991b; Szinetár, 1992d.

***Leptyphantes minutus* (Blackwall, 1833)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1935a; Loksa, 1984.

***Leptyphantes mughi* (Fickert, 1875)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928c; Loksa, 1984.

***Leptyphantes nanus* Kulczyński, 1898**

Balogh & Loksa, 1947b; Kisbenedek, 1991; Loksa, 1987, 1988.

***Leptyphantes pallidus* (O. P.-Cambridge, 1871)**

Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1959b, 1960a,b, 1961a,c, 1962, 1966a, 1968, 1970, 1971, 1981a,b, 1984, 1987, 1991a,b; Szinetár, 1991, 1992b.

***Leptyphantes pillichi* Kulczyński, 1915**

Loksa, 1978, 1988; Samu *et al.*, 1996; Tóth *et al.*, 1996.

***Leptyphantes tenebricola* (Wider, 1834)**

Kolosváry, 1928a,b, 1930, 1932b, 1935b; Loksa, 1966a, 1968, 1984, 1991a,b; Szinetár, 1991, 1992a,b.

***Leptyphantes tenuis* (Blackwall, 1852)**

Balogh & Loksa, 1946, 1947b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928b, 1930, 1935a; Loksa, 1981b, 1984, 1988, 1991b; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1992d, 1996.

***Leptyphantes zimmermanni* Bertkau, 1890**

Loksa, 1988; Szinetár, 1992e.

***Linyphia hortensis* Sundevall, 1830**

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928c; Loksa, 1984, 1987, 1991a,b; Szathmáry, 1995; Szinetár, 1991, 1992a,b.

***Linyphia triangularis* (Clerck, 1757)**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1930, 1933b, 1935a,d, 1943; Loksa, 1977, 1981b, 1984, 1987, 1991a; Loksa & Loksa, 1991b; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1988, 1992a,b,c, 1996.

***Lophomma punctatum* (Blackwall, 1841)**

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1987, 1991a.

***Macrargus rufus* (Wider, 1834)**

Kolosváry, 1943; Loksa, 1968, 1971, 1991b; Szenetár, 1991, 1992b.

***Maro minutus* O. P.-Cambridge, 1906**

Loksa, 1973a, 1981a,b.

***Maso sundevalli* (Westring, 1851)**

Balogh & Loksa, 1946, 1947a, 1953; Loksa, 1981a,b, 1987, 1991a.

***Mecopisthes silus* (O. P.-Cambridge, 1872)**

Balogh, 1935, 1938a,b; Kisbenedek, 1991; Kolosváry, 1939b; Loksa, 1977, 1988.

***Megalepthyphantes collinus* (L. Koch, 1872) sensu lato, probably incl. *Megalepthyphantes pseudocollinus* Saaristo, 1997**

Balogh, 1933; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1930, 1933b, 1943; Loksa, 1961c, 1966a, 1971, 1988, 1991b.

***Megalepthyphantes nebulosus* (Sundevall, 1830)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1984; Szenetár, 1992e.

***Megalepthyphantes pseudocollinus* Saaristo, 1997**

Saaristo, 1997.

***Meioneta affinis* (Kulczyński, 1898)**

Samu *et al.*, 1996.

***Meioneta fuscipalpus* (C. L. Koch, 1836)**

Balogh, 1938b; Balogh & Loksa, 1946, 1948b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1939c; Loksa, 1981b, 1988.

***Meioneta mollis* (O. P.-Cambridge, 1871)**

Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928c, 1930; Loksa, 1981b.

***Meioneta rurestris* (C. L. Koch, 1836)**

Balogh, 1933, 1935, 1938a; Balogh & Loksa, 1946, 1953, 1956; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1928b,c; Loksa, 1961c, 1966a, 1971, 1973a, 1977, 1979, 1981a,b, 1987, 1991a; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1992a,d, 1996; Tóth *et al.*, 1996.

***Meioneta saxatilis* (Blackwall, 1844)**

Loksa, 1981b.

***Meioneta simplicitarsis* (Simon, 1884)**

Samu *et al.*, 1996.

***Metopobactrus ascitus* (Kulczyński, 1894)**

Loksa, 1966a, 1971.

***Metopobactrus deserticola* Loksa, 1981**

Loksa, 1981b.

***Metopobactrus prominulus* (O. P.-Cambridge, 1872)**

Loksa, 1981a.

***Metopobactrus rayi* (Simon, 1881)**

Loksa, 1966a.

***Micrargus herbigradus* (Blackwall, 1854)**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1953; Kisbenedek, 1991; Loksa, 1961a, 1971, 1977, 1981a,b, 1987, 1991a,b; Szathmáry, 1995.

***Micrargus laudatus* (O. P.-Cambridge, 1881)**

Szathmáry, 1995; Tóth *et al.*, 1996.

***Microlinyphia impigra* (O. P.-Cambridge, 1871)**

Chyzer & Kulczyński, 1918a.

***Microlinyphia pusilla* (Sundevall, 1830)**

Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928c; Loksa, 1981b, 1984; Samu *et al.*, 1996; Szathmáry, 1995; Tóth *et al.*, 1996.

***Microneta viaria* (Blackwall, 1841)**

Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1966a, 1968, 1971, 1973a, 1978, 1979, 1981b, 1987, 1991a,b; Szathmáry, 1995; Szenetár, 1991, 1992a,b.

***Minicia marginella* (Wider, 1834)**

Balogh & Loksa, 1946; Loksa, 1961c, 1966a, 1971, 1984, 1987, 1991b.

***Minyriolus pusillus* (Wider, 1834)**

Chyzer & Kulczyński, 1918a.

***Moebelia penicillata* (Westring, 1851)**

Balogh & Loksa, 1947a; Chyzer & Kulczyński, 1918a; Pillich, 1914.

***Nematogmus sanguinolentus* (Walckenaer, 1841)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1981a,b, 1987; Szathmáry, 1995.

***Neriene clathrata* (Sundevall, 1830)**

Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1959c, 1973a, 1978, 1981a,b, 1984, 1987, 1988, 1991a,b; Szathmáry, 1995; Szenetár, 1992a,b,c,e.

***Neriene emphana* (Walckenaer, 1841)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928c; Loksa, 1984.

***Neriene furtiva* (O. P.-Cambridge, 1870)**

Balogh, 1933; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a.

***Neriene montana* (Clerck, 1757)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b,c, 1930; Loksa, 1984, 1991a; Szenetár, 1991, 1992b.

***Neriene peltata* (Wider, 1834)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Loksa, 1984.

***Neriene radiata* (Walckenaer, 1841)**

Balogh, 1938d; Chyzer & Kulczyński, 1918a; Loksa, 1981b, 1987; Szenetár, 1995a.

***Oedothorax agrestis* (Blackwall, 1853)**

Balogh, 1938b; Balogh & Loksa, 1947b; Kolosváry, 1935c; Loksa, 1981b, 1984; Pillich, 1914.

***Oedothorax apicatus* (Blackwall, 1850)**

Balogh, 1938b; Balogh & Loksa, 1946, 1947b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928b, 1930, 1939c; Loksa, 1981b, 1984; Pillich, 1914; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1992a,e, 1995a,b; Tóth *et al.*, 1996.

***Oedothorax fuscus* (Blackwall, 1834)**

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1991a; Pillich, 1914.

***Oedothorax gibbosus* (Blackwall, 1841)**

Balogh, 1938b; Szathmáry, 1995.

***Oedothorax retusus* (Westring, 1851)**

Balogh & Loksa, 1946, 1947b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1984, 1991a; Pillich, 1914.

***Panamomops fagei* Miller & Kratochvil, 1939**

Loksa, 1991b.

***Panamomops mengei* Simon, 1926**

Balogh & Loksa, 1946, 1953; Loksa, 1971, 1973a, 1979, 1981a,b, 1987, 1991a.

***Panamomops sulcifrons* (Wider, 1834)**

Chyzer & Kulczyński, 1918a; Loksa, 1961c, 1966a.

***Pelecopsis elongata* (Wider, 1834)**

Balogh, 1938b; Balogh & Loksa, 1946, 1947a; Chyzer & Kulczyński, 1918a; Loksa, 1991b, Pillich, 1914.

***Pelecopsis mengei* (Simon, 1884)**

Szenetár, 1995b.

***Pelecopsis parallela* (Wider, 1834)**

Balogh & Loksa, 1947a; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1932b, 1935b; Szenetár, 1992b.

***Pelecopsis radicicola* (L. Koch, 1872)**

Loksa, 1981a, 1987, 1988, 1991a,b.

***Peponocranium orbiculatum* (O. P.-Cambridge, 1882)**

Loksa, 1987.

***Pityohyphantes phrygianus* (C. L. Koch, 1836)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a.

***Pocadicnemis pumila* (Blackwall, 1841) sensu lato, probably incl. *Pocadicnemis juncea* Locket & Millidge, 1953**

- Balogh, 1938b; Balogh & Loksa, 1947a; Loksa, 1966a, 1973a, 1981a,b, 1987, 1991a,b.
- Pocadicnemis pumila (Blackwall, 1841) sensu stricto**
Samu *et al.*, 1996; Szenetár, 1992b.
- Poeciloneta variegata (Blackwall, 1841)**
Loksa, 1966a.
- Porrhomma convexum (Westring, 1851)**
Chyzer & Kulczyński, 1918a; Kolosváry, 1933d, 1934c, 1939a; Loksa, 1959b, 1960a, 1962, 1981b, 1988, 1991b; Szathmáry, 1995.
- Porrhomma errans (Blackwall, 1841)**
Balogh & Loksa, 1953.
- Porrhomma microphthalmum (O. P.-Cambridge, 1871)**
Chyzer & Kulczyński, 1918b; Kerekes, 1988; Loksa, 1991a; Samu *et al.*, 1996; Szenetár, 1995a, 1996; Tóth *et al.*, 1996.
- Porrhomma montanum Jackson, 1913**
Szenetár, 1992a.
- Porrhomma profundum (Dahl, 1939)**
Chyzer & Kulczyński, 1918a; Kolosváry, 1928a, 1939a; Loksa, 1970.
- Porrhomma pygmaeum (Blackwall, 1834)**
Chyzer & Kulczyński, 1918a; Loksa, 1981b, 1991a; Szenetár, 1991.
- Porrhomma rosenhaueri (L. Koch, 1872)**
Loksa, 1961b.
- Prinerigone vagans (Audouin, 1826)**
Balogh, 1933, 1935, 1938a; Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1984, 1987.
- Saloca diceros (O. P.-Cambridge, 1871)**
Balogh & Loksa, 1947b.
- Saloca kulczynskii Miller & Kratochvil, 1939**
Loksa, 1971.
- Silometopus curtus (Simon, 1881)**
Loksa, 1991b.
- Silometopus elegans (O. P.-Cambridge, 1872)**
Loksa, 1981a.
- Silometopus reussi (Thorell, 1871)**
Balogh & Loksa, 1947a, 1953; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Kerekes, 1988; Loksa, 1991a; Samu *et al.*, 1996.
- Sintula retroversus (O. P.-Cambridge, 1875)**
Chyzer & Kulczyński, 1918a.
- Sintula spiniger (Balogh, 1935)**
Balogh, 1935, 1938a; Balogh & Loksa, 1947b; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1966a, 1977, 1988; Loksa & Loksa, 1991b; Szenetár, 1996.
- Stemonyphantes lineatus (Linnaeus, 1758)**
Balogh, 1933, 1935, 1938a; Kerekes, 1988; Loksa, 1966a, 1977, 1981b, 1984, 1987, 1988, 1991b; Szathmáry, 1995.
- Syedra gracilis (Menge, 1869)**
Balogh & Loksa, 1947b; Loksa, 1968, 1981b, 1988, 1991a.
- Tallusia experta (O. P.-Cambridge, 1871)**
Balogh & Loksa, 1953; Kerekes, 1988; Loksa, 1973a, 1981a,b, 1987, 1991a; Szathmáry, 1995; Tóth *et al.*, 1996.
- Tallusia vindobonensis (Kulczyński, 1898)**
Balogh & Loksa, 1947b; Loksa, 1981b.
- Tapinocyba affinis (Lessert, 1907)**
Loksa, 1991b.
- Tapinocyba insecta (L. Koch, 1869)**
Balogh & Loksa, 1947a; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1961a, 1968, 1973a, 1978, 1979, 1981b, 1987, 1991a,b; Pillich, 1914; Szathmáry, 1995.
- Tapinocyboides pygmaeus (Menge, 1869)**
Balogh & Loksa, 1947b; Loksa, 1966a, 1973a, 1981b.
- Tapinopa longidens (Wider, 1834)**
Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Loksa, 1966a, 1984, 1991b.
- Taranucnus setosus (O. P.-Cambridge, 1863)**
Balogh & Loksa, 1953; Loksa, 1981a, 1987, 1991a.
- Theonina cornix (Simon, 1881)**
Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991.
- Thyreosthenius biovatus (O. P.-Cambridge, 1875)**
Loksa, 1991b.
- Thyreosthenius parasiticus (Westring, 1851)**
Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1932b, 1935b; Loksa, 1981b, 1991a.
- Tiso aestivus (L. Koch, 1872)**
Balogh & Loksa, 1953; Loksa, 1991a.
- Tiso vagans (Blackwall, 1834)**
Chyzer & Kulczyński, 1918a; Szathmáry, 1995.
- Trematocephalus cristatus (Wider, 1834)**
Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1933b; Szenetár, 1992b.
- Trichoncoides piscator (Simon, 1884)**
Balogh & Loksa, 1947a; Tóth *et al.*, 1996.
- Trichoncus affinis Kulczyński, 1894**
Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1966a, 1981b.
- Trichoncus auritus (L. Koch, 1869)**
Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Loksa, 1988.
- Trichoncus hackmani Millidge, 1956**
Kerekes, 1988.
- Trichopterna cito (O. P.-Cambridge, 1872)**
Balogh & Loksa, 1946, 1947b; Kerekes, 1988; Loksa, 1981b; Samu *et al.*, 1996.
- Trichopterna thorelli (Westring, 1861)**
Loksa, 1991a.
- Troxochrus scabriculus (Westring, 1851)**
Chyzer & Kulczyński, 1918a; Loksa, 1968.
- Typhochrestus digitatus (O. P.-Cambridge, 1872)**
Loksa, 1987.
- Walckenaeria acuminate Blackwall, 1833**
Balogh, 1938b; Kolosváry, 1933d, 1934c, 1939a.
- Walckenaeria antica (Wider, 1834) sensu lato, probably incl. Walckenaeria alticeps (Denis, 1952)**
Balogh & Loksa, 1946, 1947b, 1953; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Loksa, 1966a, 1971, 1973a, 1981a,b, 1984, 1987, 1988, 1991a,b; Pillich, 1914; Szathmáry, 1995; Szenetár, 1991, 1992a.
- Walckenaeria atritibialis O. P.-Cambridge, 1878**
Loksa, 1968, 1971, 1981a, 1987, 1991a,b; Szenetár, 1992b.
- Walckenaeria capito (Westring, 1861)**
Balogh & Loksa, 1947b, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1966a, 1981b, 1984, 1991a,b; Tóth *et al.*, 1996.
- Walckenaeria corniculans (O. P.-Cambridge, 1875)**
Kolosváry, 1932b, 1935b,d.
- Walckenaeria cucullata (C. L. Koch, 1836)**
Balogh & Loksa, 1953; Loksa, 1966a, 1981a, 1984, 1988, 1991a; Szenetár, 1991, 1992b.
- Walckenaeria cuspidata Blackwall, 1833**
Balogh & Loksa, 1947b.
- Walckenaeria dysderoides (Wider, 1834)**
Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1968, 1971, 1981a, 1987, 1988; Szenetár, 1992a.
- Walckenaeria furcillata (Menge, 1869)**
Balogh & Loksa, 1947b; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1958, 1961c, 1966a, 1971, 1978, 1981b, 1984, 1988, 1991b; Szenetár, 1991, 1992b.
- Walckenaeria incisa (O. P.-Cambridge, 1871)**
Loksa, 1978.
- Walckenaeria kochi (O. P.-Cambridge, 1872)**
Szathmáry, 1995.
- Walckenaeria mitrata (Menge, 1868)**
Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928a; Loksa, 1966a, 1984, 1991a,b; Szenetár, 1991, 1992a.

***Walckenaeria nodosa* O. P.-Cambridge, 1873**

Loksa, 1981a, 1991b.

***Walckenaeria nudipalpis* (Westring, 1851)**

Balogh & Loksa, 1947b; Chyzer & Kulczyński, 1918a; Kolosváry, 1933d, 1934c; Loksa, 1981a,b, 1987, 1991a; Szinetár, 1992b.

***Walckenaeria obtusa* Blackwall, 1836**

Chyzer & Kulczyński, 1918a; Loksa, 1981a, 1991a,b.

***Walckenaeria simplex* Chyzer, 1894**

Balogh & Loksa, 1947b; Loksa, 1971, 1988, 1991b.

***Walckenaeria unicornis* O. P.-Cambridge, 1861**

Balogh & Loksa, 1953; Szathmáry, 1995.

Walckenaeria vigilax* (Blackwall, 1853)**Balogh & Loksa, 1947b, 1953; Loksa, 1981b, 1991a; Szathmáry, 1995; Tóth *et al.*, 1996.**Family TETRAGNATHIDAE**Meta menardi* (Latirelle, 1804)**

Balogh, 1933; Chyzer & Kulczyński, 1918a; Kolosváry, 1928a, 1933d, 1934c, 1935c, 1939a; Loksa, 1959b, 1960a, 1962, 1972, 1984.

***Metellina mengei* (Blackwall, 1869)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1930, 1939a; Loksa, 1972; Szathmáry, 1995; Szinetár, 1995a.

***Metellina merianae* (Scopoli, 1763)**

Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1928a, 1933b,d, 1934c, 1939a, 1943; Loksa, 1972, 1984.

***Metellina segmentata* (Clerck, 1757)**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928a, 1935a, 1939a, 1943; Loksa, 1972, 1977, 1981b, 1984, 1987, 1991a; Szathmáry, 1995; Szinetár, 1988, 1992a,b,c,d,e.

***Pachygnatha clercki* Sundevall, 1823**

Balogh, 1933, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928b,c; Lendl, 1886b; Loksa, 1981b, 1984, 1987, 1991a; Szathmáry, 1995; Szinetár, 1992b,e.

Pachygnatha degeeri* Sundevall, 1830**Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928b,c; Lendl, 1886b; Loksa, 1981b, 1984, 1987, 1991a; Szathmáry, 1995; Szinetár, 1992b,e; Tóth *et al.*, 1996.Pachygnatha listeri* Sundevall, 1830**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1932b, 1935b; Lendl, 1886b; Loksa, 1981a,b, 1984, 1987; Szathmáry, 1995; Szinetár, 1991, 1992a,b.

***Tetragnatha dearmata* Thorell, 1873**

Kolosváry, 1928c, 1932b, 1935b,d; Lendl, 1886b; Szathmáry, 1995.

Tetragnatha extensa* (Linnaeus, 1758)**Balogh, 1933, 1938b,d; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b,c, 1930, 1943; Lendl, 1886a,b; Loksa, 1981b, 1984, 1987, 1991a; Loksa & Loksa, 1991a; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1988, 1992a,b,c,d, 1993.Tetragnatha montana* Simon, 1874**

Balogh, 1933, 1938b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1930, 1935d, 1943; Lendl, 1886b; Loksa, 1987, 1991a; Szinetár, 1992a,b, 1993, 1995a.

***Tetragnatha nigrita* Lendl, 1886**

Balogh, 1938d; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928c, 1930; Lendl, 1886b; Loksa, 1984; Szathmáry, 1995; Szinetár, 1993.

***Tetragnatha obtusa* C. L. Koch, 1837**

Balogh, 1933; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1930; Lendl, 1886b; Loksa, 1984; Szinetár, 1988, 1992c, 1996.

***Tetragnatha pinicola* L. Koch, 1870**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1943; Loksa, 1984; Szathmáry, 1995; Szinetár, 1995a.

***Tetragnatha reimoseri* (Rosca, 1939)**

Balogh, 1938c; Kolosváry, 1933b; Loksa, 1967; Szinetár, 1993, 1995a.

Tetragnatha shoshone* Levi, 1981**Szinetár, 1995b; Uhl *et al.*, 1992.Tetragnatha striata* L. Koch, 1862**

Chyzer & Kulczyński, 1918a,b; Lendl, 1886b; Szinetár, 1993, 1995b.

***Zygiella atrica* (C. L. Koch, 1845)**

Szathmáry, 1995.

***Zygiella montana* (C. L. Koch, 1834)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Loksa, 1984.

***Zygiella stroemii* (Thorell, 1870)**

Balogh, 1933, 1938b; Kolosváry, 1930; Loksa, 1972.

***Zygiella thorelli* (Ausserer, 1871)**

Balogh, 1933; Balogh & Loksa, 1946; Hörömpöly, 1967; Loksa, 1972; Szinetár, 1992e.

***Zygiella x-notata* (Clerck, 1757)**

Chyzer & Kulczyński, 1918a; Loksa, 1972, 1984.

Family ARANEIDAE***Aculepeira armida* (Audouin, 1826)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1972, 1977.

***Aculepeira ceropagia* (Walckenaer, 1802)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1935a; Loksa, 1972, 1984; Szinetár, 1995a.

***Agalenatea redii* (Scopoli, 1763)**

Balogh, 1935, 1938a,b,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1930, 1933c; Loksa, 1972, 1977, 1984, 1987; Szathmáry, 1995; Szinetár, 1992a,b, 1995a, 1996.

***Araneus alsine* (Walckenaer, 1802)**

Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1928c, 1933b; Loksa, 1972, 1981b; Szinetár, 1992c, 1995a.

***Araneus angulatus* Clerck, 1757**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b; Loksa, 1972, 1977, 1981b, 1984, 1989; Szinetár, 1992a,b,c.

***Araneus circe* (Audouin, 1826)**

Balogh, 1938d; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1935d; Loksa, 1958, 1972, 1984, 1987.

***Araneus diadematus* Clerck, 1757**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1946, 1953, 1956; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b,c, 1930, 1943; Loksa, 1972, 1977, 1981b, 1984, 1987, 1989, 1991a; Szathmáry, 1995; Szinetár, 1988, 1992a,b,c,d,e, 1995a, 1996.

***Araneus grossus* (C. L. Koch, 1844)**

Balogh, 1933, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1958, 1972, 1977, 1984.

***Araneus marmoreus* Clerck, 1757**

Balogh, 1938b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c; Loksa, 1972, 1981b, 1984, 1987, 1989, 1991a; Szathmáry, 1995; Szinetár, 1992a,b,c, 1995a.

***Araneus quadratus* Clerck, 1757**

Balogh, 1938b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1972, 1984, 1987, 1991a; Szathmáry, 1995; Szinetár, 1992b, 1995a.

***Araneus sturmi* (Hahn, 1831)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b, 1935d; Loksa, 1972, 1977, 1984; Loksa & Loksa, 1991b; Szinetár, 1988, 1992a,c,d, 1996.

***Araneus triguttatus* (Fabricius, 1775)**

Balogh, 1933, 1938b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1972, 1984, 1987, 1991a; Szinetár, 1992a,b,c.

***Araniella alpica* (L. Koch, 1869)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Loksa, 1972.

***Araniella cucurbitina* (Clerck, 1757) sensu lato, probably incl. *Araniella opistographa* (Kulczyński, 1905)**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1933b,c, 1935a, 1943; Loksa, 1972, 1977, 1981b, 1984, 1987, 1991a; Loksa & Loksa, 1991a; Szathmáry, 1995; Szinetár, 1988, 1992a,c,d.

***Araniella cucurbitina* (Clerck, 1757) sensu stricto**

Szinetár, 1995a, 1996.

***Araniella displicata* (Hentz, 1847)**

Kolosváry, 1933b; Loksa, 1972; Szinetár, 1992b, 1995a.

***Araniella inconspicua* (Simon, 1874)**

Chyzer & Kulczyński, 1918a; Loksa, 1972.

***Araniella opistographa* (Kulczyński, 1905)**

Jenser et al., 1997; Loksa, 1972; Szinetár, 1992b, 1995a.

***Argiope bruennichi* (Scopoli, 1772)**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1946, 1948b, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b,c, 1943; Lendl, 1886a; Loksa, 1958, 1959a, 1967, 1972, 1977, 1981b, 1984, 1987, 1989, 1991a; Samu et al., 1996; Szathmáry, 1995; Szinetár, 1992a,b,c, 1995a.

***Argiope lobata* (Pallas, 1772)**

Chyzer & Kulczyński, 1918a; Jenser et al., 1997; Kerekes, 1988; Kolosváry, 1933b, 1943; Loksa, 1958, 1967, 1972, 1977, 1984, 1987, 1989; Szinetár, 1996.

***Cercidia prominens* (Westring, 1851)**

Balogh, 1933, 1938b; Chyzer & Kulczyński, 1918a,b; Kolosváry, 1933b; Loksa, 1972, 1981b, 1984, 1987; Szinetár, 1992b,c.

***Cyclosa conica* (Pallas, 1772)**

Balogh, 1933, 1938b,d; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Lendl, 1886a; Loksa, 1972, 1981b, 1984, 1987, 1991a; Szinetár, 1988, 1992a,b,c.

***Cyclosa oculata* (Walckenaer, 1802)**

Balogh & Loksa, 1953; Szathmáry, 1995; Szinetár, 1992d, 1993.

***Gibbaranea bituberculata* (Walckenaer, 1802)**

Balogh, 1935, 1938a,b,d; Balogh & Loksa, 1946, 1953, 1956; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1928b, 1943; Loksa, 1958, 1972, 1977, 1981b, 1984, 1987, 1991a; Loksa & Loksa, 1991a; Szathmáry, 1995; Szinetár, 1992a,b,c, 1996.

***Gibbaranea gibbosa* (Walckenaer, 1802)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1930; Loksa, 1972.

***Gibbaranea omoeda* (Thorell, 1870)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1930; Loksa, 1972, 1987; Szinetár, 1992d, 1996.

***Gibbaranea ullrichi* (Hahn, 1835)**

Chyzer & Kulczyński, 1918a; Loksa, 1972.

***Hypsosinga albovittata* (Westring, 1851)**

Balogh, 1938b; Balogh & Loksa, 1946, 1948b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1972, 1981b, 1984, 1987.

***Hypsosinga heri* (Hahn, 1831)**

Balogh, 1933, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1931; Loksa, 1972, 1981b, 1984, 1991a; Szathmáry, 1995; Szinetár, 1992b, 1993, 1995a.

***Hypsosinga pygmaea* (Sundevall, 1832)**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1972, 1977, 1981b, 1984, 1987, 1991a; Samu et al., 1996; Szinetár, 1992a,b.

***Hypsosinga sanguinea* (C. L. Koch, 1844)**

Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928c, 1931, 1935d; Loksa, 1972, 1984, 1991a; Szinetár, 1995a.

***Larinia elegans* Spassky, 1939**

Nemenz & Pühringer, 1973.

***Larinoides cornutus* (Clerck, 1757) sensu lato, probably incl. *Larinoides folium* (Schrank, 1803)**

Balogh, 1933, 1938b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b,c, 1930, 1931;

Lendl, 1886a; Loksa, 1972, 1981b, 1987, 1991a; Szinetár, 1992b, 1993.

***Larinoides folium* (Schrank, 1803)**

Szathmáry, 1995; Szinetár, 1995b.

***Larinoides ixobolus* (Thorell, 1873)**

Balogh, 1933, 1938d; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b,c, 1930; Loksa, 1972, 1981b, 1984; Szinetár, 1992e, 1995b.

***Larinoides patagiatus* (Clerck, 1757)**

Balogh, 1933; Balogh & Loksa, 1946, 1956; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b,c, 1930; Loksa, 1972, 1981b, 1984, 1987; Szathmáry, 1995; Szinetár, 1992a, 1993.

***Larinoides sceloparius* (Clerck, 1757)**

Balogh, 1935, 1938a; Balogh & Loksa, 1946, 1948b, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1972, 1977, 1984; Szathmáry, 1995; Szinetár, 1992e, 1993.

***Mangora acalypha* (Walckenaer, 1802)**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946, 1948b, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b,c, 1930, 1935d, 1943; Loksa, 1972, 1977, 1981b, 1984, 1987, 1991a; Samu et al., 1996; Szathmáry, 1995; Szinetár, 1988, 1992 a,b,c,d, 1995a, 1996; Tóth et al., 1996.

***Neoscona adianta* (Walckenaer, 1802)**

Balogh, 1933; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kerekes, 1988; Kolosváry, 1930; Loksa, 1972, 1984; Szinetár, 1992b.

***Nuctenea umbratica* (Clerck, 1757)**

Balogh, 1935, 1938a,b,d; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1930; Loksa, 1958, 1972, 1977, 1981b, 1984, 1991a; Szinetár, 1992e.

***Singa hamata* (Clerck, 1757)**

Balogh, 1938b,d; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1930, 1931, 1943; Loksa, 1972, 1981b, 1984, 1987, 1991a; Szathmáry, 1995; Szinetár, 1992a,b, 1993, 1995a,b.

***Singa lucina* (Audouin, 1826)**

Balogh, 1933; Chyzer & Kulczyński, 1918a,b; Kolosváry, 1928b, 1935d; Loksa, 1972, 1984, 1987; Szathmáry, 1995; Szinetár, 1993.

***Singa nitidula* C. L. Koch, 1844**

Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1930, 1931; Loksa, 1972, 1984, 1991a; Szathmáry, 1995; Szinetár, 1993.

***Zilla diodia* (Walckenaer, 1802)**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1930; Loksa, 1972, 1977, 1981b, 1984, 1991a; Loksa & Loksa, 1991a; Szathmáry, 1995; Szinetár, 1988, 1992a,b,c, 1996.

Family LYCOSIDAE

***Alopecosa accentuata* (Latreille, 1817)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1930; Loksa, 1966a, 1971, 1972, 1977, 1988, 1989, 1991b; Loksa & Loksa, 1991b; Samu & Lövei, 1995; Samu et al., 1996.

***Alopecosa aculeata* (Clerck, 1757)**

Balogh, 1933; Chyzer & Kulczyński, 1918a; Kolosváry, 1933b; Loksa, 1972; Loksa & Loksa, 1991b; Samu et al., 1996; Szinetár, 1991.

***Alopecosa cuneata* (Clerck, 1757)**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1933b, 1943; Loksa, 1972, 1977, 1984, 1988, 1991a,b; Samu et al., 1996; Szinetár, 1992b.

***Alopecosa cursor* (Hahn, 1831)**

Balogh, 1935, 1938a; Balogh & Loksa, 1946, 1948b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1930; Loksa, 1972, 1977, 1981b.

***Alopecosa fabrilis* (Clerck, 1757)**

Kerekes, 1988; Kolosváry, 1928b, 1930, 1933b; Loksa, 1966a.

***Alopecosa inquilina* (Clerck, 1757)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1972.

***Alopecosa mariae* (Dahl, 1908)**

Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1972, 1987, 1988.

***Alopecosa pulverulenta* (Clerck, 1757)**

Balogh, 1935, 1938a,b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928c; Loksa, 1972, 1973a, 1977, 1981a,b, 1987, 1991a,b; Samu & Lövei, 1995; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1992b.

***Alopecosa schmidti* (Hahn, 1835)**

Balogh, 1933, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1933b, 1934b; Loksa, 1972, 1977, 1981b; Loksa & Loksa, 1991b.

***Alopecosa solitaria* (Herman, 1876)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1972, 1977.

***Alopecosa striatipes* (C. L. Koch, 1837)**

Hörömpöly, 1967; Kolosváry, 1930.

***Alopecosa sulzeri* (Pavesi, 1873)**

Balogh, 1935, 1938a,b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1966a, 1971, 1972, 1977, 1984, 1987, 1988; Loksa & Loksa, 1991b; Szenetár, 1991, 1992b; Tóth *et al.*, 1996.

***Alopecosa trabalis* (Clerck, 1757)**

Balogh, 1938b,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kasper, 1985; Kisbenedek, 1991; Kolosváry, 1928b, 1933b; Loksa, 1972, 1984, 1988, 1991b; Samu & Lövei, 1995; Samu *et al.*, 1996; Szenetár, 1992b.

***Arctosa cinerea* (Fabricius, 1777)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1972, 1984, 1987.

***Arctosa figurata* (Simon, 1876)**

Kerekes, 1988; Kolosváry, 1933b; Szenetár, 1992b.

***Arctosa leopardus* (Sundevall, 1833)**

Balogh, 1933; Chyzer & Kulczyński, 1918a; Loksa, 1972, 1987.

***Arctosa lutetiana* (Simon, 1876)**

Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1930; Loksa, 1959c, 1966a, 1971, 1972, 1973a, 1981b, 1984, 1987, 1991a.

***Arctosa maculata* (Hahn, 1822)**

Balogh, 1938b,d; Chyzer & Kulczyński, 1918a; Kolosváry, 1930; Loksa, 1972; Szathmáry, 1995.

***Arctosa perita* (Latireille, 1799)**

Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1935d; Loksa, 1972, 1987.

***Aulonia albimana* (Walckenaer, 1805)**

Balogh, 1933, 1935, 1938a,b; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1930, 1935a, 1943; Loksa, 1966a, 1972, 1977, 1981a,b, 1984, 1988, 1991a,b; Samu & Lövei, 1995; Samu *et al.*, 1996; Szenetár, 1991, 1992b,e; Tóth *et al.*, 1996.

***Hogna radiata* (Latireille, 1817)**

Balogh, 1933, 1935, 1938a,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1966a, 1971, 1972, 1977, 1984, 1988; Loksa & Loksa, 1991b; Samu *et al.*, 1996.

***Hygrolycosa rubrofasciata* (Ohlert, 1865)**

Kolosváry, 1933b; Loksa, 1981a; Szenetár, 1993.

***Lycosa singoriensis* (Laxmann, 1770)**

Balogh, 1933; Balogh & Loksa, 1946, 1956; Dudich, 1920; Kerekes, 1988; Kolosváry, 1926, 1928b; Loksa, 1958, 1967, 1969b, 1972, 1981b, 1984, 1987.

***Lycosa vultuosa* C. L. Koch, 1838**

Balogh, 1935, 1938a,d; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1930; Loksa, 1972, 1977, 1984.

***Pardosa agrestis* (Westring, 1861)**

Balogh, 1933; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kerekes, 1988; Kolosváry, 1928b,c, 1930; Loksa, 1969b, 1972, 1981b, 1984, 1987; Samu & Lövei, 1995; Samu *et al.*, 1996; Szenetár, 1992b; Tóth & Kiss, 1997; Tóth *et al.*, 1996.

***Pardosa agricola* (Thorell, 1856)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1930, 1943; Loksa, 1972; Samu & Lövei, 1995.

***Pardosa alacris* (C. L. Koch, 1833)**

Tóth & Kiss, 1997.

***Pardosa amentata* (Clerck, 1757)**

Balogh, 1933, 1938b,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kasper, 1985, 1992; Kolosváry, 1928b, 1930, 1943; Loksa, 1966a, 1971, 1972, 1978, 1984; Szathmáry, 1995; Szenetár, 1992b,e, 1993, 1995a.

***Pardosa bifasciata* (C. L. Koch, 1834)**

Kisbenedek, 1991; Kolosváry, 1935d; Loksa, 1972, 1987, 1988, 1991a; Szenetár, 1992b; Tóth & Kiss, 1997; Tóth *et al.*, 1996.

***Pardosa cibrata* Simon, 1876**

Kerekes, 1988; Kolosváry, 1932b, 1934a, 1935b,d; Loksa, 1981b.

***Pardosa hortensis* (Thorell, 1872)**

Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kisbenedek, 1991; Kolosváry, 1928b, 1930; Loksa, 1966a, 1972, 1978, 1991b; Samu & Lövei, 1995; Samu *et al.*, 1996; Szathmáry, 1995; Tóth & Kiss, 1997.

***Pardosa lugubris* (Walckenaer, 1801) sensu lato, probably incl. *Pardosa alacris* (C. L. Koch, 1833)**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1985, 1992; Kerekes, 1988; Kolosváry, 1943; Loksa, 1966a, 1971, 1972, 1973a, 1977, 1978, 1981a,b, 1984, 1987, 1988, 1991a,b; Samu & Lövei, 1995; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1991, 1992b.

***Pardosa monticola* (Clerck, 1757)**

Balogh, 1933, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1930; Loksa, 1972, 1981b, 1991a; Szathmáry, 1995.

***Pardosa morosa* (L. Koch, 1870)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1930; Loksa, 1972.

***Pardosa nebulosa* (Thorell, 1872)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1939c; Loksa, 1972, 1981b.

***Pardosa paludicola* (Clerck, 1757)**

Balogh, 1933; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1930; Loksa, 1972, 1981a,b, 1991a,b; Samu & Lövei, 1995; Szathmáry, 1995; Szenetár, 1992b.

***Pardosa palustris* (Linnaeus, 1758)**

Balogh, 1933, 1938b; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kerekes, 1988; Kolosváry, 1930, 1934b, 1935d; Loksa, 1972, 1987; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1992b, 1993; Tóth & Kiss, 1997.

***Pardosa prativaga* (L. Koch, 1870)**

Balogh, 1933; Chyzer & Kulczyński, 1918a; Kasper, 1985; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1972, 1987, 1991a; Samu & Lövei, 1995; Szathmáry, 1995; Szenetár, 1993, 1995b; Tóth & Kiss, 1997; Tóth *et al.*, 1996.

***Pardosa proxima* (C. L. Koch, 1847)**

Balogh, 1933; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928b, 1930; Loksa, 1972, 1981b; Samu *et al.*, 1996; Szenetár, 1993.

***Pardosa pullata* (Clerck, 1757)**

Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1985; Kerekes, 1988; Kolosváry, 1943; Loksa, 1972, 1973a, 1981a,b, 1987; Samu & Lövei, 1995; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1992b, 1993, 1995a.

***Pardosa riparia* (C. L. Koch, 1833)**

Balogh, 1938b; Kasper, 1992; Kolosváry, 1933b; Loksa, 1972, 1991b; Samu & Lövei, 1995; Szenetár, 1992b.

***Pirata hygrophilus* Thorell, 1872**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1972, 1981a, 1987; Loksa & Loksa, 1991a; Szathmáry, 1995; Szenetár, 1991, 1992b, 1995b.

***Pirata knorri* (Scopoli, 1763)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Loksa, 1972.

***Pirata latitans* (Blackwall, 1841)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Loksa, 1972, 1981a,b, 1984, 1987, 1991a; Szathmáry, 1995; Szenetár, 1993.

Pirata piraticus* (Clerck, 1757) sensu lato, probably incl.**Pirata tenuitarsis* Simon, 1876**

Balogh, 1933, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b, 1930, 1943; Loksa, 1972, 1981b, 1984, 1987, 1991a; Szathmáry, 1995.

***Pirata piraticus* (Clerck, 1757) sensu stricto**

Szenetár, 1993, 1995b.

***Pirata piscatorius* (Clerck, 1757)**

Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1933b; Loksa, 1972, 1987, 1991a; Szathmáry, 1995.

***Pirata tenuitarsis* Simon, 1876**

Szathmáry, 1995; Szenetár, 1995b.

***Pirata uliginosus* (Thorell, 1856)**

Loksa, 1981a, 1987; Szenetár, 1992b.

***Trochosa robusta* (Simon, 1876)**

Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1933b, 1943; Loksa, 1973a, 1981b, 1988; Samu & Lövei, 1995; Szathmáry, 1995; Tóth *et al.*, 1996.

***Trochosa ruricola* (De Geer, 1778)**

Balogh & Loksa, 1946, 1948a, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1966a, 1971, 1972, 1973a, 1978, 1981a,b, 1984, 1987, 1991a; Samu & Lövei, 1995; Szenetár, 1991, 1992a,e.

***Trochosa spinipalpis* (F. O. P.-Cambridge, 1895)**

Kerekes, 1988; Loksa, 1972, 1981a, 1987, 1991a; Szathmáry, 1995; Szenetár, 1992b, 1993.

***Trochosa terricola* Thorell, 1856**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1985, 1992; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1928b,c, 1939a, 1943; Loksa, 1958, 1961a,c, 1966a, 1968, 1971, 1972, 1973a, 1977, 1978, 1979, 1981a,b, 1984, 1987, 1988, 1991a,b; Samu & Lövei, 1995; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1991, 1992b; Tóth *et al.*, 1996.

***Xerolycosa miniata* (C. L. Koch, 1834)**

Chyzer & Kulczyński, 1918a; Kasper, 1992; Kerekes, 1988; Kolosváry, 1930; Loksa, 1971, 1972, 1981b, 1987, 1991a; Samu *et al.*, 1996; Szenetár, 1992b; Tóth *et al.*, 1996.

***Xerolycosa nemoralis* (Westring, 1861)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1930; Loksa, 1972, 1991b.

Family PISAURIDAE***Dolomedes fimbriatus* (Clerck, 1757)**

Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1931, 1943; Loksa, 1969a, 1984, 1987, 1989, 1991a; Szathmáry, 1995; Szenetár, 1992a,b,c, 1993, 1995a.

***Dolomedes plantarius* (Clerck, 1757)**

Kolosváry, 1928b, 1931; Loksa, 1969b.

***Pisaura mirabilis* (Clerck, 1757)**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1928b,c, 1930, 1935a, 1943; Loksa, 1969a, 1977, 1978, 1981a,b, 1984, 1987, 1988, 1989, 1991a,b; Samu & Lövei, 1995; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1991, 1992a,b,c,e, 1995a.

Family OXYOPIDAE***Oxyopes heterophthalmus* Latreille, 1804**

Balogh & Loksa, 1946, 1948b, 1953; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Kerekes, 1988; Kolosváry, 1928b, 1935d; Loksa, 1969a, 1984, 1991a; Szathmáry, 1995.

***Oxyopes lineatus* Latreille, 1806**

Balogh, 1938d; Chyzer & Kulczyński, 1918a; Kolosváry, 1934b; Loksa, 1969a, 1987; Samu *et al.*, 1996; Szenetár, 1992b.

***Oxyopes ramosus* (Panzer, 1804)**

Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1969a, 1984, 1991a; Szenetár, 1992a,b, 1995a.

Family AGELENIDAE***Agelena gracilens* C. L. Koch, 1841**

Balogh, 1935, 1938a; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928b,c, 1933b; Loksa, 1969a, 1977, 1981b, 1984, 1987, 1989, 1991a; Szathmáry, 1995; Szenetár, 1992a,b,c, 1995a, 1996.

***Agelena labyrinthica* (Clerck, 1757)**

Balogh, 1933, 1938b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1935a; Loksa, 1969a, 1981b, 1984; Szathmáry, 1995.

***Histopona luxurians* (Kulczyński, 1897)**

Balogh, 1938b; Loksa, 1969a.

***Histopona torpida* (C. L. Koch, 1834)**

Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1935a; Loksa, 1961a, 1966a, 1969a, 1971, 1984, 1991b; Szenetár, 1991.

***Tegenaria agrestis* (Walckenaer, 1802)**

Balogh & Loksa, 1946; Kasper, 1992; Kisbenedek, 1991; Loksa, 1969a, 1984, 1987, 1988; Loksa & Loksa, 1991b; Szenetár, 1992e.

***Tegenaria campestris* C. L. Koch, 1834**

Balogh, 1935, 1938a; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1969a, 1977, 1978, 1988, 1989, 1991b; Szenetár, 1992b,e.

***Tegenaria domestica* (Clerck, 1757)**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1928a,b,c, 1930, 1932b, 1933d, 1934c, 1935a,b; Loksa, 1958, 1962, 1969a, 1977, 1984, 1987, 1988, 1991a; Szenetár, 1992e.

***Tegenaria ferruginea* (Panzer, 1804)**

Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1935c; Loksa, 1969a, 1977, 1984; Szenetár, 1992e.

***Tegenaria nemorosa* Simon, 1916**

Szenetár, 1992e; Szenetár & Vajda, 1992.

***Tegenaria silvestris* L. Koch, 1872**

Balogh, 1933, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1932b, 1935a,b, 1939a; Loksa, 1966a, 1969a, 1971, 1984, 1988, 1991b; Szenetár, 1991, 1992a,e.

***Textrix denticulata* (Olivier, 1789)**

Balogh, 1933, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1930; Loksa, 1966a, 1969a, 1984, 1991b.

Family CYBAEIDAE***Argyroneta aquatica* (Clerck, 1757)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1932a, 1933a,c; Loksa, 1969a, 1981b, 1984, 1987; Szathmáry, 1995; Szenetár, 1993.

***Cybaeus angustiarum* L. Koch, 1868**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1935a, 1943; Loksa, 1969a, 1984, 1991b.

Family HAHNIIDAE***Antistea elegans* (Blackwall, 1841)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Loksa, 1961a, 1969a, 1984, 1987; Szathmáry, 1995; Szenetár, 1993, 1995b.

***Cryphoeca silvicola* (C. L. Koch, 1834)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1935a; Loksa, 1969a.

***Hahnia helveola* Simon, 1875**

Loksa, 1969a, 1991b; Szenetár, 1991.

***Hahnia montana* (Blackwall, 1841)**

Loksa, 1969a, 1981a.

***Hahnia nava* (Blackwall, 1841)**

Balogh, 1935, 1938a; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a,b; Kerekes, 1988; Loksa, 1966a, 1969a, 1977, 1981b, 1988, 1991a,b; Samu *et al.*, 1996; Szathmáry, 1995.

***Hahnia ononidum* Simon, 1875**

Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1966a, 1968, 1969a, 1971.

***Hahnia picta* Kulczyński, 1897**

Chyzer & Kulczyński, 1918b; Loksa, 1969a.

***Hahnia pusilla* C. L. Koch, 1841**

Balogh & Loksa, 1953; Kisbenedek, 1991; Loksa, 1961a, 1969a, 1971, 1991a; Szinetár, 1991, 1992b.

Family DICTYNIDAE***Altella hungarica* Loksa, 1981**

Loksa, 1981b.

***Altella orientalis* Balogh, 1935**

Balogh, 1935, 1938a; Loksa, 1969a, 1977.

***Archaeodictyna consecuta* (O. P.-Cambridge, 1872)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918b; Loksa, 1959c, 1969a, 1977.

***Argenna patula* (Simon, 1874)**

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1969a, 1987, 1991a; Pillich, 1914; Szathmáry, 1995; Szinetár, 1993.

***Argenna subnigra* (O. P.-Cambridge, 1861)**

Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928c, 1933b, 1934b; Loksa, 1969a, 1973a, 1981b; Samu *et al.*, 1996; Tóth *et al.*, 1996.

***Brommella falcigera* (Balogh, 1935)**

Balogh, 1935, 1938a; Balogh & Loksa, 1946; Loksa, 1961c, 1966a, 1969a, 1971, 1977, 1987, 1988; Loksa & Loksa, 1991b.

***Cicurina cicur* (Fabricius, 1793)**

Balogh, 1935, 1938a,b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928a, 1930, 1943; Loksa, 1959b, 1960a, 1962, 1966a, 1968, 1969a, 1971, 1977, 1981a, 1984, 1988, 1991a,b; Szinetár, 1991.

***Dictyna arundinacea* (Linnaeus, 1758)**

Balogh, 1933, 1938b,d; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1930; Loksa, 1969a, 1981b, 1984, 1987, 1991a; Pillich, 1914; Szathmáry, 1995; Szinetár, 1993, 1995a.

***Dictyna civica* (Lucas, 1850)**

Jablonowski, 1925; Kolosváry, 1928b, 1938, 1939b; Loksa, 1958, 1969a, 1984; Szinetár, 1992d,e, 1996.

***Dictyna latens* (Fabricius, 1775)**

Balogh, 1933, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1969a, 1984; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1995a.

***Dictyna pusilla* Thorell, 1856**

Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928c; Loksa, 1969a, 1981b, 1984, 1987, 1991a; Szathmáry, 1995; Szinetár, 1992b,d, 1993, 1996.

***Dictyna szaboi* Chyzer, 1891**

Balogh & Loksa, 1946, 1948b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1958, 1969a, 1987.

***Dictyna uncinata* Thorell, 1856**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1930, 1943; Loksa, 1969a, 1977, 1981b, 1984, 1987, 1991a; Pillich, 1914; Szathmáry, 1995; Szinetár, 1992a,b,c,e, 1995a.

***Dictyna vicina* Simon, 1873**

Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1969a, 1984, 1991a; Szinetár, 1992d.

***Emlynna brevidens* (Kulczyński, 1897)**

Chyzer & Kulczyński, 1918b; Loksa, 1969a.

***Emlynna mitis* (Thorell, 1875)**

Chyzer & Kulczyński, 1918b; Loksa, 1969a.

***Lathys humilis* (Blackwall, 1855)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a,b; Kerekes, 1988; Loksa, 1969a; Pillich, 1914; Szinetár, 1988, 1992a,c,d, 1996.

***Lathys stigmatisata* (Menge, 1869)**

Balogh, 1935, 1938a; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a,b; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1966a, 1969a, 1977, 1988; Szinetár, 1996.

***Mastigusa arietina* (Thorell, 1871)**

Balogh & Loksa, 1946; Loksa, 1991b.

***Mastigusa macrophthalmus* (Kulczyński, 1897)**

Loksa, 1981b.

***Nigma flavescens* (Walckenaer, 1830)**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1930; Loksa, 1969a, 1977, 1984, 1987, 1991a; Pillich, 1914; Szathmáry, 1995; Szinetár, 1988, 1992a,b,c,d.

***Nigma walckenaeri* (Roewer, 1951)**

All records originally recorded as *Dictyna viridissima* (Walckenaer). Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1969a, 1977, 1984; Pillich, 1914; Szathmáry, 1995; Szinetár, 1988, 1992d.

Family AMAUROBIIDAE***Amaurobius erberi* (Keyserling, 1863)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Loksa, 1958, 1961c, 1969a, 1977, 1984.

***Amaurobius fenestratus* (Stroem, 1768)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1933d, 1934c, 1935a; Loksa, 1968, 1969a, 1984.

***Amaurobius ferox* (Walckenaer, 1830)**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b, 1930, 1943; Loksa, 1958, 1960a, 1961a, 1962, 1966a, 1969a, 1977, 1984, 1988; Pillich, 1914; Szinetár, 1991, 1992e.

***Amaurobius jugorum* L. Koch, 1868**

Kasper, 1992; Loksa, 1969a, 1971.

***Amaurobius pallidus* L. Koch, 1868**

Chyzer & Kulczyński, 1918a; Loksa, 1969a.

***Callobius claustrarius* (Hahn, 1833)**

Balogh, 1933, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1930, 1943; Loksa, 1969a.

***Coelotes atropos* (Walckenaer, 1830)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928a, 1935a, 1939a; Loksa, 1969a, 1984, 1991b.

***Coelotes inermis* (L. Koch, 1855)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Loksa, 1961a, 1969a, 1971, 1979; Szinetár, 1991, 1992b.

***Coelotes longispinus* Kulczyński, 1897**

Balogh, 1935, 1938a,c; Balogh & Loksa, 1948a, 1953; Chyzer & Kulczyński, 1918b; Kisbenedek, 1991; Loksa, 1961c, 1966a, 1969a, 1971, 1977, 1978, 1988, 1991a,b; Loksa & Loksa, 1991b; Samu & Lövei, 1995; Samu *et al.*, 1996; Szinetár, 1991.

***Coelotes solitarius* L. Koch, 1868**

Loksa, 1969a.

***Coelotes terrestris* (Wider, 1834)**

Chyzer & Kulczyński, 1918a.

Family TITANOECIDAE***Titanoeca quadriguttata* (Hahn, 1833)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1930, 1935a,d; Loksa, 1966a, 1969a, 1971, 1984, 1988; Szinetár, 1991.

***Titanoeca schineri* L. Koch, 1872**

Balogh, 1933, 1935, 1938a; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1935d; Loksa, 1961c, 1966a, 1969a, 1977, 1984, 1987, 1988; Pillich, 1914; Samu *et al.*, 1996.

***Titanoeca tristis* L. Koch, 1872**

Kolosváry, 1933b; Loksa, 1969a.

***Titanoeeca veteranica* Herman, 1879**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1969a, 1977, 1981b.

Family ANYPHAENIDAE***Anyphaena accentuata* (Walckenaer, 1802)**

Balogh, 1933, 1938b,d; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1933c, 1943; Loksa, 1966a, 1977, 1978, 1981a,b, 1984, 1988, 1991a; Loksa & Loksa, 1991a; Szenetár, 1988, 1991, 1992a,b,c,d,e, 1995a, 1996.

Family LIOCRANIDAE***Agraecina striata* (Kulczyński, 1882)**

Chyzer & Kulczyński, 1918a; Loksa, 1981a,b, 1987, 1991a; Szathmáry, 1995; Szenetár, 1992a.

***Agroeca brunnea* (Blackwall, 1833)**

Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1928b; Loksa, 1961a, 1971, 1981a, 1984, 1987, 1988, 1991a,b; Loksa & Loksa, 1991a; Szathmáry, 1995; Szenetár, 1991, 1992a,b.

***Agroeca cuprea* Menge, 1873**

Balogh, 1935, 1938a; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1959c, 1966a, 1971, 1973a, 1977, 1978, 1981a,b, 1987, 1988, 1991a,b; Loksa & Loksa, 1991a,b; Samu & Lövei, 1995; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1992a.

***Agroeca lusatica* (L. Koch, 1875)**

Chyzer & Kulczyński, 1918a.

***Agroeca proxima* (O. P.-Cambridge, 1871)**

Loksa, 1981a.

***Apostenus fuscus* Westring, 1851**

Balogh & Loksa, 1946, 1948a; Chyzer & Kulczyński, 1918a; Loksa, 1961a, 1966a, 1968, 1971, 1991a,b; Szenetár, 1991, 1992b.

***Liocrimum rupicola* (Walckenaer, 1830)**

Balogh, 1933, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928a, 1939a; Loksa, 1966a, 1971, 1991b; Szenetár, 1991, 1992e.

***Liocrimum rutilans* (Thorell, 1875)**

Chyzer & Kulczyński, 1918a; Loksa, 1966a, 1971, 1984, 1991b.

***Mesiotelus annulipes* (Kulczyński, 1897)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918b; Kolosváry, 1932b, 1935b.

***Phrurolithus festivus* (C. L. Koch, 1835)**

Balogh, 1938b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1930; Loksa, 1959c, 1961a,c, 1966a, 1968, 1971, 1973a, 1981a,b, 1984, 1987, 1988, 1991a,b; Loksa & Loksa, 1991b; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1991, 1995a.

***Phrurolithus minimus* C. L. Koch, 1839**

Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1966a, 1991a; Loksa & Loksa, 1991b; Szenetár, 1991, 1992b.

***Phrurolithus pullatus* Kulczyński, 1897**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918b; Kisbenedek, 1991; Loksa, 1966a, 1971, 1977, 1988, 1991a.

***Phrurolithus szilyi* Herman, 1879**

Balogh, 1933; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1966a, 1971, 1981a, 1987, 1991b.

***Scotina celans* (Blackwall, 1841)**

Balogh, 1935, 1938a; Balogh & Loksa, 1946, 1948a; Kisbenedek, 1991; Loksa, 1961c, 1966a, 1971, 1977, 1988, 1991b; Szenetár, 1991.

Family CLUBIONIDAE***Cheiracanthium angulitarse* Simon, 1878**

Chyzer & Kulczyński, 1918b.

***Cheiracanthium effossum* Herman, 1879**

Balogh, 1935, 1938a,b; Chyzer & Kulczyński, 1918a,b; Jenser *et al.*, 1997; Kolosváry, 1935d; Loksa, 1977; Szathmáry, 1995.

***Cheiracanthium elegans* Thorell, 1875**

Balogh, 1938b,d; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a,b; Kisbenedek, 1991; Loksa, 1981b, 1991a.

***Cheiracanthium erraticum* (Walckenaer, 1802)**

Balogh & Loksa, 1956; Chyzer & Kulczyński, 1918a; Kolosváry, 1935d; Loksa, 1984, 1989; Szathmáry, 1995; Szenetár, 1992b.

***Cheiracanthium mildei* L. Koch, 1864**

Szenetár, 1992d,e, 1996.

***Cheiracanthium montanum* L. Koch, 1878**

Chyzer & Kulczyński, 1918b.

***Cheiracanthium oncognathum* Thorell, 1871**

Balogh, 1938b.

***Cheiracanthium pennyi* O. P.-Cambridge, 1873**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1946, 1948b, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928b, 1935d; Loksa, 1977, 1981b, 1987, 1991a.

***Cheiracanthium punctorium* (Villers, 1789)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1977, 1984, 1989; Szathmáry, 1995; Szenetár, 1992b.

***Cheiracanthium rupestre* Herman, 1879**

Chyzer & Kulczyński, 1918b.

***Cheiracanthium virescens* (Sundevall, 1833)**

Chyzer & Kulczyński, 1918a,b; Kolosváry, 1935d; Szenetár, 1992b.

***Clubiona alpicola* Kulczyński, 1882**

Mikhailov & Szenetár, 1997.

***Clubiona brevipes* Blackwall, 1841**

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1981b, 1991a; Mikhailov & Szenetár, 1997.

***Clubiona caerulescens* L. Koch, 1867**

Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1984, 1987, 1991a; Loksa & Loksa, 1991a; Mikhailov & Szenetár, 1997; Szathmáry, 1995; Szenetár, 1991, 1992b,c.

***Clubiona comta* C. L. Koch, 1839**

Balogh, 1933, 1935, 1938a,b; Chyzer & Kulczyński, 1918a; Loksa, 1961a,c, 1966a, 1971, 1977, 1978, 1979, 1984, 1987, 1991b; Loksa & Loksa, 1991a,b; Mikhailov & Szenetár, 1997; Szathmáry, 1995; Szenetár, 1992a,b.

***Clubiona corticalis* (Walckenaer, 1802)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Mikhailov & Szenetár, 1997.

***Clubiona diversa* O. P.-Cambridge, 1862**

Kerekes, 1988; Mikhailov & Szenetár, 1997; Samu *et al.*, 1996; Szathmáry, 1995.

***Clubiona frutetorum* L. Koch, 1866**

Balogh, 1933; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928c; Loksa, 1918b, 1991a; Mikhailov & Szenetár, 1997.

***Clubiona genevensis* L. Koch, 1866**

Balogh, 1935, 1938a; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Loksa, 1966a, 1977; Mikhailov & Szenetár, 1997; Szenetár, 1992d, 1996.

***Clubiona germanica* Thorell, 1870**

Balogh, 1933; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1991a; Mikhailov & Szenetár, 1997.

***Clubiona juvenis* Simon, 1878**

Mikhailov & Szenetár, 1997; Szathmáry, 1995.

***Clubiona lutescens* Westring, 1851**

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1978, 1981a, 1991a; Mikhailov & Szenetár, 1997; Szathmáry, 1995; Szenetár, 1992b, 1993.

***Clubiona marmorata* L. Koch, 1866**

Chyzer & Kulczyński, 1918a; Mikhailov & Szenetár, 1997.

***Clubiona pallidula* (Clerck, 1757)**

Balogh, 1933, 1938b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1935a, 1943; Loksa, 1959c,

1973a, 1981b, 1987, 1991a; Mikhailov & Szinetár, 1997; Szinetár, 1992b.

Clubiona phragmitis C. L. Koch, 1843

Balogh, 1933, 1935, 1938a; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1930; Loksa, 1977, 1981b, 1991a; Mikhailov & Szinetár, 1997; Szathmáry, 1995; Szinetár, 1993.

Clubiona pseudoneglecta Wunderlich, 1994

All records, originally recorded as *Clubiona neglecta* O.P.-Cambridge in Hungary, proved to be *C. pseudoneglecta* (Mikhailov & Szinetár, 1997). Balogh, 1933, 1938b,d; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kerekes, 1988; Kolosváry, 1928c; Loksa, 1981b, 1991a,b; Mikhailov & Szinetár, 1997; Szinetár, 1992b, 1995.

Clubiona reclusa O. P.-Cambridge, 1863

Balogh, 1933; Mikhailov & Szinetár, 1997.

Clubiona rosserae Locket, 1953

Mikhailov & Szinetár, 1997; Szathmáry, 1995.

Clubiona similis L. Koch, 1867

Chyzer & Kulczyński, 1918a; Mikhailov & Szinetár, 1997.

Clubiona stagnatilis Kulczyński, 1897

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1930; Loksa, 1981b, 1991a; Loksa & Loksa, 1991a; Mikhailov & Szinetár, 1997; Szathmáry, 1995; Szinetár, 1993.

Clubiona subtilis L. Koch, 1867

Chyzer & Kulczyński, 1918a; Loksa, 1981a; Mikhailov & Szinetár, 1997; Szathmáry, 1995.

Clubiona terrestris Westring, 1851

Balogh, 1933, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1971, 1978, 1988, 1991b; Loksa & Loksa, 1991b; Mikhailov & Szinetár, 1997; Szinetár, 1988, 1991, 1992a,c.

Clubiona trivialis C. L. Koch, 1843

Balogh, 1938b; Kolosváry, 1928c; Loksa, 1988; Mikhailov & Szinetár, 1997; Szinetár, 1992c.

Family CORINNIDAE

Cetonana laticeps (Canestrini, 1868)

Loksa, 1966a.

Trachelas maculatus Thorell, 1875

Kolosváry, 1932b, 1935b.

Family ZODARIIDAE

Zodarion germanicum (C. L. Koch, 1837)

Balogh, 1938b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1930; Loksa, 1966a, 1969a, 1971, 1979, 1981a, 1987, 1988, 1991a,b; Pillich, 1914; Samu *et al.*, 1996; Szinetár, 1991, 1992b.

Zodarion rubidum Simon, 1914

Tóth *et al.*, 1996.

Family GNAPHOSIDAE

Aphantaulax cincta (L. Koch, 1866)

Loksa, 1984, 1987.

Aphantaulax seminigra Simon, 1878

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1987.

Berlandina cinerea (Menge, 1872)

Balogh, 1935, 1938a; Balogh & Loksa, 1946, 1948b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1977; Szinetár, 1992b.

Callilepis nocturna (Linnaeus, 1758)

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1984, 1987, 1991b; Szinetár, 1996.

Callilepis schuszteri (Herman, 1879)

Balogh & Loksa, 1948b; Chyzer & Kulczyński, 1918a; Loksa, 1966a, 1971, 1988.

Cryptodrassus hungaricus (Balogh, 1935)

Balogh, 1935, 1938a,c; Loksa, 1958, 1977; Weiss *et al.*, 1998.

Drassodes cupreus (Blackwall, 1834)

Balogh, 1933; Chyzer & Kulczyński, 1918b.

Drassodes heeri (Pavesi, 1873)

Kolosváry, 1930.

Drassodes hypocrita (Simon 1878)

Kolosváry, 1933b.

Drassodes lapidosus (Walckenaer, 1802) sensu lato, probably incl. *Drassodes cupreus* (Blackwall)

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946, 1956; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1961c, 1966a, 1971, 1977, 1984, 1987, 1988; Pillich, 1914; Samu *et al.*, 1996; Tóth *et al.*, 1996.

Drassodes lapidosus (Walckenaer, 1802) sensu stricto

Szinetár, 1991, 1992b.

Drassodes pubescens (Thorell, 1856)

Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1973a, 1981a,b, 1987, 1988, 1991a,b; Loksa & Loksa, 1991b; Szathmáry, 1995; Szinetár, 1991, 1992b.

Drassodes villosus (Thorell, 1856)

Kerekes, 1988; Loksa, 1971.

Drassyllus lutetianus (L. Koch, 1866)

Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1973a, 1981a,b, 1987; Tóth *et al.*, 1996.

Drassyllus praeficus (L. Koch, 1866)

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1930; Loksa, 1966a, 1973a, 1977, 1981b, 1987, 1988, 1991a,b; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1992b; Tóth *et al.*, 1996.

Drassyllus pumilus (C. L. Koch, 1839)

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1988, 1991a; Samu *et al.*, 1996; Szinetár, 1991, 1992b.

Drassyllus pusillus (C. L. Koch, 1833)

Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1973a, 1981a,b; Pillich, 1914; Samu *et al.*, 1996; Szinetár, 1991, 1992b.

Drassyllus villicus (Thorell, 1875)

Balogh, 1935, 1938a,b; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1928b, 1933b; Loksa, 1961c, 1966a, 1971, 1977, 1988; Samu & Lövei, 1995; Samu *et al.*, 1996; Szinetár, 1991, 1992b.

Drassyllus vinealis (Kulczyński, 1897)

Chyzer & Kulczyński, 1918b.

Echemus angustifrons (Westring, 1861)

Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1966a, 1971, 1988; Szinetár, 1991.

Gnaphosa alpica Simon, 1878

Chyzer & Kulczyński, 1918b; Loksa, 1966a.

Gnaphosa bicolor (Hahn, 1833)

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1930, 1932b, 1935b; Loksa, 1968, 1971, 1991b; Pillich, 1914.

Gnaphosa lucifuga (Walckenaer, 1802)

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1928b, 1935a, 1943; Loksa, 1966a, 1977, 1981b, 1984, 1988.

Gnaphosa lugubris (C. L. Koch, 1839)

Chyzer & Kulczyński, 1918a; Loksa, 1966a, 1971.

Gnaphosa microps Holm, 1939

Loksa, 1988.

Gnaphosa modestior Kulczyński, 1897

Chyzer & Kulczyński, 1918b; Loksa, 1966a, 1991a; Szinetár, 1992b.

Gnaphosa mongolica Simon, 1895

Balogh, 1935, 1938a; Balogh & Loksa, 1946, 1948b; Chyzer & Kulczyński, 1918b; Kerekes, 1988; Loksa, 1958, 1977, 1984, 1987.

Gnaphosa opaca Herman, 1879

Balogh, 1933, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1961c, 1966a, 1971, 1977, 1981b, 1988.

***Haplodrassus cognatus* (Westring, 1861)**

Kerekes, 1988.

Haplodrassus dalmatensis* (L. Koch, 1866)**Balogh, 1935, 1938a,d; Chyzer & Kulczyński, 1918a; Kolosváry, 1933b, 1934b; Loksa, 1977, 1981b; Samu *et al.*, 1996; Tóth *et al.*, 1996.Haplodrassus kulczynskii* Lohmander, 1942**

Chyzer & Kulczyński, 1918a.

Haplodrassus minor* (O. P.-Cambridge, 1879)**Chyzer & Kulczyński, 1918b; Loksa, 1959c, 1973a, 1981b; Tóth *et al.*, 1996.Haplodrassus moderatus* (Kulczyński, 1897)**

Chyzer & Kulczyński, 1918b; Loksa, 1987, 1991a.

Haplodrassus signifer* (C. L. Koch, 1839)**Balogh, 1935, 1938a; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1930; Loksa, 1966a, 1971, 1973a, 1977, 1981b, 1984, 1987, 1988, 1991a,b; Pillich, 1914; Samu *et al.*, 1996; Szathmáry, 1995; Tóth *et al.*, 1996.Haplodrassus silvestris* (Blackwall, 1833)**

Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Loksa, 1961c, 1966a, 1971, 1973a, 1979, 1981a,b, 1987, 1988, 1991a,b; Loksa & Loksa, 1991b; Pillich, 1914; Szinetár, 1991, 1992a,b.

***Haplodrassus umbratilis* (L. Koch, 1866)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a,b; Kerekes, 1988; Kolosváry, 1928b, 1933b; Loksa, 1966a, 1977.

***Micaria dives* (Lucas, 1846)**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1966a, 1977, 1984; Loksa & Loksa, 1991b.

Micaria formicaria* (Sundevall, 1832)**Chyzer & Kulczyński, 1918a; Samu *et al.*, 1996; Szinetár, 1992a.Micaria fulgens* (Walckenaer, 1802)**

Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1933b; Loksa, 1966a, 1971, 1981b, 1988, 1991b; Szathmáry, 1995; Szinetár, 1995a.

***Micaria guttulata* (C. L. Koch, 1839)**

Loksa, 1973a, 1981b, 1984.

***Micaria nivosa* L. Koch, 1866**

Chyzer & Kulczyński, 1918a.

***Micaria pulicaria* (Sundevall, 1832)**

Balogh, 1933, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1961a, 1973a, 1977, 1981a,b, 1984, 1991b; Loksa & Loksa, 1991b.

***Micaria romana* L. Koch, 1866**

Chyzer & Kulczyński, 1918b; Kerekes, 1988.

***Micaria silesiaca* L. Koch, 1875**

Kolosváry, 1930.

***Micaria sociabilis* Kulczyński, 1897**

Chyzer & Kulczyński, 1918b.

***Micaria subopaca* Westring, 1861**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a.

***Nomisia exornata* (C. L. Koch, 1839)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kolosváry, 1935a; Loksa, 1966a, 1977, 1988.

***Phaeocedus braccatus* (L. Koch, 1866)**

Balogh, 1935, 1938a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1977, 1988; Szinetár, 1995a.

***Poecilochroa conspicua* (L. Koch, 1866)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1933d, 1934c; Loksa, 1966a, 1971, 1984; Szinetár, 1992b.

***Poecilochroa variana* (C. L. Koch, 1839)**

Chyzer & Kulczyński, 1918a; Loksa, 1981b, 1988, 1991b.

***Scotophaeus blackwalli* (Thorell, 1871)**

Chyzer & Kulczyński, 1918b; Szinetár, 1996.

***Scotophaeus quadripunctatus* (Linnaeus, 1758)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1981b.

***Scotophaeus scutulatus* (L. Koch, 1866)**

Balogh, 1933, 1938b,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Pillich, 1914; Szinetár, 1992e, 1996.

***Sosticus loricatus* (L. Koch, 1866)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1933b.

Trachyzelotes pedestris* (C. L. Koch, 1837)**Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1959c, 1966a, 1973a, 1977, 1981a,b, 1984, 1987, 1988, 1991b; Pillich, 1914; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1991, 1992b; Tóth *et al.*, 1996.Zelotes aeneus* (Simon, 1878)**Samu *et al.*, 1996.***Zelotes apricorum* (L. Koch, 1876)**Balogh, 1938b,d; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a,b; Kerekes, 1988; Loksa, 1959c, 1966a, 1971, 1973a, 1981a,b, 1987, 1988, 1991a,b; Pillich, 1914; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1991.***Zelotes aurantiacus* Miller, 1967**Samu *et al.*, 1996.***Zelotes caucasius* (L. Koch, 1866)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Loksa, 1966a, 1977.

***Zelotes clivicola* (L. Koch, 1870)**

Kolosváry, 1932b, 1935b, 1943.

***Zelotes declinans* (Kulczyński, 1897)**

Chyzer & Kulczyński, 1918b; Kerekes, 1988; Loksa, 1966a, 1981b.

***Zelotes electus* (C. L. Koch, 1839)**

Balogh, 1935, 1938a; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1966a, 1971, 1973a, 1977, 1981b, 1984, 1987, 1988, 1991a,b; Loksa & Loksa, 1991b; Pillich, 1914; Szinetár, 1991.

***Zelotes erebeus* (Thorell, 1870)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kolosváry, 1933b, 1934b; Loksa, 1966a, 1971, 1977, 1988, 1991b; Szinetár, 1991, 1992b.

Zelotes gracilis* (Canestrini, 1868)**Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Loksa, 1973a, 1981b, 1988; Samu *et al.*, 1996.Zelotes hermani* (Chyzer, 1897)**

Balogh, 1933, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1935a; Loksa, 1961c, 1966a, 1971, 1977, 1988, 1991a.

Zelotes latreillei* (Simon, 1878)**Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1973a, 1981a,b, 1987, 1988, 1991a,b; Pillich, 1914; Samu *et al.*, 1996; Szinetár, 1992b.Zelotes longipes* (L. Koch, 1866)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1933b; Loksa, 1977, 1981b, 1987, 1991b.

Zelotes mundus* (Kulczyński, 1897)**Chyzer & Kulczyński, 1918b; Loksa, 1981b, 1991a; Samu *et al.*, 1996.Zelotes petrensis* (C. L. Koch, 1839)**

Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Loksa, 1966a, 1971, 1988, 1991b; Loksa & Loksa, 1991b; Szinetár, 1992b.

Zelotes pygmaeus* Miller, 1943**Samu *et al.*, 1996; Tóth *et al.*, 1996.Zelotes subterraneus* (C. L. Koch, 1833)**Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1928b; Loksa, 1984; Pillich, 1914; Samu *et al.*, 1996; Szinetár, 1992b.**Family ZORIDAE*****Zora manicata* Simon, 1878**

Balogh, 1935, 1938a; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kisbenedek, 1991; Loksa, 1977, 1984, 1988, 1991a.

Zora nemoralis (Blackwall, 1861)

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1961a,c, 1966a, 1968, 1971, 1984, 1988, 1991b; Szinetár, 1991, 1992b.

Zora pardalis Simon, 1878

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Loksa, 1966a, 1971, 1977, 1981a, 1988, 1991b.

Zora silvestris Kulczyński, 1897

Chyzer & Kulczyński, 1918b; Kolosváry, 1934c; Loksa, 1966a, 1984, 1991b.

Zora spinimana (Sundevall, 1833)

Balogh, 1933, 1938b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kerekes, 1988; Kolosváry, 1928b; Loksa, 1961c, 1966a, 1968, 1971, 1973a, 1978, 1981a,b, 1984, 1987, 1991a,b; Loksa & Loksa, 1991a; Szathmáry, 1995; Szinetár, 1991, 1992a,b; Tóth *et al.*, 1996.

Family HETEROPODIDAE

Micrommata virescens (Clerck, 1757)

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1935a, 1943; Loksa, 1973a, 1977, 1978, 1981b, 1984, 1991a,b; Szathmáry, 1995; Szinetár, 1988, 1992a,c, 1995a.

Family PHILODROMIDAE

Philodromus aureolus (Clerck, 1757) sensu lato, probably incl. *Philodromus cespitum* (Walckenaer, 1802); *Philodromus praedatus* O. P.-Cambridge, 1871; *Philodromus collinus* C. L. Koch, 1835; *Philodromus longipalpis* Simon, 1870; *Philodromus buxi* Simon, 1884

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Kolosváry, 1928b,c, 1930, 1933b,c, 1935a,d; Loksa, 1977, 1981b, 1984, 1991a; Loksa & Loksa, 1991a,b; Szathmáry, 1995; Szinetár, 1988, 1992a,b,c,d,e.

Philodromus aureolus (Clerck, 1757) sensu stricto

Samu *et al.*, 1996; Szinetár, 1995a, 1996.

Philodromus buxi Simon, 1884

Kolosváry, 1928b, 1933b.

Philodromus cespitum (Walckenaer, 1802)

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Kolosváry, 1928c, 1930, 1933b, 1935a, 1943; Szathmáry, 1995; Szinetár, 1995a, 1996.

Philodromus collinus C. L. Koch, 1835

Balogh, 1933, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1933b, 1934b; Szinetár, 1996.

Philodromus dispar Walckenaer, 1826

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1930; Loksa, 1977, 1981b, 1984; Szathmáry, 1995; Szinetár, 1988, 1992a,b,c, 1995a.

Philodromus emarginatus (Schrank, 1803)

Balogh, 1935, 1938a,b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1984.

Philodromus fallax Sundevall, 1833

Szathmáry, 1995.

Philodromus histrio (Latreille, 1819)

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b.

Philodromus margaritatus (Clerck, 1757)

Balogh, 1933, 1938b; Chyzer & Kulczyński, 1918a; Loksa, 1984; Szinetár, 1996.

Philodromus poecilus (Thorell, 1872)

Chyzer & Kulczyński, 1918a; Lendl, 1886a; Loksa, 1984.

Philodromus praedatus O. P.-Cambridge, 1871

Chyzer & Kulczyński, 1918a; Szinetár, 1996.

Philodromus rufus Walckenaer, 1826 sensu lato, probably incl. *Philodromus albidus* Kulczyński, 1911

Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1981b, 1991a; Szathmáry, 1995; Szinetár, 1992a,b,e.

Thanatus arenarius L. Koch, 1872

Balogh, 1935, 1938a,b,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1928b; Loksa, 1973a, 1977, 1981b, 1988; Samu *et al.*, 1996.

Thanatus atratus Simon, 1875

All records, originally recorded as *Thanatus vulgaris* Simon in Hungary, proved to be *T. atratus* (É. Szita, pers. comm.). Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1959c, 1977, 1981a, 1987.

Thanatus formicinus (Clerck, 1757)

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1977, 1984, 1991a,b; Szinetár, 1992b, 1995a.

Thanatus pictus L. Koch, 1881

Balogh & Loksa, 1946, 1948b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1935d; Loksa, 1987.

Thanatus sabulosus (Menge, 1875)

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a.

Thanatus striatus C. L. Koch, 1845

Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Loksa, 1981b, 1991a; Tóth *et al.*, 1996.

Tibellus macellus Simon, 1875

Chyzer & Kulczyński, 1918a.

Tibellus maritimus (Menge, 1875)

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1981b; Szathmáry, 1995.

Tibellus oblongus (Walckenaer, 1802)

Balogh, 1935, 1938a,b; Balogh & Loksa, 1953, 1956; Chyzer & Kulczyński, 1918a; Jensen *et al.*, 1997; Kerekes, 1988; Kolosváry, 1928b, 1930, 1935a, 1943; Loksa, 1977, 1981b, 1984, 1987, 1989, 1991a; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1992b,c,e, 1995a; Tóth *et al.*, 1996.

Family THOMISIDAE

Coriarachne depressa (C. L. Koch, 1837)

Chyzer & Kulczyński, 1918a; Kolosváry, 1938.

Diaeas dorsata (Fabricius, 1777)

Balogh, 1935, 1938a,b,d; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1984; Szathmáry, 1995; Szinetár, 1988, 1992b,c,d, 1995a.

Diaeas pictilis (Banks, 1896)

Szinetár, 1995a.

Heriaeus graminicola (Doleschall, 1852)

Samu *et al.*, 1996; Szathmáry, 1995.

Heriaeus hirtus (Latreille, 1819)

Balogh, 1933; Chyzer & Kulczyński, 1918a; Szathmáry, 1995.

Heriaeus mellotteei Simon, 1886

Balogh, 1935, 1938; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1984, 1989; Szinetár, 1992a,b, 1996.

Misumena vatia (Clerck, 1757)

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946, 1953, 1956; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Kolosváry, 1928c, 1930, 1943; Loksa, 1977, 1981b, 1984, 1987, 1989, 1991a; Loksa & Loksa, 1991b; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1992a,b,d, 1995a, 1996.

Misumenops tricuspidatus (Fabricius, 1775)

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946, 1953, 1956; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1930; Loksa, 1977, 1981b, 1984, 1989, 1991a; Loksa & Loksa, 1991b; Szinetár, 1992a,b,c,d,e, 1995a.

Ozyptila atomaria (Panzer, 1801)

Balogh, 1935, 1938a,b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1933b; Loksa, 1966a, 1971, 1977, 1984, 1987, 1988, 1991a,b; Loksa & Loksa, 1991b; Szathmáry, 1995; Szinetár, 1992b.

Ozyptila blackwalli Simon, 1875

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1932b, 1935b; Loksa, 1966a, 1971, 1973a, 1981b, 1991a; Szathmáry, 1995; Szinetár, 1991.

***Ozyptila brevipes* (Hahn, 1826)**

Balogh, 1938b,d; Loksa, 1981a; Szenetár, 1991, 1993.

***Ozyptila claveata* (Walckenaer, 1837)**

Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Loksa, 1966a, 1988; Samu *et al.*, 1996.

***Ozyptila praticola* (C. L. Koch, 1837)**

Balogh, 1933; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1932b, 1935b, 1943; Loksa, 1959c, 1961a, 1966a, 1973a, 1978, 1979, 1981a,b, 1984, 1987, 1988, 1991a; Szathmáry, 1995; Szenetár, 1991, 1992a,b, 1993.

***Ozyptila pullata* (Thorell, 1875)**

Chyzer & Kulczyński, 1918b; Loksa, 1973a, 1981b, 1991b.

***Ozyptila rauda* Simon, 1875**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1973a, 1981b, 1988, 1991a.

***Ozyptila sanctuaria* (O. P.-Cambridge, 1871)**

Chyzer & Kulczyński, 1918a.

***Ozyptila scabricula* (Westring, 1851)**

Balogh, 1935, 1938a; Balogh & Loksa 1946; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1977, 1981b, 1987, 1991a; Loksa & Loksa, 1991b.

***Ozyptila simplex* (O. P.-Cambridge, 1862)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Loksa, 1961a, 1981a,b, 1991a; Szathmáry, 1995; Szenetár, 1995a.

***Ozyptila trux* (Blackwall, 1846)**

Balogh, 1933, 1938b; Chyzer & Kulczyński, 1918a; Loksa, 1981a,b, 1987, 1991a; Szenetár, 1992b, 1993; Tóth *et al.*, 1996.

***Pistius truncatus* (Pallas, 1772)**

Balogh, 1938b,d; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1958, 1981b, 1984, 1991a; Szenetár, 1992a,c, 1995a.

***Runcinia grammica* (C. L. Koch, 1837)**

Balogh, 1933, 1935, 1938a,d; Balogh & Loksa, 1946, 1956; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1977, 1984; Samu & Lövei, 1995; Samu *et al.*, 1996; Szathmáry, 1995.

***Synema globosum* (Fabricius, 1775)**

Balogh, 1933, 1938b,d; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kolosváry, 1930, 1943; Loksa, 1981b, 1984, 1987, 1991a; Szenetár, 1988, 1992a,b, 1995a.

***Synema ornatum* (Thorell, 1875)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1933b, 1935d; Loksa, 1958, 1984, 1987.

***Thomisus onustus* Walckenaer, 1806**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1946, 1948b, 1953; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Kasper, 1992; Kerekes, 1988; Kolosváry, 1928c, 1933b, 1935a; Loksa, 1977, 1981b, 1984, 1987, 1991a; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1992b, 1995a.

***Tmarus piger* (Walckenaer, 1802)**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1984, 1991a; Szenetár, 1988, 1992a,b,c,d, 1995a, 1996.

***Tmarus stellio* Simon, 1875**

Chyzer & Kulczyński, 1918a.

***Xysticus acerbus* Thorell, 1872**

Balogh, 1935, 1938a,b,d; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1928c, 1930; Loksa, 1977; Samu *et al.*, 1996.

***Xysticus albomaculatus* Kulczyński, 1891**

Chyzer & Kulczyński, 1918a,b; Kolosváry, 1935d.

***Xysticus audax* (Schrank, 1803)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1930, 1933c; Loksa, 1988.

***Xysticus bifasciatus* C. L. Koch, 1837**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1943; Loksa, 1991b; Szenetár, 1992b.

***Xysticus cristatus* (Clerck, 1757)**

Balogh, 1933, 1938b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry,

1928b, 1930, 1935d; Loksa, 1966a, 1981b, 1984, 1991a; Samu *et al.*, 1996; Szenetár, 1992b, 1995a.

***Xysticus embriki* Kolosváry, 1935**

Balogh, 1935, 1938a; Kolosváry, 1935a,c, 1936; Loksa, 1977.

***Xysticus erraticus* (Blackwall, 1834)**

Balogh, 1933; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1991b; Szenetár, 1992b, 1995a.

***Xysticus gallicus* Simon, 1875**

Balogh, 1938b; Kolosváry, 1948.

***Xysticus graecus* C. L. Koch, 1837**

Loksa, 1966a.

***Xysticus kempeleni* Thorell, 1872**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946, 1948b, 1953; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Kasper, 1992;

Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1928b; Loksa, 1966a, 1971, 1977, 1981b, 1984, 1987, 1988, 1989, 1991a,b; Loksa & Loksa, 1991a,b; Samu & Lövei, 1995; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1992a,b, 1995a; Tóth *et al.*, 1996.

***Xysticus lanio* C. L. Koch, 1835**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b,c, 1943; Loksa, 1981b; Szenetár, 1988, 1992c, 1995a.

***Xysticus lendli* Kulczyński, 1897**

Chyzer & Kulczyński, 1918b.

***Xysticus lineatus* (Westring, 1851)**

Szenetár, 1992b, 1995a.

***Xysticus luctator* L. Koch, 1870**

Chyzer & Kulczyński, 1918a.

***Xysticus luctuosus* (Blackwall, 1836)**

Balogh, 1938b; Balogh & Loksa, 1946; Szenetár, 1991, 1995a.

***Xysticus marmoratus* Thorell, 1875**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b.

***Xysticus ninnii* Thorell, 1872**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1966a, 1977.

***Xysticus robustus* (Hahn, 1832)**

Kerekes, 1988; Kisbenedek, 1991; Loksa, 1966a, 1971, 1984, 1987, 1988.

***Xysticus sabulosus* (Hahn, 1832)**

Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1928b; Loksa, 1966a, 1971, 1977, 1984, 1987, 1988, 1991a,b; Szenetár, 1992a,b.

***Xysticus striatipes* L. Koch, 1870**

Balogh, 1935, 1938a,b; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1981b, 1984, 1987; Loksa & Loksa, 1991b; Szenetár, 1992b.

***Xysticus ulmi* (Hahn, 1832)**

Balogh, 1933; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1928c; Loksa, 1981b, 1984, 1991a; Samu *et al.*, 1996; Szathmáry, 1995; Szenetár, 1992b,e, 1995a; Tóth *et al.*, 1996.

Family SALTICIDAE***Aelurillus m-nigrum* Kulczyński, 1891**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1977.

***Aelurillus v-insignitus* (Clerck, 1757)**

Balogh, 1935, 1938a; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1932b, 1935b; Loksa, 1966a, 1977, 1984.

***Ballus chalybeius* (Walckenaer, 1802)**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1958, 1977, 1981b, 1984, 1987, 1991a; Loksa & Loksa, 1991a; Szathmáry, 1995; Szenetár, 1988, 1992a,b,c,d.

***Bianor aurocinctus* (Ohlert, 1865)**

Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Samu *et al.*, 1996; Szinetár, 1992b, 1995a.

***Carrhotus xanthogramma* (Latreille, 1819)**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Kolosváry, 1930; Loksa, 1977, 1981b, 1991a; Szinetár, 1992a,c.

***Dendryphantes rufus* (Sundevall, 1832)**

Balogh, 1938b; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1933b; Loksa, 1984; Szinetár, 1988, 1992b,c,d, 1996.

***Euophrys erratica* (Walckenaer, 1826)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1959c.

***Euophrys frontalis* (Walckenaer, 1802)**

Balogh, 1935, 1938a; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1930; Loksa, 1966a, 1971, 1973a, 1977, 1981b, 1984, 1987, 1988, 1991a; Loksa & Loksa, 1991b; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1992b; Tóth *et al.*, 1996.

***Euophrys lanigera* (Simon, 1871)**

Szinetár, 1992e.

***Euophrys obsoleta* (Simon, 1868)**

Balogh, 1935, 1938a; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1943; Loksa, 1961c, 1966a, 1971, 1977, 1984, 1988, 1991a; Loksa & Loksa, 1991b; Samu *et al.*, 1996; Szinetár, 1991, 1996.

***Euophrys pictilis* (Simon, 1871)**

Kolosváry, 1934a.

***Euophrys vafra* (Blackwall, 1867)**

Chyzer & Kulczyński, 1918a.

***Evarcha arcuata* (Clerck, 1757)**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Loksa, 1977, 1981b, 1984, 1991a; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1992a,b, 1995a.

***Evarcha falcata* (Clerck, 1757)**

Balogh, 1933, 1935, 1938a; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Kasper, 1992; Kolosváry, 1928c, 1943; Loksa, 1977, 1981b, 1984, 1989, 1991a,b; Szinetár, 1988, 1992b, 1995a, 1996.

***Evarcha laetabunda* (C. L. Koch, 1846)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kisbenedek, 1991; Kolosváry, 1928c, 1933b, 1935d, 1943; Samu *et al.*, 1996; Szinetár, 1992c, 1995a.

***Heliophanus aeaneus* (Hahn, 1831)**

Balogh & Loksa, 1948b; Chyzer & Kulczyński, 1918a; Kolosváry, 1935c; Loksa & Loksa, 1991a; Szathmáry, 1995; Szinetár, 1988, 1992c.

***Heliophanus auratus* C. L. Koch, 1835**

Balogh, 1935, 1938a; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1981b, 1984, 1987, 1991a; Szathmáry, 1995; Szinetár, 1992b.

***Heliophanus cupreus* (Walckenaer, 1802)**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Kisbenedek, 1991; Kolosváry, 1928c, 1943; Loksa, 1977, 1981b, 1984, 1987, 1991a; Loksa & Loksa, 1991b; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1992c, 1995a.

***Heliophanus dubius* C. L. Koch, 1835**

Balogh, 1935, 1938a,b; Chyzer & Kulczyński, 1918a; Loksa, 1977.

***Heliophanus flavipes* (Hahn, 1832)**

Balogh, 1933, 1935, 1938a,b; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1930; Loksa, 1977, 1981b, 1984, 1991a; Loksa & Loksa, 1991b; Samu *et al.*, 1996; Szathmáry, 1995; Szinetár, 1995a.

***Heliophanus kochii* Simon, 1868**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1984; Szinetár, 1992e.

***Heliophanus lineiventris* Simon, 1868**

Chyzer & Kulczyński, 1918a.

***Heliophanus patagiatus* Thorell, 1875**

Kisbenedek, 1991; Kolosváry, 1928b, 1933b; Loksa, 1981b.

***Heliophanus simplex* Simon, 1868**

Balogh, 1933, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1984.

***Heliophanus tribulosus* Simon, 1868**

Chyzer & Kulczyński, 1918a.

***Leptorchestes berolinensis* (C. L. Koch, 1846)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1977, 1984, 1988.

***Macaroeris nidicolens* (Walckenaer, 1802)**

Balogh, 1935, 1938a,b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Loksa, 1958, 1977, 1984, 1991a; Szinetár, 1992d, 1996.

***Marpissa canestrinii* Ninni, 1868**

Balogh, 1933; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1959a, 1967, 1981b, 1991a; Szathmáry, 1995.

***Marpissa muscosa* (Clerck, 1757)**

Balogh, 1933, 1938b,d; Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1958, 1981b, 1984, 1987, 1989, 1991a; Szinetár, 1992a,b, 1996.

***Marpissa nivoyi* (Lucas, 1846)**

Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1958, 1981a,b, 1984, 1987, 1991a,b; Szathmáry, 1995.

***Marpissa pomatia* (Walckenaer, 1802)**

Chyzer & Kulczyński, 1918a.

***Marpissa radiata* (Grube, 1859)**

Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kasper, 1992; Loksa, 1984, 1991a; Szathmáry, 1995; Szinetár, 1992b, 1993.

***Myrmarachne formicaria* (De Geer, 1778)**

Balogh, 1938b; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1928b; Loksa, 1958, 1981b, 1984, 1987, 1988, 1991a,b; Szathmáry, 1995; Szinetár, 1992b.

***Neon pictus* Kulczyński, 1891**

Chyzer & Kulczyński, 1918a; Kolosváry, 1933b, 1935c; Loksa, 1966a, 1973a, 1981a,b, 1988, 1991a,b.

***Neon rayi* (Simon, 1875)**

Balogh, 1935, 1938a; Balogh & Loksa, 1946; Kerekes, 1988; Kisbenedek, 1991; Kolosváry, 1933b; Loksa, 1966a, 1971, 1977, 1988.

***Neon reticulatus* (Blackwall, 1853)**

Balogh, 1938b; Balogh & Loksa, 1953; Kisbenedek, 1991; Loksa, 1968, 1981a, 1984, 1987, 1991a,b.

***Pellenes campylophorus* (Thorell, 1875)**

Balogh & Loksa, 1948b; Chyzer & Kulczyński, 1918b; Loksa, 1958, 1984; Loksa & Loksa, 1991b.

***Pellenes nigrociliatus* (Simon, 1875)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928b,c, 1933b; Loksa, 1977, 1981b.

***Pellenes tripunctatus* (Walckenaer, 1802)**

Chyzer & Kulczyński, 1918a; Kolosváry, 1935a; Loksa, 1966a, 1971, 1984; Szinetár, 1992b.

***Philaeus chrysops* (Poda, 1761)**

Balogh, 1933, 1935, 1938a; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kolosváry, 1928b, 1930; Loksa, 1958, 1966a, 1971, 1977, 1984; Loksa, 1991b; Szinetár, 1992b, 1996.

***Phintella castriesiana* (Grube, 1861)**

Chyzer & Kulczyński, 1918a; Szinetár, 1992a.

***Phlegra fasciata* (Hahn, 1826)**

Balogh, 1946; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Kisbenedek, 1991; Loksa, 1966a, 1973a, 1981b, 1984, 1988, 1991a; Loksa & Loksa, 1991b; Szinetár, 1992b.

***Phlegra festiva* (C. L. Koch, 1834)**

Balogh, 1935, 1938a; Balogh & Loksa, 1948b; Chyzer & Kulczyński, 1918a; Loksa, 1966a, 1971, 1984, 1988; Loksa & Loksa, 1991b; Szinetár, 1992b.

***Phlegra fusipes* Kulczyński, 1891**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Loksa, 1977.

***Pseudicius encarpatus* (Walckenaer, 1802)**

Balogh, 1935, 1938a; Balogh & Loksa, 1953; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Loksa, 1977, 1981b, 1984, 1991a.

***Salticus cingulatus* (Panzer, 1797)**

Loksa, 1984.

***Salticus quagga* Miller, 1971**

Jenser *et al.*, 1997.

***Salticus scenicus* (Clerck, 1757)**

Balogh, 1933, 1935, 1938a,b,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Jenser *et al.*, 1997; Kolosváry, 1928b,c, 1930, 1935d; Loksa, 1977, 1984; Szathmáry, 1995; Szenetár, 1992e, 1996.

***Salticus zebraeus* (C. L. Koch, 1837)**

Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Loksa, 1981b, 1984, 1991a; Loksa & Loksa, 1991b; Szenetár, 1992b,d, 1996.

***Sitticus distinguendus* (Simon, 1868)**

Chyzer & Kulczyński, 1918a.

***Sitticus dzieduszyckii* (L. Koch, 1870)**

Balogh, 1938b; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b.

***Sitticus floricola* (C. L. Koch, 1837)**

Balogh & Loksa, 1946, 1953; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b, 1935d; Loksa, 1981b, 1984, 1991a; Szathmáry, 1995; Szenetár, 1995a.

***Sitticus penicillatus* (Simon, 1875)**

Chyzer & Kulczyński, 1918a; Kerekes, 1988.

***Sitticus pubescens* (Fabricius, 1775)**

Balogh, 1933, 1938b,d; Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1958, 1966a, 1984.

***Sitticus rupicola* (C. L. Koch, 1837) sensu lato, probably incl. *Sitticus inexpectus* Logunov & Kronestedt, 1997**

Chyzer & Kulczyński, 1918a.

***Sitticus saltator* (O. P.-Cambridge, 1868)**

Balogh & Loksa, 1946, 1948b; Chyzer & Kulczyński, 1918a.

***Sitticus saxicola* (C. L. Koch, 1848)**

Kolosváry, 1933b, 1934b.

***Sitticus zimmermanni* (Simon, 1877)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1958, 1977.

***Synageles hilarulus* (C. L. Koch, 1846)**

Balogh & Loksa, 1946; Chyzer & Kulczyński, 1918a; Loksa, 1987.

***Synageles venator* (Lucas, 1836)**

Loksa, 1984.

***Talavera aequipes* (O. P.-Cambridge, 1871)**

Balogh, 1935, 1938a; Chyzer & Kulczyński, 1918a; Kerekes, 1988; Loksa, 1977.

***Talavera petrensis* (C. L. Koch, 1837)**

Szathmáry, 1995.

***Talavera thorelli* (Kulczyński, 1891)**

Chyzer & Kulczyński, 1918a.

***Yllenus arenarius* Menge, 1868**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b; Loksa, 1958.

***Yllenus horvathi* Chyzer, 1891**

Chyzer & Kulczyński, 1918a; Kolosváry, 1933b; Loksa, 1958.

***Yllenus vittatus* Thorell, 1875**

Chyzer & Kulczyński, 1918a; Kolosváry, 1928b.

Acknowledgements

The authors are grateful to many colleagues who have seen and revised previous versions of the manuscript. Special thanks are due to Drs Theo Blick, Jan Buchar, Peter Merrett, Konrad Thaler, Søren Toft, Jörg Wunderlich and two anonymous referees. We thank Mrs Erika Botos for technical assistance and Mrs Éva Szita for help in acquiring some of the literature. The project was supported by OTKA grant No. F 17691 and grants from the HAS Ecological Centre. F. Samu was Magary

Fellow and Bolyai Fellow at different stages of the work.

References

- BALOGH, J. I. 1933: Beiträge zur Kenntnis der Spinnenfauna des Balaton-Gebietes. *Arb. ung. biol. ForschInst.* **6**: 133–141.
- BALOGH, J. I. 1935: *A Sashegyi Pókfaunája. Faunisztkikai, Rendszertani és Környezettan Tanulmány.* [The spider fauna of Sashegy. A faunistical, taxonomical and ecological study.] Sárkány-Nyomda Rt., Budapest.
- BALOGH, J. I. 1938a: Biosoziologische Studien über die Spinnenfauna des Sashegy (Adler-Berg bei Budapest). *Festschr. Strand* **4**: 464–497.
- BALOGH, J. I. 1938b: A Kőszegi-hegység pókfaunájának alapvetése. [Foundations of the spider fauna of Kőszegi mountains.] *Kőszegi Múzeum Közleményei* **1**: 256–262.
- BALOGH, J. I. 1938c: Neue Spinnenfaunistische Angaben aus Ungarn. *Fragm. faun. hung.* **1**: 63–64.
- BALOGH, J. I. 1938d: Nova data Arachnologica e montibus Börzsöniensis. *Fragm. faun. hung.* **1**: 16–17.
- BALOGH, J. I. & LOKSA, I. 1946: Symbola ad faunam Aranearium Hungariae cognoscendam. *Fragm. faun. hung.* **9**: 11–16.
- BALOGH, J. I. & LOKSA, I. 1947a: Faunistische Angaben über die Spinnen des Karpatenbeckens. I. *Fragm. faun. hung.* **10**: 26–28.
- BALOGH, J. I. & LOKSA, I. 1947b: Faunistische Angaben über die Spinnen des Karpatenbeckens. II. *Fragm. faun. hung.* **10**: 61–68.
- BALOGH, J. I. & LOKSA, I. 1948a: Arthropod coenosis of the litter stratum of an oak forest. *Archiva biol. hung.* (Ser. 2) **18**: 264–279.
- BALOGH, J. I. & LOKSA, I. 1948b: Quantitativ-biosoziologische Untersuchung der Arthropodenwelt Ungarischer Sandgebiete. *Archiva biol. hung.* (Ser. 2) **18**: 65–100.
- BALOGH, J. I. & LOKSA, I. 1953: Bátoraligeti pókfaunája. Araneida. [The spider fauna of Bátoraliget.] In V. Székessy (ed.), *Bátoraligeti élővilága*: 404–415. Budapest, Akadémiai Kiadó.
- BALOGH, J. I. & LOKSA, I. 1956: Untersuchungen über die Zoozönose des Luzernenfeldes. *Acta zool. hung.* **2**: 17–114.
- BONNET, P. 1945: *Bibliographia Araneorum* **1**: 1–832. Douladoure, Toulouse.
- BONNET, P. 1955–1959: *Bibliographia Araneorum* **2**: 1–5058. Douladoure, Toulouse.
- BONNET, P. 1961: *Bibliographia Araneorum* **3**: 1–591. Douladoure, Toulouse.
- BRAUN, R. 1982: Deutung der angeblich neuen ‘Deutschland’-Arten Bösenbergs und ihrer balkanischen ‘Wiederfunde’ (Arachnida: Araneida). *Senckenberg. biol.* **62**: 355–384.
- BRIGNOLI, P. M. 1983: *A catalogue of the Araneae described between 1940 and 1981.* Manchester University Press, Manchester.
- BUCHAR, J. 1992: Kommentierte Artenliste der Spinnen Böhmens (Araneida). *Acta Univ. Carol. (Biol.)* **36**: 383–428.
- BUCHAR, J., RŮŽIČKA, V. & KŮRKA, A. 1995: Check list of spiders of the Czech Republic. *Proc. 15th European Colloquium of Arachnology, České Budějovice*: 35–53.
- CHYZER, C. & KULCZYŃSKI, L. 1891: *Araneae Hungariae. Tomus I: Salticoidae, Oxyopidae, Lycosidae, Heteropodidae, Misumenoidae, Euetrioidae, Tetragnathoidae, Uloboroidae, Pholcoidae, Scytodidae, Urocteidae, Eresidae, Dictynoidae.* 1–170. Academiae Scientiarum Hungaricae, Budapest.
- CHYZER, C. & KULCZYŃSKI, L. 1894: *Araneae Hungariae. Tomus II, pars prior: Theridiidae.* 1–151. Academiae Scientiarum Hungaricae, Budapest.
- CHYZER, C. & KULCZYŃSKI, L. 1897: *Araneae Hungariae. Tomus II, pars posterior: Zodariidae, Agelenoidae, Drassoidae, Zoropseidae, Dysderoidae, Filistatoidae, Calommatoidea, Theraphosidae.* 147–366. Academiae Scientiarum Hungaricae, Budapest.
- CHYZER, C. & KULCZYŃSKI, L. 1918a: *Ordo Araneae. In A Magyar Birodalom Állatvilágá. III. Arthropoda:* 1–33. Budapest, Kir. Magyar Term. tud. Társ.

- CHYZER, C. & KULCZYŃSKI, L. 1918b: Addenda et corrigenda ad conspectum Aranearum. In *A Magyar Birodalom Állatvilága. III. Arthropoda*: 7–10. Budapest, Kir. Magyar Term. tud. Társ.
- CODDINGTON, J. A., YOUNG, L. H. & COYLE, F. A. 1996: Estimating spider species richness in a Southern Appalachian cove hardwood forest. *J. Arachnol.* **24**: 111–128.
- DRENSKI, P. 1936: Katalog der echten Spinnen (Araneae) der Balkanhalbinsel. *Sbis. bulg. Akad. nauk.* **32**: 1–223.
- DUDICH, E. 1920: A szongáriai cselőpók bevándorlása hazánkba. [The immigration of *Lycosa singoriensis* into Hungary.] *Pótfüzetek Természettudományi Közlönyhöz* **1**: 39–41.
- FUHN, I. E. & OLTEAN, C. L. 1970: Lista araneelor din R. S. Romania. *Studii Commun. Muz. Stiint. nat. Bacau* **1970**: 157–196.
- HANGGI, A., STÖCKLI, E. & NENTWIG, W. 1995: Habitats of Central European Spiders. *Miscellaneae Faun. Helveticae* **4**: 1–460.
- HERMAN, O. 1876: *Magyarország Pók-faunája. I. A Királyi Magyar Természettudományi Társulat Megbízásából. Ungarns Spinnenfauna. I. Im Auftrage der Kön. Ungar. Naturwissenschaftlichen Gesellschaften. 1–119.* Kir. Magyar Term. tud. Társulat, Budapest.
- HERMAN, O. 1878: *Magyarország Pók-faunája. II. A Királyi Magyar Természettudományi Társulat Megbízásából. Ungarns Spinnenfauna. II. Im Auftrage der Kön. Ungar. Naturwissenschaftlichen Gesellschaften. 1–100.* Kir. Magyar Term. tud. Társulat, Budapest.
- HERMAN, O. 1879: *Magyarország Pók-faunája. III. A Királyi Magyar Természettudományi Társulat Megbízásából. Ungarns Spinnenfauna. III. Im Auftrage der Kön. Ungar. Naturwissenschaftlichen Gesellschaften. 1–394.* Kir. Magyar Term. tud. Társulat, Budapest.
- HOLM, Å. 1944: Revision einiger norwegischer Spinnenarten und Bemerkungen über deren Vorkommen in Schweden. *Ent. Tidskr.* **65**: 122–134.
- HÖRÖMPÖLY, M. 1967: Arachnológiai jegyzetek (A *Zygiella thorelli* Ausserer és a *Tarentula striatipes* Dol. újabb hazai adatai). [Arachnological notes (new Hungarian data on *Zygiella thorelli* Ausserer and *Tarentula striatipes* Dol.).] *Folia ent. hung.* **20**: 312.
- JABLONOWSKI, J. 1925: Pókhálós házfalak. [Spider webs on house walls.] *Természettud. Közl.* **57**: 1–8.
- JENSER, G., BALÁZS, K., ERDÉLYI, C., HALTRICH, A., KOZÁR, F., MARKÓ, V., RÁCZ, V. & SAMU, F. 1997: The effect of an integrated pest management program on the arthropod populations in a Hungarian apple orchard. *Zahradnicki Hort. Sci. (Prague)* **24**: 63–76.
- KASPER, Á. 1985: A Zirci Arborétum farkaspókjainak talajcsapdás vizsgálata. [Pitfall trap studies of wolf spiders in the Zirc Botanical Gardens.] *Bakony Természettud. Kut. Eredményei* **16**: 57–61.
- KASPER, Á. 1992: Adatok Csabrendek és környéke pónkafaunájának (Araneae) ismeretéhez. [Data on the spider fauna (Araneae) of Csabrendek and surrounding areas.] *Folia Mus. hist.-nat. Bakoniensis* **11**: 247–254.
- KEREKES, J. 1988: Faunistic studies on epigaeic spider community on sandy grassland (KNP). *Acta biol. Szeged* **34**: 113–117.
- KISBENEDEK, T. 1991: Habitat preference and seasonality of spider (Araneae) communities in dolomitic grassland. *Annls hist.-nat. Mus. natn. hung.* **83**: 253–267.
- KOLOSVÁRY, G. 1926: Über die Verbreitungsfrage der *Trochosa singoriensis* Laxm. in Ungarn und die Lebensweise dieser Spinne. *Arch. Naturgesch.* **91A**: 217–225.
- KOLOSVÁRY, G. 1928a: Die Spinnenfauna der ungarischen Höhlen. *Mitt. Höhlen-u. Karstforsch.* **1928**: 109–113.
- KOLOSVÁRY, G. 1928b: Die Spinnen-Faune von Szeged (Ungarn). (Eine faunistische Studie). *Acta litt. scient. R. Univ. hung. (Biol.)* **1(1)**: 41–54.
- KOLOSVÁRY, G. 1928c: Évi pókgyűjtésem Balatonaligán. [On my annual spider collections at Balatonaliga.] *Arb. ung. biol. ForschInst.* **2**: 36–44.
- KOLOSVÁRY, G. 1930: Ökologische und biopsychologische Studien üben die Spinnenbiosphäre der gesamten Halbinsel von Tihany. *Z. Morph. Ökol. Tiere* **19**: 493–533.
- KOLOSVÁRY, G. 1931: Pókok életteréről tekintettel a vizmenti fajokra. [On the habitats of spiders, with special reference to spiders on water shores.] *Arb. ung. biol. ForschInst.* **4**: 1–7.
- KOLOSVÁRY, G. 1932a: Az *Argyroneta aquatica* Kisbalatoni előfordulása. [The occurrence of *Argyroneta aquatica* at Kisbalaton.] *Arb. ung. biol. ForschInst.* **5**: 15–16.
- KOLOSVÁRY, G. 1932b: Die Spinnenbiosphaere des ungar-ländischen Pannonbeckens. *Acta litt. scient. R. Univ. hung. (Biol.)* **2(2)**: 106–128.
- KOLOSVÁRY, G. 1933a: Az *Argyroneta aquatica* Nagybalatoni előfordulása. [The occurrence of *Argyroneta aquatica* at Lake Balaton.] *Magyar Biológiai Kutató intézet I. osztályának Közleményei* **6**: 145–147.
- KOLOSVÁRY, G. 1933b: Beiträge zur Spinnenfauna der ungarischen Tiefebene. *Arch. Naturgesch. (N.F.)* **2**: 225–230.
- KOLOSVÁRY, G. 1933c: Die Spinnen als Vogelnahrung. *Kócsag* **1933**: 3–8.
- KOLOSVÁRY, G. 1933d: Ökologai kutatásaim a Bükk hegység barlangjaiban. [On my ecological studies in the caves of Bükk mountains.] *Barlangvilág* **3**: 6–13.
- KOLOSVÁRY, G. 1934a: 21 neue Spinnenarten aus Slovensko, Ungarn und aus der Banat. *Folia zool. hydrobiol.* **6**: 12–17.
- KOLOSVÁRY, G. 1934b: Die Spinnenbiosphaere des ungar-ländischen Pannonbeckens, II. *Acta litt. scient. R. Univ. hung. (Biol.)* **3**: 11–20.
- KOLOSVÁRY, G. 1934c: Recherches biologiques dans les grottes de pierre à chaux de la Hongrie. *Folia zool. hydrobiol.* **6**: 1–12.
- KOLOSVÁRY, G. 1935a: Beiträge zur Spinnenfauna des Mátragebirges und der Villányer Gegend. *Folia zool. hydrobiol.* **8**: 278–288.
- KOLOSVÁRY, G. 1935b: Die Spinnenbiosphaere des ungar-ländischen Pannonbeckens, III. *Acta litt. scient. R. Univ. hung. (Biol.)* **3(3)**: 134–144.
- KOLOSVÁRY, G. 1935c: Neue araneologische Mitteilungen aus Ungarn. *Folia zool. hydrobiol.* **8**: 35–38.
- KOLOSVÁRY, G. 1935d: Neue Beiträge zur Biologie der Tierwelt der ungar-ländischen Junipereten. *Folia zool. hydrobiol.* **7**: 203–216.
- KOLOSVÁRY, G. 1936: *Xysticus sabulosus* és a *Xysticus Embriki* földrajzi elterjedése. [The geographical distribution of *Xysticus sabulosus* and *Xysticus embriki*.] *Acta. litt. scient. R. Univ. Hung. (Biol.)* **4(1)**: 46–48.
- KOLOSVÁRY, G. 1938: Neue Spinnenangaben aus Ungarn. *Fragm. faun. hung.* **1**: 98.
- KOLOSVÁRY, G. 1939a: Ein ökologischer Vergleich zwischen der Spinnenfauna der Kecske- und der Stephans-Höhle in Ungarn. *Folia zool. hydrobiol.* **9**: 334–337.
- KOLOSVÁRY, G. 1939b: Neue Spinnenangaben aus Ungarn. *Fragm. faun. hung.* **2**: 32.
- KOLOSVÁRY, G. 1939c: Über die Bedeutung der ökologisch-biocönotischen Forschungen an kleinen Terrains. *Folia zool. hydrobiol.* **9**: 345–348.
- KOLOSVÁRY, G. 1943: Spinnenfaunistische Beiträge aus Ungarn. *Fragm. faun. hung.* **6**: 63–67.
- KOLOSVÁRY, G. 1948: Über die östliche Verbreitungsgrenze zweier Spinnenarten im Karpatenbecken. *Fragm. faun. hung.* **11**: 64.
- KROPF, C. & HORAK, P. 1996: Die Spinnen der Steiermark (Arachnida, Araneae). *Mitt. naturw. ver. Steierm. Sonderheft 1996*: 5–112.
- LANGEMARK, S. Checklist of Danish spiders. <http://www.aki.ku.dk/zmuclentol/arachnid/dklist/checklst.htm>.
- LENDL, A. 1886a: *Argyope Brünnichii* (Scop.) életmódja. [The biology of *Argyope bruennichi*.] *Rovart. Lap.* **3**: 129–137.
- LENDL, A. 1886b: A magyarországi *Tetragnatha-félékröl*. (Species subfamiliae *Tetragnathinarum* faunae Hungaricae). *Mitt. természettud. Közl.* **22**: 119–156.
- LOKSA, I. 1958: Budapest és környékének állatvilága. [The fauna of Budapest and its surroundings.] In *Budapest természeti képe*: 643–661. Budapest.
- LOKSA, I. 1959a: A Mezőföld állatföldrajzi vonatkozásai, általatvilágának érdekesebb tagjai. [Zoogeographical relations of

- Mezőföld, and interesting animals from the region.] In Ádám, Marosi & Szilárd (eds.), *A Mezőföld természeti földrajza*: 385–393. Budapest.
- LOKSA, I. 1959b: Ökologische und faunistische Untersuchungen in der Násznép-Höhle des Naszály-Berges (*Biospeologica Hungarica*, VI). *Opusc. zool. Bpest* **3**: 63–80.
- LOKSA, I. 1959c: Quantitative zoözoölogische Untersuchungen in den Wältern des Donau-Deltas. *Acta zool. hung.* **4**: 375–391.
- LOKSA, I. 1960a: Faunistisch-systematische und ökologische Untersuchungen in der Lóczy-Höhle bei Balatonfüred (*Biospeologica Hungarica*, XI). *Annls Univ. Scient. bpest. Rolando Eötvös (Biol.)* **3**: 253–266.
- LOKSA, I. 1960b: Über die Landarthropoden der Teichhöhle von Tapolca (Ungarn). (*Biospeologica Hungarica*, IX.) *Opusc. zool. Bpest* **4**: 39–51.
- LOKSA, I. 1961a: A Kovácsi heggy ízeltlábúiról. *Állattani Közl.* **46**: 65–80.
- LOKSA, I. 1961b: Ökologisch-faunistische Untersuchungen in der Freiheitshöhle bei Égerszög. (*Biospeologica Hungarica*, XIII.) *Acta zool. hung.* **7**: 219–230.
- LOKSA, I. 1961c: Quantitative Untersuchungen streuschichtbewohnenden Arthropoden-Bevölkerungen in einigen ungarischen Waldbeständen. *Annls Univ. Scient. bpest. Rolando Eötvös (Biol.)* **4**: 99–112.
- LOKSA, I. 1962: Über die Landarthropoden der István-, Forrás- und Szeleta-Höhle bei Lillafüred. (*Biospeologica Hungarica*, XV.) *Karszt-Barlangk.* **3**: 59–80.
- LOKSA, I. 1966a: *Die bodenzoozöologischen Verhältnisse der Fläumeichen-Buschwälder Südostmitteleuropas*. Akadémiai Kiadó, Budapest.
- LOKSA, I. 1966b: *Nemesia pannonica* O. Herman (Araneae: Ctenizidae). *Annls Univ. Scient. bpest. Rolando Eötvös (Biol.)* **8**: 155–171.
- LOKSA, I. 1967: A Dunai Alföld. [The Danube Plain.] In M. Pécsi (ed.), *Magyarország tájalföldrajza I*: 77–78, 207–209, 237–240, 251, 288–289, 306. Budapest, Akadémiai Kiadó.
- LOKSA, I. 1968: Quantitative Makrofauna-Untersuchungen in den Waldböden des Bükkgebirges (Ungarn). *Annls Univ. Scient. bpest. Rolando Eötvös (Biol.)* **9–10**: 265–289.
- LOKSA, I. 1969a: Pókok I.–Aranee I. *Fauna Hung.* **97**(18: 2): 1–133.
- LOKSA, I. 1969b: A Tiszai Alföld tájegységeinek állatföldrajzi értékelése. [Zoogeographical evaluation of small regions in the Tisza Plain.] In M. Pécsi (ed.), *Magyarország tájalföldrajza II*: 131–133, 164–165, 246, 296, 319. Budapest, Akadémiai Kiadó.
- LOKSA, I. 1970: Die Spinnen der “Kölyuk”-Höhlen im Bükkgebirge (*Biospeologica Hungarica*, XXXIII). *Annls Univ. Scient. bpest. Rolando Eötvös (Biol.)* **12**: 269–276.
- LOKSA, I. 1971: Zoozöologische Untersuchungen im Nördlichen Bakony-Gebirge. *Annls Univ. Scient. bpest. Rolando Eötvös (Biol.)* **13**: 301–314.
- LOKSA, I. 1972: Pókok II.–Aranee II. *Fauna Hung.* **109**: 1–112.
- LOKSA, I. 1973a: Bodenzoologische Untersuchungen in den Alkalial-Waldsteppen von Margita, Ungarn. I. Untersuchungen der Arthropoden-Makrofauna, nebst Bemerkungen über die *Oniscoides*-Arten. *Opusc. zool. Bpest* **11**: 79–93.
- LOKSA, I. 1973b: On the morphology and systematical position of *Mysmena leucoplagiata* (Simon, 1879) (Araneae: Symphytognathidae). *Acta zool. hung.* **19**: 283–287.
- LOKSA, I. 1977: A Sas-hegy pókfaunája. [Spider fauna of Sas-hegy.] In J. Papp (ed.), *A Budai Sas-hegy élővilága*. Budapest, Akadémiai Kiadó.
- LOKSA, I. 1978: Beiträge zur Kenntnis der Weberknecht- und Spinnenfauna des Arboretums von Szigliget. *Veszprém megyei Múz. Közl.* **13**: 113–117.
- LOKSA, I. 1979: Quantitative Untersuchungen über die Makrofauna der Laubstreu in Zer reichen- und Hainsimsen-Eichen-Beständen des Bükk-Gebirges. *Opusc. zool. Bpest* **16**: 87–96.
- LOKSA, I. 1981a: Die Bodenspinnen zweier Torfmoore im Oberen Theiss-Gebiet Ungarns. *Opusc. zool. Bpest* **17–18**: 91–106.
- LOKSA, I. 1981b: The spider fauna of the Hortobágy National Park (Araneae). In S. Mahunka (ed.), *The fauna of the Hortobágy National Park*: 321–339. Budapest, Akad. Kiadó.
- LOKSA, I. 1984: Pókszabásúak. [Araneidae.] In L. Móczár (ed.), *Állathatározó II*: 502–572. Budapest, Tankönykiadó.
- LOKSA, I. 1987: The spider fauna of the Kiskunság National Park. In S. Mahunka (ed.), *The fauna of the Kiskunság National Park 2*: 335–342. Budapest, Akad. Kiadó.
- LOKSA, I. 1988: Über einige Arthropoden-Gruppen aus dem Biosphäre-Reservat des Pilis-Gebirges (Ungarn). *Opusc. zool. Bpest* **23**: 159–176.
- LOKSA, I. 1989: Pókok. [Spiders.] In K. Balázs & Z. Mészáros (eds.), *Biológiai védekezés természetes ellenségekkel*: 147–156. Budapest, Mezőgazdasági Kiadó.
- LOKSA, I. 1991a: The spider (Araneae) fauna of the Bátorliget Nature Reserves (NE Hungary). In S. Mahunka (ed.), *The Bátorliget Nature Reserves — after forty years 2*: 691–704. Budapest, Hung. Nat. Hist. Mus.
- LOKSA, I. 1991b: Über einige Arthropoden-Gruppen aus dem Pilis-Biosphären-Reservat (Ungarn). 2. Die Diplopoden, Chilopoden, Weberknechte und Spinnen aus dem Gebiet zwischen Kakas-Berg (Pilisszentkereszt) und Ispán-Wiese (Mikulaharaszt). *Opusc. zool. Bpest* **24**: 129–141.
- LOKSA, I. & LOKSA, I. 1991a: Adatok a Háros-sziget ízeltlábú faunájához. [Data on the arthropod fauna of Háros-sziget.] *Kézirat*: 94–105.
- LOKSA, I. & LOKSA, I. 1991b: Adatok a Tétényi-fennsík ízeltlábú faunájához. [Data on the arthropod fauna of Tétényi-fennsík.] *Kézirat*: 46–56.
- MERRETT, P., LOCKET, G. H. & MILLIDGE, A. F. 1985: A checklist of British spiders. *Bull. Br. arachnol. Soc.* **6**: 381–403.
- MIKHAILOV, K. G. 1996: A checklist of the spiders of Russia and other territories of the former USSR. *Arthropoda Selecta* **5** (1–2): 75–137.
- MIKHAILOV, K. G. & SZINETÁR, C. 1997: Spiders of the genus *Clubiona* Latreille, 1804 (Aranei, Clubionidae) in Hungary. *Misc. zool. hung.* **11**: 49–68.
- MILLER, F. & KRATOCHVIL, J. 1940: Ein Beitrag zur Revision der mitteleuropäischen Spinnenarten aus der Gattung *Porrhomma* E. Sim. *Zool. Anz.* **130**: 11–90.
- NEMENZ, H. & PÜHRINGER, G. 1973: Zur Taxonomie und Ökologie von *Singa phragmiteti* Nemenz, 1956. *Sber. öst. Akad. Wiss. (I)* **181**: 101–109.
- NIKOLIC, F. & POLENEC, A. 1981: Aranea. *Cat. Faunae Jugosl.* **III/4**: 1–135.
- PESARINI, C. 1994: Arachnida Aranee. In A. Minelli, S. Ruffo & S. La Posta (eds.), *Checklist delle specie della fauna italiana* **23**: 1–42. Bologna, Calderini.
- PILLICH, F. 1914: *Aus der Arthropodenwelt Simontornya's*. Simon-tornya.
- PLATEN, R., BLICK, T., BLISS, P., DROGLA, R., MALDEN, A., MARTEENS, J., SACHER, P. & WUNDERLICH, J. 1995: Verzeichnis der Spinnentiere (excl. Acarida) Deutschlands (Arachnida: Araneida, Opilionida, Pseudoscorpionida). *Arachnol. Mitt. Sonderband* **1**: 1–55.
- PLATNICK, N. I. 1989: *Advances in spider taxonomy 1981–1987. A supplement to Brignoli's A catalogue of the Araneeae described between 1940 and 1981*. 1–673. Manchester Univ. Press, Manchester.
- PLATNICK, N. I. 1993: *Advances in spider taxonomy 1988–1991. With synonymies and transfers 1940–1980*. 1–846. New York Entomological Society, New York.
- PLATNICK, N. I. 1997: *Advances in spider taxonomy 1992–1995. With redescriptions 1940–1980*. 1–976. New York Entomological Society, New York.
- PRÓSZYŃSKI, J. 1993: Catalogue of Salticidae (Araneae). *Computer database, version 1993 May*.
- ROEWER, C. F. 1942: *Katalog der Araneeae von 1758 bis 1940* **1**: 1–1040. Bremen.
- ROEWER, C. F. 1955: *Katalog der Araneeae von 1758 bis 1940, bzw. 1954* **2a**: 1–923; **2b**: 925–1751. Institut royal des Sciences naturelles de Belgique, Bruxelles.
- SAARISTO, M. I. 1997: Description of *Megalephyphantes pseudocollinus*, n.sp. (Araneae: Linyphiidae: Micronetinae). *Bull. Br. arachnol. Soc.* **10**: 257–259.

- SAMU, F. & LÖVEI, G. 1995: Species richness of a spider community: extrapolation from simulated increasing sample effort. *Eur. J. Entomol.* **92**: 633–638.
- SAMU, F., VÖRÖS, G. & BOTOS, E. 1996: Diversity and community structure of spiders of alfalfa fields and grassy field margins in South Hungary. *Acta Phytopathol. Entomol. Hung.* **31**: 253–266.
- SZATHMÁRY, K. 1995: The spider (Araneae) fauna of the shore of Lake Balaton, Hungary. *Opusc. zool. Budapest* **27–28**: 65–70.
- SZINETÁR, C. 1988: Örségi növénytársulások növényzeti szintjein élő pókok faunisztikai és cönológiai vizsgálata. [Faunistic and coenological investigations of spiders living on different levels of plant associations of Őrség.] *Berzsenyi Dániel Tanárképző Főiskola Tudományos Közleményei Természettudományok* **1**: 167–177.
- SZINETÁR, C. 1991: Pókfaunisztikai vizsgálatok a Somlón és a Devecseri Széki-erdőben I. [Investigation of the spider fauna in Somló Mountain and Széki-wood.] *Folia Mus. his.-nat. Bakonyiensis* **10**: 179–190.
- SZINETÁR, C. 1992a: A Béda-Karapancsa Tájvédelmi Körzet pókfaunája. [Spider fauna of Béda-Karapancsa landscape protection area.] *Dunántúli Dolgozatok Természettudományi Sorozat* **6**: 247–256.
- SZINETÁR, C. 1992b: A Boronka-mellékű Tájvédelmi Körzet pókfaunája. [Spider fauna of the Boronka landscape protection area.] *Dunántúli Dolgozatok Természettudományi Sorozat* **7**: 331–345.
- SZINETÁR, C. 1992c: Egy természetközeli növénytársulás (Pineto-Quercetum roboris molinetosum) pókközösségeinek időbeli változásai. [The dynamics of spider community in a quasi-natural plant community (Pineto-Quercetum roboris molinetosum).] *Savaria* **20**: 173–181.
- SZINETÁR, C. 1992d: Spruce as spider-habitat in urban ecosystem I. *Folia ent. hung.* **53**: 179–188.
- SZINETÁR, C. 1992e: Újdonsült albérloink, avagy jövevények az épületlakó pókfaunánkban. [Our new lodgers, new immigrants in the building-dweller spider fauna in Hungary.] *Állatt. Közl.* **78**: 99–108.
- SZINETÁR, C. 1993: A nádasok pókfaunája. [The spider fauna of reed marshlands in Hungary.] *Folia ent. hung.* **54**: 155–162.
- SZINETÁR, C. 1995a: Data to the Araneae fauna of Őrség (Western Hungary). *Savaria* **22**: 245–251.
- SZINETÁR, C. 1995b: Some data on the spider fauna of reeds in Hungary. I. Interesting faunistical data from the reeds of lake Balaton. *Folia. ent. hung.* **56**: 205–209.
- SZINETÁR, C. 1996: Preliminary results on foliage-dwelling spiders on black pine (*Pinus nigra*) by beating on 5 sites in Hungary. *Revue suisse Zool.* vol. hors série: 643–648.
- SZINETÁR, C. & SAMU, F. 1995: Bibliography of arachnological articles on the arachnofauna of the Carpathian Basin by Hungarian zoologists. *Folia ent. hung.* **56**: 241–256.
- SZINETÁR, C. & VAJDA, Z. 1992: Egy ritka dél-európai pókfaj, a *Tegenaria nemorosa* Simon, 1916 hazánkban (Araneae). [The occurrence of a rare South European spider species, *Tegenaria nemorosa* Simon, 1916 in Hungary.] *Folia ent. hung.* **53**: 257–258.
- SZOMBATHY, K. 1917: A magyarországi *Nesticus*-félékről (*Nesticus spelaeus* és *N. tenebricola* n. sp.). [On the Hungarian *Nesticus* species (*Nesticus spelaeus* and *N. tenebricola* n.sp.).] *Barlangkutatás* **5**: 33–39.
- THALER, K. & PLACHTER, H. 1983: Spinnen aus Höhlen der Fränkischen Alb, Deutschland (Arachnida: Araneeae: Erigonidae, Linyphiidae). *Senckenberg. biol.* **63**: 249–263.
- TÓTH, F. & KISS, J. 1997: Occurrence of *Pardosa* (Araneae, Lycosidae) species in winter wheat and in the field margin. *Proc. 16th European Colloquium of Arachnology, Siedlce*: 309–315.
- TÓTH, F., KISS, J., SAMU, F., TÓTH, I. & KOZMA, E. 1996: Az öszibúza fontosabb pókfajai (Araneae) talajcsapdás gyűjtésre alapozva (előzetes közlemény). [Description of important spider species (Araneae) of winter wheat in pitfall trap catches.] *Növényvédelem* **32**: 235–239.
- UHL, G., SACHER, P., WEISS, I. & KRAUS, O. 1992: Europäische Vorkommen von *Tetragnatha shoshone* (Arachnida, Araneeae, Tetragnathidae). *Verh. naturw. Ver. Hamb.* **33**: 247–261.
- VANUYTEN, H. 1988: Checklist of Belgian spiders. <http://www.ufsia.ac.be/Arachnology/Pages/Arabell/Belgian%20Spiders.html>
- WEISS, I. 1987: Die Spinnen der kollinen Stufe Sudsiebenburgens. Ein faunistisch-ökologischer Konspekt. (Arachnida: Araneeae). *Anuar Complexul Muzeal Sibiu* **1**: 297–318.
- WEISS, I., SZINETÁR, C. & SAMU, F. 1998: Zur Taxonomie von *Cryptodrassus hungaricus* (Balogh, 1935) (Araneae: Gnaphosidae). *Arachnol. Mitt.* (in press)
- WORKING GROUP ARACHNOLOGY: TROPICAL ECOLOGY AT STAATLICHES MUSEUM FÜR NATURKUNDE IN KARLSRUHE. 1996: Jumping spiders from Greece (Salticidae). http://ourworld.compuserve.com/homepages/lhoefer_smnk/greece.htm